

2. Performance Benchmark

2a. Isolation Forest: Anomaly Detection

Metric	Value	Description
Precision	100.00%	Share of flagged anomalies that were genuine attacks
Recall (TPR)	93.05%	Share of actual attacks successfully flagged
F1-Score	96.40%	Balanced measure combining Precision and Recall
Accuracy	97.56%	Overall proportion of correct anomaly decisions
False Positive Rate (FPR)	0.00%	Normal traffic incorrectly flagged as an attack
False Negative Rate (FNR)	6.95%	Actual attacks that went undetected
True Positive Rate (TPR)	93.05%	Same measure as Recall, attacks correctly flagged
True Negative Rate (TNR)	100.00%	Normal traffic correctly identified as safe

	Predicted: Attack	Predicted: Normal
Actual: Attack	TP 6173	FN 461
Actual: Normal	FP 0	TN 12246

2b. Random Forest: Attack Classification

Metric	Value	Description
Precision	100.00%	Share of flagged anomalies that were genuine attacks
Recall (TPR)	100.00%	Share of actual attacks successfully flagged
F1-Score	100.00%	Balanced measure combining Precision and Recall
Accuracy	100.00%	Overall proportion of correct anomaly decisions
False Positive Rate (FPR)	0.00%	Normal traffic incorrectly flagged as an attack
False Negative Rate (FNR)	0.00%	Actual attacks that went undetected
True Positive Rate (TPR)	100.00%	Same measure as Recall, attacks correctly flagged
True Negative Rate (TNR)	100.00%	Normal traffic correctly identified as safe

	Predicted: SYN	Predicted: ICMP	Predicted: UDP
Act: SYN	6173	0	0
Act: ICMP	0	0	0
Act: UDP	0	0	0

2c. Hybrid Cascaded

Metric	Value	Description
Precision	100.00%	Share of flagged anomalies that were genuine attacks
Recall (TPR)	93.05%	Share of actual attacks successfully flagged
F1-Score	96.40%	Balanced measure combining Precision and Recall
Accuracy	97.56%	Overall proportion of correct anomaly decisions
False Positive Rate (FPR)	0.00%	Normal traffic incorrectly flagged as an attack
False Negative Rate (FNR)	6.95%	Actual attacks that went undetected
True Positive Rate (TPR)	93.05%	Same measure as Recall, attacks correctly flagged
True Negative Rate (TNR)	100.00%	Normal traffic correctly identified as safe

	Predicted: Attack	Predicted: Normal
Actual: Attack	TP 6173	FN 461
Actual: Normal	FP 0	TN 12246

2d. Response Latency

Metric	Value	Description
Detection Time	586.2 ms	Average time taken to detect an attack
Mitigation Response Time	11.2 ms	Interval between the anomaly flag and the FlowMod blocking rule install

2e. Controller Resource Overhead

Metric	Value	Description
Controller CPU (Baseline)	0.98%	Ryu controller CPU usage under normal traffic
Controller CPU (Active Attack)	16.93%	Ryu controller average CPU usage during a DDoS simulation
Controller CPU (Mitigation)	16.07%	Ryu controller CPU usage during simultaneous detection and mitigation

3. Offences Summary

Source IP	Sessions	Max Offences	First Seen	Last Seen
10.0.0.17	5	4	2026-09-26 17:25:16	2026-09-26 17:27:56
10.0.0.19	5	4	2026-09-26 17:25:17	2026-09-26 17:27:57
10.0.0.18	5	3	2026-09-26 17:25:10	2026-09-26 17:27:51
10.0.0.16	4	3	2026-09-26 17:25:11	2026-09-26 17:27:52

4. Chronological Mitigation Log

Timestamp	Source IP	Class	Vector	Confidence	Priority	Action
2026-09-26 17:25:10	10.0.0.18	DDoS	Uncertain	-	Low	Quarantined
2026-09-26 17:25:11	10.0.0.16	DDoS	Uncertain	-	Low	Quarantined
2026-09-26 17:25:16	10.0.0.17	DDoS	Uncertain	-	Low	Quarantined
2026-09-26 17:25:17	10.0.0.19	DDoS	Uncertain	-	Low	Quarantined
2026-09-26 17:25:21	10.0.0.18	DDoS	SYN Flood	93.4%	Critical	Time Ban (30s)
2026-09-26 17:25:21	10.0.0.18	DDoS	SYN Flood	93.4%	Critical	Time Ban
2026-09-26 17:25:22	10.0.0.16	DDoS	SYN Flood	91.0%	Critical	Time Ban (30s)
2026-09-26 17:25:23	10.0.0.16	DDoS	SYN Flood	91.0%	Critical	Time Ban
2026-09-26 17:25:27	10.0.0.17	DDoS	SYN Flood	90.9%	Critical	Time Ban (30s)
2026-09-26 17:25:27	10.0.0.19	DDoS	SYN Flood	93.3%	Critical	Time Ban (30s)
2026-09-26 17:25:27	10.0.0.19	DDoS	SYN Flood	93.3%	Critical	Time Ban
2026-09-26 17:25:27	10.0.0.17	DDoS	SYN Flood	90.9%	Critical	Time Ban
2026-09-26 17:25:51	10.0.0.18	DDoS	SYN Flood	93.4%	High	Released
2026-09-26 17:25:57	10.0.0.17	DDoS	SYN Flood	92.8%	Critical	Released
2026-09-26 17:25:57	10.0.0.19	DDoS	SYN Flood	94.1%	Critical	Released
2026-09-26 17:26:01	10.0.0.18	DDoS	SYN Flood	93.4%	Critical	Time Ban (1m)
2026-09-26 17:26:08	10.0.0.17	DDoS	SYN Flood	92.8%	Critical	Time Ban (1m)
2026-09-26 17:26:08	10.0.0.19	DDoS	SYN Flood	94.1%	Critical	Time Ban (1m)
2026-09-26 17:26:22	10.0.0.16	DDoS	SYN Flood	91.0%	Critical	Time Ban (1m)
2026-09-26 17:27:09	10.0.0.17	DDoS	SYN Flood	93.3%	Critical	Time Ban (2m)
2026-09-26 17:27:09	10.0.0.19	DDoS	SYN Flood	94.1%	Critical	Time Ban (2m)
2026-09-26 17:27:51	10.0.0.18	DDoS	SYN Flood	91.8%	Critical	Time Ban (5m)
2026-09-26 17:27:52	10.0.0.16	DDoS	SYN Flood	92.0%	Critical	Time Ban (2m)
2026-09-26 17:27:56	10.0.0.17	DDoS	SYN Flood	93.2%	Critical	Time Ban (5m)
2026-09-26 17:27:57	10.0.0.19	DDoS	SYN Flood	90.9%	Critical	Time Ban (5m)

5. IP Attack History (Completed Sessions)

Source IP	Vector	IF Score	Conf	Priority	Phase	Offences	Duration	Unblocked At	Reason
10.0.0.19	SYN Flood	0.6528	90.9%	Critical	Phase 2	1	11s	2026-09-26 17:27:57	Attack persisted - escalating to time ban
10.0.0.17	SYN Flood	0.6398	93.2%	Critical	Phase 2	1	11s	2026-09-26 17:27:56	Attack persisted - escalating to time ban
10.0.0.16	SYN Flood	0.6342	92.0%	Critical	Phase 2	1	11s	2026-09-26 17:27:52	Attack persisted - escalating to time ban

Source IP	Vector	IF Score	Conf	Priority	Phase	Offences	Duration	Unblocked At	Reason
10.0.0.18	SYN Flood	0.6469	91.8%	Critical	Phase 2	1	11s	2026-09-26 17:27:51	Attack persisted - escalating to time ban
10.0.0.19	SYN Flood	0.6088	94.1%	Critical	Phase 2	4	1m 12s	2026-09-26 17:27:09	Attack persisted - escalating to time ban
10.0.0.17	SYN Flood	0.6051	93.3%	Critical	Phase 2	4	1m 12s	2026-09-26 17:27:09	Attack persisted - escalating to time ban
10.0.0.18	SYN Flood	0.6098	95.4%	Critical	Phase 2	1	1m 11s	2026-09-26 17:27:02	Ban Expired
10.0.0.16	SYN Flood	0.6260	91.0%	Critical	Phase 2	3	1m 12s	2026-09-26 17:26:23	Attack persisted - escalating to time ban
10.0.0.19	SYN Flood	0.6491	94.1%	Critical	Phase 2	3	11s	2026-09-26 17:26:08	Attack persisted - escalating to time ban
10.0.0.17	SYN Flood	0.6266	92.8%	Critical	Phase 2	3	11s	2026-09-26 17:26:08	Attack persisted - escalating to time ban
10.0.0.18	SYN Flood	0.6404	93.4%	Critical	Phase 2	3	10s	2026-09-26 17:26:01	Attack persisted - escalating to time ban
10.0.0.19	SYN Flood	0.6314	94.1%	Critical	Phase 2	1	40s	2026-09-26 17:25:57	Ban Expired
10.0.0.17	SYN Flood	0.6198	92.8%	Critical	Phase 2	1	41s	2026-09-26 17:25:57	Ban Expired
10.0.0.16	SYN Flood	0.6298	91.0%	Critical	Phase 2	2	41s	2026-09-26 17:25:52	Attack persisted - escalating to time ban
10.0.0.18	SYN Flood	0.5958	93.4%	High	Phase 2	1	41s	2026-09-26 17:25:51	Ban Expired
10.0.0.19	SYN Flood	0.6435	93.3%	Critical	Phase 2	1	10s	2026-09-26 17:25:27	Attack persisted - escalating to time ban
10.0.0.17	SYN Flood	0.6263	90.9%	Critical	Phase 2	1	11s	2026-09-26 17:25:27	Attack persisted - escalating to time ban
10.0.0.16	SYN Flood	0.6342	91.0%	Critical	Phase 2	1	11s	2026-09-26 17:25:22	Attack persisted - escalating to time ban
10.0.0.18	SYN Flood	0.6469	93.4%	Critical	Phase 2	1	11s	2026-09-26 17:25:21	Attack persisted - escalating to time ban

Verification and Approval

I hereby verify that the findings in this incident report are accurate and that the listed mitigation actions were carried out under my supervision.

SIGNATURE OVER PRINTED NAME

Network Administrator

DATE