







Comment	Description	Designator	Footprint	LibRef	Quantity
AMS1117-3.3V	Dán	AMS1	SOT223	AMS1117 SMD	1
Nut Nhan 2 Chan SMD 3x6x2.5	Nut Nhan 2 Chan SMD 3x6x2.5	BT1	Nut Nhan 2 Chan SMD 3x6x2.5	Nut Nhan 2 Chan SMD 3x6x2.5	1
22p	Capacitor SMD 0805	C1, C2	Cap 0805	Cap 0805	2
100uF	Dán	C3, C9, C10	tu nhom 6.3 (d)	Tu Nhom 100uF 16V, Tu Nhom 100uF 25V	3
104	Capacitor SMD 0805	C4, C5, C8, C11, C12	Cap 0805	Cap 0805	5
105	Capacitor SMD 0805	C6, C13	Cap 0805	Cap 0805	2
106	Capacitor SMD 0805	C7, C14	Cap 0805	Cap 0805	2
30p	Capacitor SMD 0805	C15, C16	Cap 0805	Cap 0805	2
SS34	Dán	D1	DIODE SMA	Diode SS34 (1N5822)	1
Header 4P 2.54 Duc Thang	Cắm	H1	XH2.54M-4	Header 4P 2.54 Duc Thang	1
Header 5P 2.54 Duc Cong	Cắm	H2, H3, H4, H5, H6, H7	Header 5P DC 2.54	Header 5P 2.54 Duc Cong	6
JP 1x1 2.54	Cắm	JP1, JP4, JP5	JP 1x1 DT	JP 1x1 2.54 Duc Cong	3
JP 1x4 2.54	Cắm	JP2, JP3	JP 1x4 DT	JP 1x4 2.54 Duc Thang	2
100uH - 3A SMD	Dán	L1	Cuon Cam 12x12x10	CUON CAM 100uH SMD	1
LED 0805	Dán	L2, L3, L4, L5	LED-0805-Red	LED 0805 Do	4
HEADER2		P1	CON 2	HEADER2	1
B1205S-2WR3	Power Supply	PS1	B1205S2WR3	B1205S-2WR3	1
4.7k	Dán	R1, R2	tro smd 0805	Tro 0805 1%0.22R	2
220	Dán	R3, R10, R11, R17, R18, R25, R26, R29, R30, R31, R32, R35, R36	tro smd 0805	Tro 0805 1%0.22R	13
1k	Dán	R4	tro smd 0805	Tro 0805 1%0.22R	1
4k7	Dán	R5, R6, R7, R8, R9, R12, R13, R14, R15, R16, R19, R20, R21, R22, R23, R24, R27, R28, R33, R34	tro smd 0805	Tro 0805 1%0.22R	20
STM32F446VET6	ARM®Cortex®M4 STM32F4 Microcontroller IC 32-Bit Single-Core 180MHz 512KB (512Kx8) FLASH 100-LQFP (14x14)	U2	LQFP100-14X14MM	STM32F446VET6	1
LM2576HVS5.0V SMD	Dán	U3	TO263-5	LM2576HVS5.0V SMD	1
6N137S	Logic Output Optoisolator 15MBd Open Collector 5000Vrms 1 Channel 10kV/Âµs CMTI 8-SMD	U4, U5, U9, U10, U13, U14, U15, U16, U17, U18	8-SMD	6N137S	10
74HC14D,653	Inverter IC 6 Channel Schmitt Trigger 14-SO	U6, U7, U8, U11, U12	SOIC127P600X175-14N	74HC14D,653	5
25Mhz	Crystal For all Crystal 2pin.	Y1	Thach Anh 2 chan cam	Thach Anh 2 chan Cam	1