

Supplement for Lecture 1: Model Basics

Read in Dataset

```
# Loads a package needed to use the read_csv() function
# CSV file needs to be in the same folder as your RMD file
# Default working directory is same as directory of your RMD file

lego1 <- read_csv("lego.csv")

## Rows: 1304 Columns: 15
## -- Column specification -----
## Delimiter: ","
## chr (7): Set_Name, Theme, Ages, Packaging, Weight, Availability, Size
## dbl (8): Item_Number, Pieces, Price, Amazon_Price, Year, Pages, Minifigures,...
##
## i Use `spec()` to retrieve the full column specification for this data.
## i Specify the column types or set `show_col_types = FALSE` to quiet this message.

# You can specify the full path on your computer like below
#lego2 = read_csv("D:/Mario Documents/UNC/STOR 455/STOR455_WEBSITE/Supplement/Model Basics/lego.csv")

# Created Objects lego1 and lego2 using <- and =
```

Notice that objects lego1 and lego2 have been added to the Global Environment.

Preview Dataset

```
head(lego1) #Vertically (Top 6 Rows by Default)
```

```
## # A tibble: 6 x 15
##   Item_Number Set_Name      Theme Pieces Price Amazon_Price Year Ages Pages
##   <dbl> <chr>      <chr> <dbl> <dbl> <dbl> <dbl> <chr> <dbl>
## 1 41916 Extra Dots - Se~ DOTS 109 3.99 3.44 2020 Ages~ NA
## 2 41908 Extra Dots - Se~ DOTS 109 3.99 3.99 2020 Ages~ NA
## 3 11006 Creative Blue B~ Clas~ 52 4.99 4.93 2020 Ages~ 37
## 4 11007 Creative Green ~ Clas~ 60 4.99 4.93 2020 Ages~ 37
## 5 41901 Funky Animals B~ DOTS 33 4.99 4.99 2020 Ages~ NA
## 6 41902 Sparkly Unicorn~ DOTS 33 4.99 4.99 2020 Ages~ NA
## # i 6 more variables: Minifigures <dbl>, Packaging <chr>, Weight <chr>,
## # Unique_Pieces <dbl>, Availability <chr>, Size <chr>
```

```
str(lego1) #Horizontally
```

```
## spc_tbl_ [1,304 x 15] (S3: spec_tbl_df/tbl_df/tbl/data.frame)
## $ Item_Number : num [1:1304] 41916 41908 11006 11007 41901 ...
## $ Set_Name : chr [1:1304] "Extra Dots - Series 2" "Extra Dots - Series 1" "Creative Blue Bricks
## $ Theme : chr [1:1304] "DOTS" "DOTS" "Classic" "Classic" ...
```

```
## $ Pieces      : num [1:1304] 109 109 52 60 33 33 33 33 33 33 ...
## $ Price       : num [1:1304] 3.99 3.99 4.99 4.99 4.99 4.99 4.99 4.99 4.99 4.99 ...
## $ Amazon_Price : num [1:1304] 3.44 3.99 4.93 4.93 4.99 4.99 4.99 4.99 4.99 4.99 ...
## $ Year        : num [1:1304] 2020 2020 2020 2020 2020 2020 2020 2020 2020 2020 ...
## $ Ages        : chr [1:1304] "Ages_6+" "Ages_6+" "Ages_4+" "Ages_4+" ...
## $ Pages       : num [1:1304] NA NA 37 37 NA NA NA NA NA NA ...
## $ Minifigures : num [1:1304] NA NA NA NA NA NA NA NA NA NA ...
## $ Packaging    : chr [1:1304] "Foil pack" "Foil pack" "Box" "Box" ...
## $ Weight      : chr [1:1304] NA NA NA NA ...
## $ Unique_Pieces: num [1:1304] 6 6 28 36 10 9 9 12 10 9 ...
## $ Availability : chr [1:1304] "Retail" "Retail" "Retail" "Retail" ...
## $ Size        : chr [1:1304] "Small" "Small" "Small" "Small" ...
## - attr(*, "spec")=
## .. cols(
## ..   Item_Number = col_double(),
## ..   Set_Name = col_character(),
## ..   Theme = col_character(),
## ..   Pieces = col_double(),
## ..   Price = col_double(),
## ..   Amazon_Price = col_double(),
## ..   Year = col_double(),
## ..   Ages = col_character(),
## ..   Pages = col_double(),
## ..   Minifigures = col_double(),
## ..   Packaging = col_character(),
## ..   Weight = col_character(),
## ..   Unique_Pieces = col_double(),
## ..   Availability = col_character(),
## ..   Size = col_character()
## .. )
## - attr(*, "problems")=<externalptr>
```

```
names(lego1) #Get Vector of Variable Names
```

```
## [1] "Item_Number" "Set_Name" "Theme" "Pieces"
## [5] "Price" "Amazon_Price" "Year" "Ages"
## [9] "Pages" "Minifigures" "Packaging" "Weight"
## [13] "Unique_Pieces" "Availability" "Size"
```

How would you show the top 12 rows instead of the top 6? You can use `?head` to access the documentation for the `head()` function.

Subsetting the Data

Datasets are Just Fancy Matrices

```
dim(lego1)
```

```
## [1] 1304 15
```

This dataset has 1,304 observations or cases and 15 variables or covariates. The variables n and p are typically used to represent the sample size and number of variables. Therefore we would say that $n = 1304$ and $p = 15$. To subset the dataset we can use the double brackets to select/deselect rows or columns

```
lego1[c(1,5, 10, 15, 20),]
```

```
## # A tibble: 5 x 15
##   Item_Number Set_Name      Theme Pieces Price Amazon_Price Year Ages Pages
##   <dbl> <chr>          <chr> <dbl> <dbl>      <dbl> <dbl> <chr> <dbl>
## 1      41916 Extra Dots - Se~ DOTS    109 3.99        3.44 2020 Ages~    NA
## 2      41901 Funky Animals B~ DOTS     33 4.99        4.99 2020 Ages~    NA
## 3      41917 Magic Forest Br~ DOTS     33 4.99        4.99 2020 Ages~    NA
## 4      11010 White Baseplate Clas~ 1 7.99        7.86 2020 Ages~     1
## 5      60239 Police Patrol C~ City    92 9.99        8.35 2019 Ages~    36
## # i 6 more variables: Minifigures <dbl>, Packaging <chr>, Weight <chr>,
## #   Unique_Pieces <dbl>, Availability <chr>, Size <chr>
```

```
lego1[,c(1,5, 15)]
```

```
## # A tibble: 1,304 x 3
##   Item_Number Price Size
##   <dbl> <dbl> <chr>
## 1      41916 3.99 Small
## 2      41908 3.99 Small
## 3      11006 4.99 Small
## 4      11007 4.99 Small
## 5      41901 4.99 Small
## 6      41902 4.99 Small
## 7      41903 4.99 Small
## 8      41911 4.99 Small
## 9      41912 4.99 Small
## 10     41917 4.99 Small
## # i 1,294 more rows
```

```
lego1[,c("Item_Number", "Price", "Size")]
```

```
## # A tibble: 1,304 x 3
##   Item_Number Price Size
##   <dbl> <dbl> <chr>
## 1      41916 3.99 Small
## 2      41908 3.99 Small
## 3      11006 4.99 Small
## 4      11007 4.99 Small
## 5      41901 4.99 Small
## 6      41902 4.99 Small
## 7      41903 4.99 Small
## 8      41911 4.99 Small
## 9      41912 4.99 Small
## 10     41917 4.99 Small
## # i 1,294 more rows
```


```
lego1[,names(lego1)[c(1,5,15)]]
```

```
## # A tibble: 1,304 x 3
##   Item_Number Price Size
##   <dbl> <dbl> <chr>
## 1      41916 3.99 Small
## 2      41908 3.99 Small
## 3      11006 4.99 Small
## 4      11007 4.99 Small
## 5      41901 4.99 Small
## 6      41902 4.99 Small
```

```
## 7      41903 4.99 Small
## 8      41911 4.99 Small
## 9      41912 4.99 Small
## 10     41917 4.99 Small
## # i 1,294 more rows
```

Subsetting Based Off Values

```
hist(lego1$Pieces)
```



```
lego1$Pieces>1000
```

```
## [1] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [13] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [25] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [37] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [49] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [61] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [73] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [85] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [97] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [109] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [121] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [133] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [145] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [157] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [169] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
```

[illegible]

```
## [829] FALSE FALSE FALSE FALSE FALSE NA FALSE NA FALSE FALSE FALSE NA
## [841] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [853] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [865] FALSE NA FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE NA
## [877] FALSE FALSE FALSE FALSE FALSE FALSE NA NA FALSE FALSE FALSE FALSE
## [889] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE NA NA FALSE FALSE
## [901] FALSE NA FALSE FALSE FALSE NA FALSE FALSE FALSE FALSE FALSE NA
## [913] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [925] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [937] FALSE FALSE FALSE FALSE NA FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [949] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [961] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [973] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [985] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [997] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [1009] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [1021] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [1033] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [1045] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [1057] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [1069] FALSE FALSE FALSE FALSE TRUE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [1081] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [1093] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [1105] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [1117] FALSE FALSE FALSE FALSE TRUE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [1129] FALSE FALSE FALSE FALSE FALSE FALSE FALSE TRUE FALSE FALSE FALSE FALSE
## [1141] TRUE FALSE FALSE FALSE FALSE FALSE FALSE FALSE TRUE TRUE FALSE FALSE
## [1153] FALSE FALSE TRUE FALSE FALSE FALSE TRUE FALSE TRUE TRUE TRUE TRUE
## [1165] TRUE FALSE TRUE TRUE TRUE FALSE TRUE TRUE TRUE TRUE TRUE TRUE
## [1177] TRUE TRUE TRUE NA FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [1189] FALSE FALSE FALSE FALSE FALSE FALSE TRUE FALSE FALSE FALSE FALSE FALSE
## [1201] NA FALSE FALSE FALSE FALSE FALSE FALSE FALSE NA NA NA NA
## [1213] NA NA FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE NA FALSE
## [1225] FALSE FALSE FALSE FALSE FALSE FALSE NA FALSE NA NA NA TRUE
## [1237] FALSE FALSE FALSE FALSE NA NA NA NA NA NA NA NA
## [1249] FALSE FALSE NA FALSE NA NA NA FALSE FALSE TRUE FALSE TRUE
## [1261] FALSE FALSE TRUE NA FALSE FALSE FALSE TRUE FALSE FALSE FALSE FALSE
## [1273] FALSE TRUE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [1285] NA FALSE NA FALSE FALSE FALSE FALSE FALSE NA FALSE TRUE TRUE
## [1297] FALSE FALSE FALSE FALSE FALSE FALSE TRUE FALSE
```

```
large_lego = lego1[lego1$Pieces>2000,]
```

```
small_lego = lego1[lego1$Pieces< 15,]
```

```
middle_lego=lego1[lego1$Pieces>15 & lego1$Pieces<2000,]
```

```
extreme_lego=lego1[lego1$Pieces<15 & lego1$Pieces>2000,]
```

Mathematical/Statistical Functions

Mathematical Calculations

```
#Scalars
a=3
b=4

a+b

## [1] 7
a-b

## [1] -1
a*b

## [1] 12
a/b

## [1] 0.75
a^2

## [1] 9
log(a) #Defaults to natural log

## [1] 1.098612
exp(a) # e^a

## [1] 20.08554

#Vectors
a=c(1,2,3,4)
b=c(2,3,4,5)

a+b

## [1] 3 5 7 9
a-b

## [1] -1 -1 -1 -1
a*b

## [1] 2 6 12 20
a/b

## [1] 0.5000000 0.6666667 0.7500000 0.8000000
a^2

## [1] 1 4 9 16
log(a)

## [1] 0.0000000 0.6931472 1.0986123 1.3862944
exp(a)
```

```
## [1] 2.718282 7.389056 20.085537 54.598150
```

```
#Combination (Based off Exercise 0.15: Roller Coasters)
```

```
yint=54
```

```
slope=7.6
```

```
TypeCode=c(0,1) #0=Wooden & 1=Steel
```

```
TopSpeed = yint+slope*TypeCode
```

```
TopSpeed
```

```
## [1] 54.0 61.6
```

Statistical Functions

```
mean(lego1$Amazon_Price,na.rm=T)
```

```
## [1] 57.8232
```

```
median(lego1$Amazon_Price,na.rm=T)
```

```
## [1] 37.325
```

```
sd(lego1$Amazon_Price,na.rm=T)
```

```
## [1] 66.26777
```

```
var(lego1$Amazon_Price,na.rm=T)
```

```
## [1] 4391.417
```

```
IQR(lego1$Amazon_Price,na.rm=T)
```

```
## [1] 50
```

```
quantile(lego1$Amazon_Price,na.rm=T)
```

```
##      0%      25%      50%      75%     100%
```

```
##  3.440 19.950 37.325 69.950 699.950
```

```
quantile(lego1$Amazon_Price,c(0.05,0.1,0.9,0.95),na.rm=T)
```

```
##      5%      10%      90%      95%
```

```
##  9.0350 13.9250 128.9700 179.9825
```

```
unique(lego1$Theme)
```

```
## [1] "DOTS"           "Classic"        "DUPLO"
## [4] "Friends"        "Disney"         "City"
## [7] "Unikitty!"      "NINJAGO"        "Star Wars"
## [10] "Minecraft"      "Marvel"         "Creator 3-in-1"
## [13] "Batman"         "THE LEGO MOVIE 2" "Technic"
## [16] "Speed Champions" "BrickHeadz"     NA
## [19] "LEGO Frozen 2"  "LEGO Super Mario" "Harry Potter"
## [22] "Hidden Side"    "Trolls World Tour" "Minions"
## [25] "Powerpuff Girls" "Jurassic World"  "Overwatch"
## [28] "Spider-Man"     "Juniors"        "DC"
## [31] "Architecture"  "Ideas"          "Creator Expert"
## [34] "LEGO Art"       "Powered UP"     "Stranger Things"
## [37] "Monkie Kid"     "Xtra"           "Minifigures"
## [40] "LEGO Brick Sketches" "LEGO Education"
```



```
table(lego1$Theme)
```

```
##
##      Architecture      Batman      BrickHeadz      City
##           11           16           43           101
##      Classic      Creator 3-in-1      Creator Expert      DC
##           21           38           15           12
##      Disney      DOTS      DUPLO      Friends
##           46           18           53           103
##      Harry Potter      Hidden Side      Ideas      Juniors
##           27           19           12           12
##      Jurassic World      LEGO Art LEGO Brick Sketches      LEGO Education
##           20           4           2           5
##      LEGO Frozen 2      LEGO Super Mario      Marvel      Minecraft
##           8           17           50           26
##      Minifigures      Minions      Monkie Kid      NINJAGO
##           8           2           12           78
##      Overwatch      Powered UP      Powerpuff Girls      Speed Champions
##           8           14           2           18
##      Spider-Man      Star Wars      Stranger Things      Technic
##           2           119           1           38
##      THE LEGO MOVIE 2      Trolls World Tour      Unikitty!      Xtra
##           28           9           8           8
```

```
table(lego1$Size,lego1$Availability)
```

```
##
##      Educational LEGO exclusive LEGOLAND exclusive Not sold Promotional
##      Large      0      0      0      0      0
##      Small      4      64      0      0      3
##
##      Retail Retail - limited
##      Large      34      0
##      Small      766      65
```

```
na_rm_lego1 = na.omit(lego1)
```

```
cor(na_rm_lego1$Amazon_Price,na_rm_lego1$Price)
```

```
## [1] 0.86657
```

```
lm(Amazon_Price ~ Price, data=na_rm_lego1)
```

```
##
## Call:
## lm(formula = Amazon_Price ~ Price, data = na_rm_lego1)
##
## Coefficients:
## (Intercept)      Price
##      9.219      1.151
```