STOR 538 Sports Analytics

Practice 2

Objectives:

- Linear Regression
- Logistic Regression
- Model Testing Using a Test Set and Cross Validation

Introduction:

I fully expect you to complete this entire assignment by yourself without the help of another person. The work you submit should be your own, but you can use the internet to help you find solutions. You will be required to either show all your code and/or provide step-by-step instructions on how you completed the various tasks. If there is evidence that you either submitted someone else's work or failed to submit work that illustrates how you achieved certain output, expect your instructor to pursue an Honor Code violation.

For this assignment, you will be building linear regression models and logistic regression models. After showing the output from those models, you will be testing those models using a test set and cross validation. Do this assignment in the order I ask. Provide comments and section headings that clearly tell the grader what each piece of code and output is doing and what it is for.

Your analysis is based on a dataset I found on a github from user "DanielEliezer". The dataset contains a row for 37,023 extra points and field goals in the NFL. I named the dataset **kicking** and it is a CSV file.

Now, read the next section to find all of the tasks I want you to complete for this dataset.

Assignment:

- Linear Regression
 - a. Start by creating a new variable called spread which is calculated based off the home_score_pre -visiting_score_pre
 - b. Create a **histogram** or **boxplot** of the *spread* variable
 - c. Then fit a linear regression model, using all data, to predict *spread* based off knowing only the home team, the away team, the quarter, and the yard line.
 - d. Show only the following output from the previous linear regression. This output doesn't have to be shown in one table but can be if you would like. Alternately, it can be shown in multiple pieces of output in the order listed below. Please try to limit how many extra things you show in output that were not requested here.
 - Coefficients and P-values from individual t-tests on Coefficients (Show in one table and this will be a large table because of the categorical variables. It is okay if the output you show is default output that contains other things like test statistics and standard errors)
 - ii. R-Squared
 - iii. Adjusted R-Squared
 - e. Create a new model, using all the data, that adds the interaction between the home team and the away team to the previous model and only show the following output.
 - i. R-Squared
 - ii. Adjusted R-Squared
 - f. Randomly split the data into 80% Training data and 20% Testing data. Refit both of the models above on the Training data and predict the spread on the testing data. Then, calculate the **RMSE** and **MAD** of both models using the differences between the predicted spread and actual spread in the test set. The grader should see how you split the data, how you fit the models on the training data, how you obtained predictions on the testing data, and how you calculated the RMSE and MAD on the test set. Create a table like seen below that contains the RMSE and MAD to organize your output.

Model	RMSE	MAD
Without Interaction	# from Calculation	# from Calculation
With Interaction	# from Calculation	# from Calculation

- Logistic Regression
 - a. Subset the data for only the field goals. You will need the spread variable from the previous part. (No extra points). Also, remove any observations (field goals) where a kicker name is listed only one time in the entire dataset.
 - b. The variable scored is binary where 1 indicates success and 0 indicates failure. Fit a logistic regression model, using all the data, to predict the probability of success given the yard line, the quarter, the kicker name, and the point spread.
 Show a table that contains output from logistic regression that at minimum contains coefficients and p-values.
 - c. Print out a contingency table/confusion matrix from the previous model that shows the number of true positives, true negatives, false positives, and false negatives. Rough example seen below:

	Model Predicted	Model Predicted Failure
	Success	
Field Goal Successful	# of True Positives	# Number of False
		Negatives
Field Goal Failed	# Number of False	# Number of True
	Positives	Negatives

Your table can have different labels, but the grader should know exactly what is "actual" and what is "predicted".

- d. Evaluate the logistic regression above using leave-one-out cross-validation (LOOCV). You can use a package/library to perform leave-one-out cross validation if you would like, but I would recommend using the steps below with a loop. If using a package/library, make sure you are specifically performing LOOCV.
 - i. Create an empty column in the data to save your predictions.
 - ii. Fit the model to the entire dataset except for the first row.
 - iii. Predict a 0 or 1 using the model for the first row.
 - iv. Save your predicted 0 or 1 into the first element in the empty column you created previously
 - v. Then, fit the model to the entire dataset except for the second row.
 - vi. Predict a 0 or 1 using the model for the second row.
 - vii. Save your predicted 0 or 1 into the second element in the originally empty column you created previously.
 - viii. Repeat the pattern for all 37,023 different rows. I recommend using a loop.
 - ix. After you loop through each row of the data and complete the pattern above for each row, your originally "empty" column of predictions should contain no empty values, but should contain a predicted 0 or 1 for each observation.

e. Finally, print out a contingency table/confusion matrix (see part c), comparing the actual 0's and 1's to predicted 0's and 1's acquired through LOOCV.

If you plan on using R, Python, or another programming language, you need to submit a PDF file containing all of your code and output. Also, provide comments letting the grader know what each line or block of code is doing.

If you plan on doing this without using R or Python, you should still submit a PDF showing screenshots of what you did and how you did every step, showing screenshots of the exact output requested, along with a detailed explanation of every screenshot provided.

Submission:

You will need to submit one PDF file, named "regression.pdf", that contains all of your code and output that accomplishes everything I asked in the order in which it was requested. Use comments or headings that signify what code and output corresponds to the different parts requested of you above.

Rubric:

The table below shows how many points are allocated to each item along with some explanation or reminder of key points. You will lose points for not following the detailed instructions given above.

Criteria	Points
Linear Regression: Calculated spread and	3 Points (Working code with a lot of
showed histogram or boxplot of spread	comments or detailed explanation)
Linear Regression: First Linear Regression and	5 Points (Working code with a lot of
showing output for all things requested.	comments or detailed explanation)
Linear Regression: Second Linear Regression	2 Points (Working code with a lot of
and showing R-sqared and Adjusted R-	comments or detailed explanation)
squared	
Linear Regression: Split data up, fit models to	5 Points (Working code with a lot of
train, predicted models on test, then	comments or detailed explanation)
calculated RMSE + MAD	
Linear Regression: Created table to	2 Points (Follow instructions to create similar
summarize RMSE and MAD for models	table as shown in example)
Logistic Regression: Removed extra points	3 Points (Showed code or process to clean the
and removed kickers that only appear once.	data for these issues)
Logistic Regression: Fit Logistic Regression	2 Points (Working code with a lot of
Model on Field Goals Only and Show Output	comments or detailed explanation)
with Coefficients and P-values	
Logistic Regression: Create contingency table	4 Points (1 Point per Cell in Matrix)
and confusion matrix showing Counts	
Logistic Regression: Performed LOOCV with	3 Points (Working code with a lot of
Logistic regression model	comments or detailed explanation)
Logistic Regression: Create contingency table	4 Points (1 Point per Cell in Matrix)
and confusion matrix showing Counts on	
Predictions after LOOCV	
Instructions: Did everything in the exact	2 Points (Followed instructions and did the
order requested	work in the order requested)
Instructions: Only the output requested is	2 Points (<i>This is at the discretion of the</i>
shown. Any additional output that is	grader)
unnecessary and leads to a difficulty in	
grading will result in loss of points.	