ICE MAKE

Trusted Cooling Partner

Stay FRESH
stay COOL



www.icemakeindia.com

Reach in Chiller

Model
IMTRC06RA2



Model
IMTRC12RA4



IMTRC06RA2

Model Name	Reach In Chiller 600L 2 Door
Capacity In Ltrs	600
Temperature Range °C	2 to 8 °C
No. of Doors	2
Cabinet and Doors (Int/Ext)	Stainless Steel
Shelves Qty	3
Refrigerant	R-290
Voltage Supply & Frequency (V-Hz)	230V AC & 50 Hz
Power (Watts)	290
Current (Amps)	2.1
Defrost	Automatic On Cycling
External Dimension (WxDxH) mm	680 x 710 x 2010
Net Weight (Kg)	90
Gross Weight (Kg)	107

IMTRC12RA4

Model Name	Reach In Chiller 1200L 4 Door
Capacity In Ltrs	1200
Temperature Range °C	2 to 8 °C
No. of Doors	4
Cabinet and Doors (Int/Ext)	Stainless Steel
Shelves Qty	6
Refrigerant	R-290
Voltage Supply & Frequency (V-Hz)	230V AC & 50 Hz
Power (Watts)	365
Current (Amps)	2.1
Defrost	Automatic On Cycling
External Dimension (WxDxH) mm	1200 x 760 x 2010
Net Weight (Kg)	140
Gross Weight (Kg)	160

Reach in Freezer

Model
IMTRF06RA2



Model
IMTRF12RA4



IMTRF06RA2

Model Name	Reach In Freezer 600L 2 Door
Capacity In Ltrs	600
Temperature Range °C	-18 to -22 °C
No. of Doors	2
Cabinet and Doors (Int/Ext)	Stainless Steel
Shelves Qty	3
Refrigerant	R-290
Voltage Supply & Frequency (V-Hz)	230V AC & 50 Hz
Power (Watts)	395
Current (Amps)	2.2
Defrost	Automatic with Heater
External Dimension (WxDxH) mm	680 x 710 x 2010
Net Weight (Kg)	92
Gross Weight (Kg)	109

IMTRF12RA4

Model Name	Reach In Freezer 1200L 4 Door
Capacity In Ltrs	1200
Temperature Range °C	-18 to -22 °C
No. of Doors	4
Cabinet and Doors	Stainless Steel
Shelves Qty	6
Refrigerant	R-290
Voltage Supply & Frequency (V-Hz)	230V AC & 50 Hz
Power (Watts)	610
Current (Amps)	2.9
Defrost	Automatic with Heater
External Dimension (WxDxH) mm	1200 x 760 x 2010
Net Weight (Kg)	150
Gross Weight (Kg)	180

Under Counter

Model
IMTUC04RA2



Model
IMTUC06RA3

IMTUC04RA2

Model Name	Under Counter Chiller 2 Door
Capacity In Ltrs	196
Temperature Range °C	2 to 8 °C
No. of Doors	2
Cabinet and Doors (Int/Ext)	Stainless Steel
Shelves Qty	2
Refrigerant	R-290
Voltage Supply & Frequency (V-Hz)	230V AC & 50 Hz
Power (Watts)	240
Current (Amps)	1.7
Defrost	Automatic On Cycling
External Dimension (WxDxH) mm	1200 x 700 x 850
Net Weight (Kg)	75
Gross Weight (Kg)	87

IMTUC06RA3

Model Name	Under Counter Chiller 3 Door
Capacity In Ltrs	380
Temperature Range °C	2 to 8 °C
No. of Doors	3
Cabinet and Doors (Int/Ext)	Stainless Steel
Shelves Qty	3
Refrigerant	R-290
Voltage Supply & Frequency (V-Hz)	230V AC & 50 Hz
Power (Watts)	250
Current (Amps)	1.8
Defrost	Automatic On Cycling
External Dimension (WxDxH) mm	1800 x 700 x 850
Net Weight (Kg)	95
Gross Weight (Kg)	112

ICE MAKE
Trusted Cooling Partner


ICE MAKE

Trusted Cooling Partner

Network

- Head Office & Maufacturing Plant-I, Dantali, Gandhinagar, Gujarat
- Manufacturing Plant-II, Bavla, Gujarat
- Manufacturing Plant-III, Vamaj, Gujarat
- Manufacturing Plant-IV, Chennai, Tamilnadu
- Manufacturing Plant-V, Kolkata, West Bengal

Branch Offices, Dealers & Associates and Company Representatives



Head office:
226, Dantali Industrial Estate, Gota-Vadsar Road,
Nr. Ahmedabad City, At-Dantali, Ta: Kalol,
Dist.: Gandhinagar - 382721, Gujarat, India.
Ph.: +91 9879107881/884

Factory:
Super Industrial Park, Survey No. 246/2-262,
Bhayla - Sakodara Road, Dhanwada,
Bavla, Ahmedabad-382220 (Gujarat)

West & East Zone	South Zone	North Zone	UP & Uttarakhand
+91 95120 10324	+91 95120 25583	+91 95120 25401	+91 99988 31397

ICE MAKE REFRIGERATION LIMITED

Commercial & Industrial Refrigeration Equipment Manufacturer & Exporter
An ISO 9001:2015, ISO 14001:2015 and ISO 45001:2018 Certified Company.

www.icemakeindia.com