BLUE STAR

Expert Solutions For Diverse Refrigeration Needs

Kitchen Refrigeration Range



About Blue Star

With over eight decades of providing expert cooling solutions, Blue Star is India's leading company in commercial refrigeration and air conditioning. An organisation built on trust, Blue Star is recognised globally as an industry leader for its innovation, quality, and durability.

The Company offers a comprehensive range of products, including Deep Freezers, Storage Water Coolers, Cold Rooms, Visi Coolers, Bottled Water Dispensers, Kitchen Refrigeration, Retail Refrigeration, and Healthcare Refrigeration.

Blue Star prides itself on delivering a world-class customer experience and exceptional after-sales service. Its extensive investments in research and development have been key to its success and esteemed reputation worldwide.



Kitchen Refrigeration

Our comprehensive Kitchen Refrigeration range is designed to meet the diverse needs of modern commercial kitchens, combining performance, durability, and hygiene. From Undercounter and Reach-In units to specialised solutions like Blast Chillers, Back Bar Chillers, Saladettes, and Ice Cube Machines, each product is engineered for reliable operation in demanding environments.

Built with food-grade materials, advanced cooling technologies, and precision temperature control, the range ensures optimal food preservation, operational efficiency, and seamless workflow making it an essential backbone for any professional food service establishment.



Reach-In Chillers & Freezers

Engineered to perform in demanding Indian conditions, the Reach-In Chillers & Freezers deliver consistent and reliable performance. Designed by experts and rigorously tested in accredited laboratories, these units incorporate globally reputed controllers and undergo extensive lifecycle testing. Built with food-grade stainless steel and optional stainless steel shelving, they ensure durability, hygiene, and operational excellence.



- Built for High Ambient Conditions
- Food Grade Stainless Steel
- Adjustable Shelves
- Fast & Uniform Cooling
- Interior LED Light
- Eco-Friendly Refrigerant

Image shown above is for visual representation only. Actual product may vary from model to model.
Due to continuous product development, colours, features and technical specifications are subject to change without prior notice.

Undercounter Chillers & Freezers

Undercounter Chillers & Freezers are an ideal solution for high-demand commercial kitchens. Designed for the efficient storage of perishable ingredients and preparation materials, this range features an automatic door-closing mechanism and is constructed using food-grade stainless steel to maintain optimal freshness and hygiene. With a sleek, modern design, these units seamlessly complement any kitchen environment.



- Digital Temperature Display*
- Adjustable Shelves
- Auto-Defrost
- Eco-Friendly Refrigerant
- Food Grade Stainless Steel
- Self-Closing Doors

*Available in select models.
Image shown above is for visual representation only. Actual product may vary from model to model.
Due to continuous product development, colours, features and technical specifications are subject to change without prior notice.

Saladettes & Sandwich Stations

Saladettes & Sandwich Stations are crafted with stainless steel interiors and exteriors, offering both durability and a premium aesthetic. Designed to enhance efficiency and presentation, they provide a distinct advantage over conventional models, making them a valuable addition to any food service establishment.



- Eco-Friendly Refrigerant
- Digital Temperature Display
- Auto-Defrost
- Adjustable Legs
- Removable Gasket
- Self-Closing Doors

Image shown above is for visual representation only. Actual product may vary from model to model.
Due to continuous product development, colours, features and technical specifications are subject to change without prior notice.

Blast Chillers & Freezers

The best-in-class range of Blast Chillers & Freezers is equipped with advanced rapid-chilling technology to preserve food quality at its peak. These systems effectively minimise bacterial growth while retaining the freshness, texture, and flavour of food products. Engineered for long-term preservation, they offer a reliable, high-performance solution for professional kitchens.



- Food Grade Stainless Steel
- Auto-Defrost
- Digital Temperature Display
- Built for High Ambient Conditions
- Touchscreen Display
- Smart Temperature Settings

Image shown above is for visual representation only. Actual product may vary from model to model.
Due to continuous product development, colours, features and technical specifications are subject to change without prior notice.

Back Bar Chillers

Back Bar Chillers are ideally suited for bars, clubs, and restaurants. Featuring glass doors for enhanced visibility, they are designed to optimise space while ensuring efficient storage. These units maintain excellent preservation conditions, enabling convenient access to ready-to-serve beverages.



- Interior LED Light
- Adjustable Shelves
- Clear Glass Display
- Locking Mechanism
- Self-Closing Doors
- Removable Gasket

Image shown above is for visual representation only. Actual product may vary from model to model.
Due to continuous product development, colours, features and technical specifications are subject to change without prior notice.

Ice Machines

Advanced Ice Machines are designed for superior hygiene, energy efficiency, and long-lasting performance, offering the flexibility to produce ice in a variety of shapes and sizes. Built to meet diverse operational needs, these machines are supported by a robust service network that ensures consistent performance and extended operational life.



- Auto Start & Stop
- Perfectly Shaped Ice
- Food Grade Stainless Steel
- Quiet Operation
- Compact Design
- Customisable Ice Sizes

Image shown above is for visual representation only. Actual product may vary from model to model.
Due to continuous product development, colours, features and technical specifications are subject to change without prior notice.

Technical Specifications



Reach-In Chillers & Freezers

Category	Chillers		Freezers		Combo
Model	**RCH2D0500S**	**RCH4D1100S**	**RFR2D0500S**	**RFR4D1100S**	**RCF4D1100S**
Capacity (L)	472	1075	472	1045	504 + 504
Temperature (°C)	-5°C to +7°C	-5°C to +7°C	-5°C to -24°C	-5°C to -24°C	-5°C to +7°C/ -5°C to -24°C
No. of Doors	2	4	2	4	4
Type of Doors (Int/ Ext)	SS430/ SS430	SS430/ SS430	SS430/ SS430	SS430/ SS430	SS430/ SS430
No. of Shelves	3	6	3	6	6
Refrigerant	R290	R290	R290	R290	R290
Power Supply	230V/ 50Hz	230V/ 50Hz	230V/ 50Hz	230V/ 50Hz	230V/ 50Hz
Power (W)	160	220	230	420	380
Current (A)	1.1	1.1	1.1	2.4	2.4
Defrost	Automatic	Automatic	Automatic	Automatic	Automatic
Dimension (W x D x H) (mm)	640 x 835 x 1910	1260 x 835 x 1910	640 x 835 x 1910	1260 x 835 x 1910	1260 x 835 x 1910
Net Weight (kg)	80.5	120	81	136	142

Reach-In Chillers & Freezers

Category	Chillers			Freezers			
Model	**RC4D1450GP**	**RC2D700GC**	**RC4D1450GC**	**RF2D700GP**	**RF4D1450GP**	**RF2D700GC**	**RF4D1450GC**
Capacity (L)	1350	650	1350	650	1350	650	1350
Temperature (°C)	0°C to +12°C	0°C to +12°C	0°C to +12°C	-7°C to -20°C	-7°C to -20°C	-7°C to -20°C	-7°C to -20°C
No. of Doors	4	2	4	2	4	2	4
Type of Doors (Int/ Ext)	SS304/ SS201	SS201/ SS201	SS201/ SS201	SS304/ SS201	SS304/ SS201	SS201/ SS201	SS201/ SS201
No. of Shelves	6	3	6	3	6	3	6
Refrigerant	R290	R290	R290	R290	R290	R290	R290
Power Supply	220-240V/ 50Hz	220-240V/ 50Hz	220-240V/ 50Hz	220-240V/ 50Hz	220-240V/ 50Hz	220-240V/ 50Hz	220-240V/ 50Hz
Power (W)	600	250	600	522	950	522	950
Current (A)	3.3	1.3	3.3	2.6	4.9	2.6	4.9
Defrost	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic
Dimension (W x D x H) (mm)	1400 x 880 x 2043	700 x 880 x 2043	1400 x 880 x 2043	700 x 880 x 2043	1400 x 880 x 2043	700 x 880 x 2043	1400 x 880 x 2043
Net Weight (kg)	190	112	190	119	200	119	200

Reach-In Chillers & Freezers

Category	Chillers		Freezers	
Model	**RC2D550N**	**RC4D1100N**	**RF2D550N**	**RF4D1100N**
Capacity (L)	600	1200	600	1200
Temperature (°C)	0°C to +12°C	0°C to +12°C	-10°C to -18°C	-10°C to -18°C
No. of Doors	2	4	2	4
Type of Doors (Int/ Ext)	SS201/ SS201	SS201/ SS201	SS201/ SS201	SS201/ SS201
No. of Shelves	3	6	3	6
Refrigerant	R290	R290	R290	R290
Power Supply	220-240V/ 50Hz	220-240V/ 50Hz	220-240V/ 50Hz	220-240V/ 50Hz
Power (W)	300	490	400	608
Current (A)	3.2	5.5	4.2	8.9
Defrost	Automatic	Automatic	Automatic	Automatic
Dimension (W x D x H) (mm)	700 x 765 x 1997	1200 x 760 x 1997	700 x 765 x 1997	1200 x 760 x 1997
Net Weight (kg)	85	90	85	90

Due to continuous product development, colours, features and technical specifications are subject to change without prior notice.

Undercounter Chillers & Freezers

Category	Chillers			Freezers		
Model	**UCH2D0300S**	**UCH2D0400S**	**UCH3D0500S**	**UFR2D0300S**	**UFR2D0400S**	**UFR2D0500S**
Capacity (L)	307	400	492	307	400	492
Temperature (°C)	0°C to +7°C	0°C to +7°C	0°C to +7°C	-3°C to -24°C	-3°C to -24°C	-3°C to -24°C
No. of Doors	2	2	3	2	2	3
Type of Doors (Int/ Ext)	SS430/ SS430	SS430/ SS430	SS430/ SS430	SS430/ SS430	SS430/ SS430	SS430/ SS430
No. of Shelves	2	2	3	2	2	3
Refrigerant	R290	R290	R290	R290	R290	R290
Power Supply	230V/ 50Hz	230V/ 50Hz	230V/ 50Hz	230V/ 50Hz	230V/ 50Hz	230V/ 50Hz
Power (W)	150	165	180	230	240	250
Current (A)	0.80	0.80	1.30	1.30	1.30	1.40
Defrost	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic
Dimension (W x D x H) (mm)	1200 x 700 x 850	1500 x 700 x 850	1800 x 700 x 850	1200 x 700 x 850	1500 x 700 x 850	1800 x 700 x 850
Net Weight (kg)	65	79	89	68	82	92

Undercounter Chillers & Freezers

Category	Chillers			Freezers		
Model	**UC1200N**	**UC1500N**	**UC1800N**	**UF1200N**	**UF1500N**	**UF1800N**
Capacity (L)	200	300	400	200	300	400
Temperature (°C)	0°C to +10°C	0°C to +10°C	0°C to +10°C	-10°C to -18°C	-10°C to -18°C	-10°C to -18°C
No. of Doors	2	2	3	2	2	3
Type of Doors (Int/ Ext)	SS201/ SS201	SS201/ SS201	SS201/ SS201	SS201/ SS201	SS201/ SS201	SS201/ SS201
No. of Shelves	2	2	2	2	2	2
Refrigerant	R290	R290	R290	R290	R290	R290
Power Supply	230V/ 50Hz	230V/ 50Hz	230V/ 50Hz	230V/ 50Hz	230V/ 50Hz	230V/ 50Hz
Energy Consumption (kW/ 24h)	1.06	1.12	1.17	2.68	3.68	4.20
Current (A)	4.77	4.28	6.68	4.91	7.35	6.34
Defrost	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic
Dimension (W x D x H) (mm)	1200 x 760 x 800	1500 x 760 x 800	1800 x 760 x 800	1200 x 760 x 800	1500 x 760 x 800	1800 x 760 x 800
Net Weight (kg)	98	108	128	98	108	128

Undercounter Chillers & Freezers

Category	Chillers		Freezers	
Model	**UC2100GC**	**UC3100GC**	**UF2100GC**	**UF3100GC**
Capacity (L)	260	400	260	400
Temperature (°C)	0°C to +12°C	0°C to +12°C	-7°C to -20°C	-7°C to -20°C
No. of Doors	2	3	2	3
Type of Doors (Int/ Ext)	SS201/ SS201	SS201/ SS201	SS201/ SS201	SS201/ SS201
No. of Shelves	2	3	2	3
Refrigerant	R290	R290	R290	R290
Power Supply	220-240V/ 50Hz	220-240V/ 50Hz	220-240V/ 50Hz	220-240V/ 50Hz
Power (W)	255	255	510	510
Current (A)	1.80	2.00	2.50	2.50
Defrost	Automatic	Automatic	Automatic	Automatic
Dimension (W x D x H) (mm)	1365 x 700 x 850	1805 x 700 x 850	1365 x 700 x 850	1805 x 700 x 850
Net Weight (kg)	96	116	106	126

Due to continuous product development, colours, features and technical specifications are subject to change without prior notice.

Saladettes & Sandwich Stations

Model	SC2100GA	SC3100GA
Capacity (L)	260	400
No. of Doors	2	3
Type of Doors (Int/ Ext)	SS201/ SS201	SS201/ SS201
Temperature (°C)	2°C to +8°C	2°C to +8°C
No. of Shelves	2	3
GN Pan	GN2/ 1	GN2/ 1
Toppings Pan Slot	Yes	Yes
Refrigerant	R290	R290
Power Supply	220-240V/ 50Hz	220-240V/ 50Hz
Power (W)	143	152
Current (A)	1.1	1.5
Defrost	Automatic	Automatic
Dimension (W x D x H) (mm)	900 x 700 x 990	1365 x 700 x 990
Net Weight (kg)	72	110

Back Bar Chillers

Model	BC250A	BC350A
Capacity (L)	190	300
Cooling Type	Ventilated	Ventilated
No. of Doors	2	3
Door Type	Glass Door	Glass Door
Temperature (°C)	1°C to +10°C	1°C to +10°C
No. of Shelves	4	6
Refrigerant	R600a	R290
Power Supply	220-240V/ 50Hz	220-240V/ 50Hz
Power (W)	172	320
Defrost	Automatic	Automatic
Dimension (W x D x H) (mm)	900 x 520 x 865	1350 x 520 x 865
Net Weight (kg)	57.5	82

Due to continuous product development, colours, features and technical specifications are subject to change without prior notice.

Blast Chillers & Freezers

Model	BF05GG	BF10GG	BF15GG
Cooling Type	Chiller & Freezer	Chiller & Freezer	Chiller & Freezer
Chilling Volume (kg)	18	30	70
Freezing Volume (kg)	11	20	60
Chilling Temperature (°C)	+90/ +3 °C	+90/ +3 °C	+90/ +3 °C
Freezing Temperature (°C)	+90/ -18 °C	+90/ -18 °C	+90/ -18 °C
Prop (Nos.)	1	1	1
Defrost	Automatic	Automatic	Automatic
Temperature Display LED	Touch Screen	Touch Screen	Touch Screen
Power Supply	230V/ 50Hz	230V/ 50Hz	400V/ 50Hz
Phase	Single	Single	Three
Power (W)	764	1600	2906
Refrigerant	R290	R290	R290
Shelf	5 GN1/ 1	10 GN1/ 1	15 GN1/ 1
Dimension (W x D x H) (mm)	800 x 700 x 830	800 x 820 x 1700	800 x 820 x 2000
Net Weight (kg)	83	155	190

Ice Machines

Model	ICM15	ICM20	ICM26	ICM50	ICM90
Type of Ice	Bullet Ice	Bullet Ice	Bullet Ice	Bullet Ice	Gourmet Ice
Production in 24 Hrs (kg)	15	20	26	50	80
Storage Capacity (kg)	1.4	3.5	6	10	42
Cooling System	Air Cooled	Air Cooled	Air Cooled	Air Cooled	Air Cooled
Mass of Ice	10 g	15 g	15 g	15 g	25 g
Refrigerant	R600a	R600a	R600a	R290	R290
Power Supply	220V-240V/ 50 Hz/ 1 Ph	220V-240V/ 50 Hz/ 1 Ph	220V-240V/ 50 Hz/ 1 Ph	220V-240V/ 50 Hz/ 1 Ph	220V-240V/ 50 Hz/ 1 Ph
Inlet Water Temperature (°C)	+15 °C	+15 °C	+15 °C	+15 °C	+15 °C
Input Power (W)	126	178	250	295	670
Dimension (W x D x H) (mm)	398 x 360 x 414	477 X 380 X 590	514 X 420 X 655	604 x 498 x 831	600 X 730 X 1010
Net Weight (kg)	17	27	33	45.5	63.5

Due to continuous product development, colours, features and technical specifications are subject to change without prior notice.



BLUE STAR

BUILT ON TRUST®

Scan QR Code for Blue Star Customer Care Mobile App. Available on App Store & Google Play.

SMS "SERVICE" or "COOL" to 57575.

Scan QR Code to reach out on WhatsApp and 24x7 Customer Care on (+91) 89 76 781177.

To know more about Blue Star, visit www.bluestarindia.com, or email us at coolingsolutions@bluestarindia.com

For more information, please contact BLUE STAR LIMITED • **Ahmedabad** - 201 to 205, Unicus Shyamal, Shyamal Cross Rd, Balgayatri Society Part-2, Satellite, Shyamal, Ahmedabad: 380015, Phone: (+91) (79) 4022 4000 • **Bengaluru** - Anjuman Kay Arr Tower, No. 28, Ward No. 77, Mission Road, Bengaluru: 560 027, Phone: (+91) (80) 4185 4000 • **Bhubaneswar** - Laxmipriya Twin city Tower, P.S- Balianta, Pahala, Bhubaneswar, Khordha, Odisha: 752101, Phone: (+91) (674) 2570024 • **Chandigarh** - 6th Floor, Sanjeev Tower, Plot No. 55, Industrial & Business Park, Phase 1, Chandigarh: 160 002, Phone: (+91) (172) 415 5100 • **Chennai** - Blue Star Limited - Training Centre, Kurious Software Park, Plot No. 24, 2nd Cross Street, Ambattur Industrial Estate, Chennai: 600 058, Phone: (+91) (44) 4996 4000 • **Goa** - 210, 2nd Floor, Gera's Imperium I, Patto, Panjim, Goa: 403 001, Phone: (+91) (832) 243 8171/243 7287 • **Guwahati** - 5th Floor, 503, Roodraksh Mall, GS Road, Bhangaghar, Dispur, Guwahati, Kamrup Metropolitan, Assam: 781005, Phone: (+91) (361) 246 8496 • **Hyderabad** - Ashoka Raghupati Chambers, No. 1-10-60 to 64, 4th Floor, S P Road, Begumpet, Hyderabad: 500 016, Phone: (+91) (40) 4400 4000 • **Indore** - Office No. 502, Maloo-01 26/C, Scheme No. 94/C Ring Road, Indore: 452 010, Phone: (+91) (731) 400 1211/400 1311 • **Jaipur** - 607-B, 6th Floor, Man Upasana Plaza, Sardar Patel Marg, Jaipur: 302 001, Phone: (+91) (141) 431 3000 • **Kochi** - Prestige TMS Square, 9th Floor, No. 2, Service Road, Padivattom, Edappally, Kochi: 682 024, Phone: (+91) (484) 449 9000 • **Lucknow** - 5th Floor, BBD Viraj Tower, TCG-1 A-V3, Vibhuti Khand, Gomti Nagar, Lucknow, Uttar Pradesh: 226010, Phone: (+91) (522) 403 4000 • **Ludhiana** - Goshawk Rental Space Solutions Pvt Ltd, BXX-3369, Sandhu Tower 2, 2nd Floor, Gurdev Nagar, Ferozepur Road, Ludhiana: 141001 • **Nagpur** - Blue Star Limited, 6th Floor Unit No. 601 B, Orange City Mall, Near Jaiprakash Nagar Metro Station, Somalwada, Nagpur: 440025, Phone: (+91) (712) 713 7000 • **New Delhi** - Unit No. 201 & 202, Baani Corporate One, Plot No. 5, Second Floor, District Centre, Jasola, New Delhi: 110025, Phone: (+91) (11) 4149 4000 • **Patna** - The Hub, 2nd floor, Near Regent cinema, Gandhi Maidan Road, Patna: 800004 • **Pune** - 201/A, Nityanand Complex, 247/A Bund Garden Road, Pune: 411 001, Phone: (+91) (20) 4104 4000 / 2616 7230 • **Raipur** - MM Silver Plaza, Office No. 103, 1st Floor, Opp Udyog Bhavan, Ring Road No. 1, Raipur: 492 001, Phone: (+91) (771) 428 0900 • **Ranchi** - 4th Floor, Skyline Complex, Kadru Road, Ranchi: 834002 • **Surat** - WorkspaceCo (The He Ha Studio), 4th Floor, Kalp Business Centre, Opp. Lavanya Mall, Citylight, Surat: 395007 • **Thane** - Blue Star Limited, Blue Star Innovation Centre, Next to Hotel Vihangs Inn, Kapurbavdi, Ghodbunder Road, Thane West: 400 607, Phone: (+91) (22) 3508 4000 • **Thiruvananthapuram** - TC IV/962, Chandrika, Sree Chitra Nagar, Pipe line Road, Kawdiar, Thiruvananthapuram: 695 003, Phone: (+91) (471) 243 5025 • **Vadodara** - INCUSPAZE Office Spaces, 3rd Floor Alembic 1965, Alembic City, Gorwa-Alembic Road, Vadodara: 390003, Phone: (+91) (265) 661 4000 /265 233 2021/22 • **Vijayawada** - No. 40-1-62, Nagas Hafeez Plaza, Opposite to Grand Modern Supermarket, Near Benz Circle, MG. Road, Vijayawada: 520 010, Phone: (+91) (866) 248 4004 • **Visakhapatnam** - Qubexpro Business Centre, V Mall, Lifestyle Building, 4th Floor, Facor Layout, Waltair Uplands, Visakhapatnam: 530003, Phone: (+91) (891) 6686705

Blue Star products comply with RoHS regulations as per E-Waste (Management & Handling) Rules, 2016. For disposal of E-Waste, kindly visit our website www.bluestarindia.com or call our customer care on (+91) 89 7678 1177.