Statistical Inference I

Prof. Chin-Tsang Chiang

## Lecture Notes 6

October 6, 2015

Scribe: Wei-Chang Lee, Chi-Ning Chou

## 0.1 Density function

**Theorem 1**  $P(X = x) = F(x) - F(x^{-})$ , where  $F(x^{-}) = \lim_{y \uparrow x} F(y)$ .

**Proof:** 
$$P(X = x) = F(X \le x) - F(X < x)$$

**Theorem 2** If F(x) is differentiable, there exists a unique probability density function f(x) such that  $F(c) = \int_{-\infty}^{c} f(x) dx \ \forall c \in \mathcal{R}$ .

**Proof:** The result is quite trivial, just apply the Fundamental Theorem of Calculus, we get

$$F'(x) = f(x)$$

The question arises when considering the physical meaning of f(x), is f(x) a probability measure? Go back to the definition of differentiation, we have

$$F'(x) = \lim_{\Delta \to 0} \frac{F(x + \frac{\Delta}{2}) - F(x - \frac{\Delta}{2})}{\Delta} = \frac{P((x - \frac{\Delta}{2}, x + \frac{\Delta}{2}))}{\Delta} = \frac{Probability}{Interval}$$

f(x) is not usually probability measure, it is of intensity/density sense.