
Sequence analysis

iFeature: a python package and web server for features extraction and selection from protein and peptide sequences

Zhen Chen^{1,†}, Pei Zhao^{2,†}, Fuyi Li³, André Leier^{4,5}, Tatiana T. Marquez-Lago^{4,5}, Yanan Wang⁶, Geoffrey I. Webb⁷, A. Ian Smith³, Roger J. Daly^{3,*}, Kuo-Chen Chou^{8,9,*}, Jiangning Song^{3,7,*}

¹School of Basic Medical Science, Qingdao University, Qingdao, China, ²State Key Laboratory of Cotton Biology, Institute of Cotton Research of Chinese Academy of Agricultural Sciences (CAAS), Anyang, China, ³Biomedicine Discovery Institute and Department of Biochemistry and Molecular Biology, Monash University, Melbourne, VIC 3800, Australia, ⁴Department of Genetics, School of Medicine, University of Alabama at Birmingham, USA, ⁵Department of Cell, Developmental and Integrative Biology, School of Medicine, University of Alabama at Birmingham, AL, USA, ⁶Institute of Image Processing and Pattern Recognition, Shanghai Jiao Tong University, Shanghai, China, ⁷Monash Centre for Data Science, Faculty of Information Technology, Monash University, Melbourne, VIC 3800, Australia, ⁸Gordon Research Institute, Boston, MA 02478, USA, ⁹Center for Informational Biology, University of Electronic Science and Technology of China, Chengdu, 610054, China

[†]These two authors contributed equally to this work. *To whom correspondence should be addressed.

[†]These two authors contributed equally to this work. *To whom correspondence should be addressed.

Supplementary Material

Package Version: 1.0

Content

1. Installation
2. The Full Workflow of *iFeature*
3. Software Package Overview
4. Commonly Used Feature Descriptors
5. Feature Analysis Using *iFeature*
6. Online Web Server
7. Summary
8. Acknowledgements
9. References

Brief introduction

iFeature is a comprehensive Python-based toolkit for generating various numerical feature representation schemes from protein or peptide sequences. *iFeature* is capable of calculating and extracting a wide spectrum of 18 major sequence encoding schemes that encompass 53 different types of feature descriptors. Among the different feature groups, it also allows users to extract specific physiochemical properties of amino acids from the AAindex database (Kawashima, et al., 2008). Furthermore, *iFeature* also integrates five kinds of frequently used feature clustering algorithms, four feature selection algorithms and three dimensionality reduction algorithms. In order to facilitate users' interpretability of outcomes, the clustering and dimensionality reduction results generated by *iFeature* can be further visualized in form of scatter diagrams. This makes *iFeature* a unique and powerful tool that greatly facilitates feature generation, analysis, training and benchmarking of machine-learning models and predictions.

1. Installation

iFeature is an open-source Python-based toolkit, which operates depending on the Python environment (Python Version 3.0 or above) and can be run on multi-OS systems (such as Windows, Mac and Linux operating systems). Before running *iFeature*, user should make sure all the following packages are installed in their Python environment: sys, os, shutil, scipy, argparse, collections, platform, math, re, numpy (1.13.1), sklearn (0.19.1), matplotlib (2.1.0), and pandas (0.20.1). For convenience, we strongly recommended users to install the Anaconda Python 3.0 version (or above) in your local computer. The software can be freely downloaded from <https://www.anaconda.com/download/>.

2. The Full Workflow of *iFeature*

Here, we provide step-by-step user instruction illustrating the full workflow of the *iFeature* toolkit by running the example provided in the directory of “examples”. The examples provided include both protein and peptide sequences.

iFeature includes four main programs: “iFeature.py”, “iFeaturePseKRAAC.py”, “cluster.py” and “feaSelector.py”. All the functions regarding feature extraction, feature or sample clustering and feature selection analysis can be executed through these four main programs by specifying the parameter ‘--type’.

- “iFeature.py” is the main program used to extract 37 different types of feature descriptors:
Usage: `tcsh% python iFeature.py --help`
- “iFeaturePseKRAAC.py” is the program used to extract the 16 types of pseudo K-tuple reduced amino acid composition (PseKRAAC) feature descriptors: Usage: `tcsh% python iFeaturePseKRAAC.py --help`
- “cluster.py” is the program used for running the feature or sample clustering algorithms:
Usage: `tcsh% python cluster.py --help`
- “feaSelector.py” is the fourth main program used to implement the feature selection

```
algorithms: Usage: tcsh% python feaSelector.py --help
```

Furthermore, the *iFeature* package contains other Python scripts to generate the position-specific scoring matrix (PSSM) profiles, predicted protein secondary structure and predicted protein disorder, which have also been often used to improve the prediction performance of machine learning-based classifiers in conjunction with sequence-derived information. The **three** dimensionality reduction algorithms are also included in the ‘scripts’ directory.

The detailed usage of these scripts is described in section 4 below (“**Commonly Used Feature Descriptors**”).

3. Software Package Overview

iFeature can generate a wide spectrum of 18 feature encoding schemes encompassing a total of **53** different types of feature descriptors derived from protein or peptide amino acid sequences. A complete list of the 18 major encoding schemes included in *iFeature* is summarized in **Table 1** in the main manuscript. Moreover, *iFeature* also integrates a variety of commonly used feature clustering, selection, and dimensionality reduction algorithms, which greatly facilitates feature generation, importance analysis, model training and performance evaluation experiments. We describe the detailed functions of *iFeature* below.

Feature descriptor extraction:

Generally, each type of feature descriptor can be calculated using the main programs “iFeature.py” and “iFeaturePseKRAAC.py” implemented in the *iFeature* toolkit. Users are advised to specify the descriptor type by using the parameter ‘**--type**’.

```
tcsh% python iFeature.py --help
```

```
E:\iFeature>python iFeature.py --help
usage: it's usage tip.

Generating various numerical representation schemes for protein sequences

optional arguments:
  -h, --help            show this help message and exit
  --file FILE          input fasta file
  --type {AAC, EAAC, CKSAAP, DPC, DDE, TPC, BINARY, GAAC, EGAAC, CKSAAGP, GDPC, GTPC, AAINDEX, ZSCALE, BLOSUM62, NMBroto, Moran, Geary, CTDC, CTDT, CTDD, CTRiad, KSCTriad, SOCNumber, QSOrder, PAAC, APAAC, KNNprotein, KNNpeptide, PSSM, SSEC, SSEC, SSEB, Disorder, DisorderC, DisorderB, ASA, TA}      the encoding type
  --path FILEPATH      data file path used for 'PSSM', 'SSEB(C)', 'Disorder(BC)', 'ASA' and 'TA' encodings
  --train TRAINFILE    training file in fasta format only used for 'KNNprotein' or 'KNNpeptide' encodings
  --label LABELFILE    sample label file only used for 'KNNprotein' or 'KNNpeptide' encodings
  --order {alphabetically, polarity, sideChainVolume, userDefined}
                      output order for of Amino Acid Composition (i.e. AAC, EAAC, CKSAAP, DPC, DDE, TPC) descriptors
  --userDefinedOrder USERDEFINEDORDER
                      user defined output order for of Amino Acid Composition (i.e. AAC, EAAC, CKSAAP, DPC, DDE, TPC) descriptors
  --out OUTFILE        the generated descriptor file
```

```
tcsh% python iFeaturePseKRAAC.py --help
```

```
C:\Windows\system32\cmd.exe
E:\iFeature>python iFeaturePseKRAAC.py --help
usage: it's usage tip.

Generating PseKRAAC descriptors:

optional arguments:
  -h, --help            show this help message and exit
  --file FILE          input fasta file
  --type {type1, type2, type3A, type3B, type4, type5, type6A, type6B, type6C, type7, type8, type9, type10, type11, type12, type13, type14, type15, type16}
                        the descriptor type
  --subtype {g-gap, lambda-correlation}
                        the subtype of the descriptor type, default is 'g-gap'
  --ktuple {1, 2, 3}    k-tuple peptide, default is 2
  --gap_lambda {0, 1, 2, 3, 4, 5, 6, 7, 8, 9}
                        the gap value or lambda value for the 'g-gap' model or
                        'lambda-correlation' model
  --raactype RAACTYPE the reduced amino acids cluster type
  --show               show detailed available '--raactype' value for each
                        type
  --out OUTFILE        the generated descriptor file
```

Feature clustering:

Use the following command to show the help information for all feature clustering algorithms in the *iFeature* package:

```
tcsh% python cluster.py --help
```

```
C:\Windows\system32\cmd.exe
E:\iFeature>python cluster.py --help
usage: it's usage tip.

cluster for the generated numerical representation

optional arguments:
  -h, --help            show this help message and exit
  --file FILE          input encoding file
  --type {kmeans, hcluster, apc, meanshift, dbscan}
                        select cluster method
  --sof {sample, feature}
                        cluster for sample or feature, default: sample
  --nclusters NCLUSTERS
                        specify the cluster number for kmeans cluster method.
                        default: 3
  --out OUT             output file
```

Feature selection:

Use the following command to show the help information for the feature selection algorithms implemented in the *iFeature* package:

```
tcsh% python feaSelector.py --help
```

```
C:\Windows\system32\cmd.exe
E:\iFeature>python feaSelector.py --help
usage: it's usage tip.

feature selection

optional arguments:
  -h, --help            show this help message and exit
  --file FILE          input encoding file
  --label LABEL         sample label
  --type {CHI2, IG, MIC, pearsonr}
                        select cluster method
  --out OUT             output file
```

4. Commonly Used Feature Descriptors

Let us assume that a protein or peptide sequence with N amino acid residues can be generally represented as $\{R_1, R_2, \dots, R_n\}$, where R_i represents the residue at the i -th position in the sequence. The following commonly used feature descriptors can be calculated and extracted using *iFeature*.

4.1 Amino Acid Composition (AAC)

The Amino Acid Composition (AAC) encoding (Bhasin and Raghava, 2004) calculates the frequency of each amino acid type in a protein or peptide sequence. The frequencies of all 20 natural amino acids (i.e. “ACDEFGHIKLMNPQRSTVWY”) can be calculated as:

$$f(t) = \frac{N(t)}{N}, \quad t \in \{A, C, D, \dots, Y\}$$

where $N(t)$ is the number of amino acid type t , while N is the length of a protein or peptide sequence.

Use the following command to extract the AAC feature descriptors:

```
tcsh% python iFeature.py --file examples/test-protein.txt --type AAC
```

4.2 Enhanced Amino Acid Composition (EAAC)

The Enhanced Amino Acid Composition (EAAC) feature type is introduced here for the first time. It calculates the AAC based on the sequence window of fixed length (the default value is 5) that continuously slides from the N- to C-terminus of each peptide and can be usually applied to encode the peptides with an equal length. An illustrated example of this encoding scheme is provided in the following **Figure S1**.




Figure S1. An illustrated example of the EAAC descriptor.

The EAAC can be calculated as:

$$f(t, \text{win}) = \frac{N(t, \text{win})}{N(\text{win})}, \quad t \in \{A, C, D, \dots, Y\}, \quad \text{win} \in \{\text{window1}, \text{window2}, \dots, \text{window17}\}$$

where $N(t, \text{win})$ is the number of amino acid type t in the sliding window win and $N(\text{win})$ is the size of the sliding window win .

Use the following command to extract the EAAC feature descriptors:

```
tcsh% python iFeature.py --file examples/test-peptide.txt --type EAAC
```

Advanced users can adjust the size of the sliding window to $\langle N \rangle$ (the default is 5) by running the following Python command:

```
tcsh% python codes/EAAC.py examples/test-peptide.txt <N> EAAC.tsv
```

Here, $\langle N \rangle$ is a placeholder for the integer defining the window size.

4.3 Composition of k -spaced Amino Acid Pairs (CKSAAP)

The CKSAAP feature encoding calculates the frequency of amino acid pairs separated by any k residues ($k = 0, 1, 2, \dots, 5$). The default maximum value of k is 5) (Chen, et al., 2009; Chen, et al., 2007a; Chen, et al., 2007b; Chen, et al., 2008). Taking $k = 0$ as an example, there are 400 0-spaced residue pairs (i.e., AA, AC, AD, ..., YY.). Then, a feature vector can be defined as:

$$\left(\frac{N_{AA}}{N_{total}}, \frac{N_{AC}}{N_{total}}, \frac{N_{AD}}{N_{total}}, \dots, \frac{N_{YY}}{N_{total}} \right)_{400}$$

The value of each descriptor denotes the composition of the corresponding residue pair in the protein or peptide sequence. For instance, if the residue pair AA appears m times in the protein, the composition of the residue pair AA is equal to m divided by the total number of 0-spaced residue pairs (N_{total}) in the protein. For $k = 0, 1, 2, 3, 4$ and 5, the value of N_{total} is $P - 1, P - 2, P - 3, P - 4, P - 5$ and $P - 6$ for a protein of length P , respectively. An illustrated example of this encoding scheme ($k=0$) is provided in the following **Figure S2**.




Figure S2. An illustrated example of the CKSAAP ($k = 0$) descriptor.

Use the following command to extract the CKSAAP feature descriptors:

```
tcsh% python iFeature.py --file examples/test-protein.txt --type CKSAAP
```

Advanced users can adjust the value of k to $\langle k \rangle$ (the default is 5) by running the following Python command:

```
tcsh% python codes/CKSAAP.py examples/test-protein.txt <k>
CKSAAP.tsv
```

Here, $\langle k \rangle$ is a placeholder for the integer. $k = 0, 1, 2, \dots, 5$.

4.4 Tri-Peptide Composition (TPC)

The Tripeptide Composition (TPC) (Bhasin and Raghava, 2004) gives 8000 descriptors, defined as:

$$f(r,s,t) = \frac{N_{rst}}{N-2}, \quad r,s,t \in \{A,C,D,\dots,Y\}$$

where N_{rst} is the number of tripeptides represented by amino acid types r , s and t .

Use the following command to extract the TPC feature descriptors:

```
tcsh% python iFeature.py --file examples/test-protein.txt --type TPC
```

4.5 Di-Peptide Composition (DPC)

The Dipeptide Composition (Saravanan and Gautham, 2015) gives 400 descriptors. It is defined as:

$$D(r,s) = \frac{N_{rs}}{N-1}, \quad r,s \in \{A,C,D,K,Y\}$$

where N_{rs} is the number of dipeptides represented by amino acid types r and s .

Use the following command to extract the DPC feature descriptors:

```
tcsh% python iFeature.py --file examples/test-protein.txt --type DPC
```

4.6 Dipeptide Deviation from Expected Mean (DDE)

The Dipeptide Deviation from Expected Mean feature vector (Saravanan and Gautham, 2015) is constructed by computing three parameters, i.e. dipeptide composition (D_c), theoretical mean (T_m), and theoretical variance (T_v). The above three parameters and the DDE are computed as follows. $D_c(r,s)$, the dipeptide composition measure for the dipeptide ' rs ', is given as

$$D_c(r,s) = \frac{N_{rs}}{N-1}, \quad r,s \in \{A,C,D,K,Y\}$$

where N_{rs} is the number of dipeptides represented by amino acid types r and s and N is the length of the protein or peptide. $T_m(r,s)$, the theoretical mean, is given by:

$$T_m(r,s) = \frac{C_r}{C_N} \times \frac{C_s}{C_N}$$

where C_r is the number of codons that code for the first amino acid and C_s is the number of codons that code for the second amino acid in the given dipeptide ‘rs’. C_N is the total number of possible codons, including the three stop codons (i.e., 61). $T_v(r,s)$, the theoretical variance of the dipeptide ‘rs’, is given by:

$$T_v(r,s) = \frac{T_m(r,s)(1-T_m(r,s))}{N-1}$$

Finally, $DDE(r,s)$ is calculated as:

$$DDE(r,s) = \frac{D_c(r,s) - T_m(r,s)}{\sqrt{T_v(r,s)}}$$

Use the following command to extract the DDE feature descriptors:

```
tcsh% python iFeature.py --file examples/test-protein.txt --type DDE
```

Furthermore, for feature descriptors described in sections 4.1 - 4.6, the output order (the default is alphabetically) can be selected or defined. In particular, three different orders of amino acids (i.e. alphabetically, by polarity and by side chain volume) are now available in *iFeature*. In addition, *iFeature* allows users to define an output order that best suits their purposes:

```
tcsh% python iFeature.py --file examples/test-protein.txt --type AAC  
--order polarity
```

```
tcsh% python iFeature.py --file examples/test-protein.txt --type AAC  
--order userDefined --userDefinedOrder YWVTSRQPMLKIHGFEDCA
```

4.7 Grouped Amino Acid Composition (GAAC)

In the GAAC encoding, the 20 amino acid types are further categorized into five classes according to their physicochemical properties, e.g. hydrophobicity, charge and molecular size (Lee, et al., 2011b). The five classes include the aliphatic group ($g1$: GAVLMI), aromatic group ($g2$: FYW), positive charge group ($g3$: KRH), negative charged group ($g4$: DE) and uncharged group ($g5$: STCPNQ). GAAC descriptor is the frequency of each amino acid group, which is defined as:

$$f(g) = \frac{N(g)}{N}, \quad g \in \{g1, g2, g3, g4, g5\}$$

$$N(g_i) = \sum N(t), \quad t \in g$$

where $N(g)$ is the number of amino acid in group g , $N(t)$ is the number of amino acid type t , and N is the length of the protein/peptide sequence.

Use the following command to extract the GAAC feature descriptors:

```
tcsh% python iFeature.py --file examples/test-protein.txt --type GAAC
```

4.8 Enhanced GAAC (EGAAC)

The Enhanced GAAC (EGAAC) is also for the first time proposed in this work. It calculates GAAC in windows of fixed length (default is 5) continuously sliding from the N- to C-terminal of each peptide and is usually applied to peptides with an equal length.

$$f(g, \text{win}) = \frac{N(g, \text{win})}{N(\text{win})}, \quad g \in \{g1, g2, g3, g4, g5\}, \quad \text{win} \in \{\text{window1}, \text{window2}, \dots, \text{window7}\}$$

where $N(g, \text{win})$ is the number of amino acids in group g within the sliding window win and $N(\text{win})$ is the size of the sliding window win .

Use the following command to extract the EGAAC feature descriptors:

```
tcsh% python iFeature.py --file examples/test-peptide.txt --type  
EGAAC
```

Advanced users can adjust the size of the sliding window to $<N>$ (the default is 5) by running the following Python command:

```
tcsh% python codes/EGAAC.py examples/test-peptide.txt <N> EGAAC.tsv
```

Here, $<N>$ is a placeholder for the integer defining the window size.

4.9 Composition of k -Spaced Amino Acid Group Pairs (CKSAAGP)

The Composition of k -Spaced Amino Acid Group Pairs (CKSAAGP) is a variation of the CKSAAP descriptor, which is our own proposal. It calculates the frequency of amino acid group pairs separated by any k residues (the default maximum value of k is set as 5). Taking $k = 0$ as an example, there are 25 0-spaced group pairs (i.e., $g1g1, g1g2, g1g3, \dots, g5g5$). Thus, a feature vector of CKSAAGP can be defined as:

$$\left(\frac{N_{g1g1}}{N_{\text{total}}}, \frac{N_{g1g2}}{N_{\text{total}}}, \frac{N_{g1g3}}{N_{\text{total}}}, \dots, \frac{N_{g5g5}}{N_{\text{total}}} \right)_{25}$$

The value of each descriptor denotes the composition of the corresponding residue group pair in a protein or peptide sequence. For instance, if the residue group pair $g1g1$ appears m times in the protein, the composition of the residue pair $g1g1$ is equal to m divided by the total number of 0-spaced residue pairs (N_{total}) in the protein. For $k = 0, 1, 2, 3, 4$ and 5 , the values of N_{total} are $P - 1, P - 2, P - 3, P - 4, P - 5$ and $P - 6$ respectively, for a protein of length P .

Use the following command to extract the CKSAAGP feature descriptors:

```
tcsh% python iFeature.py --file examples/test-protein.txt --type  
CKSAAGP
```

Advanced users can adjust the value of k to $<k>$ (the default is 5) by running the following Python command:

```
tcsh% python codes/CKSAAGP.py examples/test-protein.txt <k>  
CKSAAGP.tsv
```

Here, $\langle k \rangle$ is a placeholder for the integer. $k = 0, 1, 2, \dots, 5$.

4.10 Grouped Di-Peptide Composition (GDPC)

The Grouped Di-Peptide Composition encoding is another variation of the DPC descriptor. It is composed of a total of 25 descriptors that are defined as:

$$f(r,s) = \frac{N_{rs}}{N-1}, \quad r,s \in \{g1, g2, g3, g4, g5\}$$

where N_{rs} is the number of tripeptides represented by amino acid type groups r and s , N is the length of a protein or peptide sequence.

Use the following command to extract the GDPC feature descriptors:

```
tcsh% python iFeature.py --file examples/test-protein.txt --type GDPC
```

4.11 Grouped Tri-Peptide Composition (GTPC)

The Grouped Tri-Peptide Composition encoding is also a variation of TPC descriptor, which generates 125 descriptors, defined as:

$$f(r,s,t) = \frac{N_{rst}}{N-2}, \quad r,s,t \in \{g1, g2, g3, g4, g5\}$$

where N_{rst} is the number of tripeptides represented by amino acid type groups r , s and t . N is the length of a protein or peptide sequence.

Use the following command to extract the GTPC feature descriptors:

```
tcsh% python iFeature.py --file examples/test-protein.txt --type GTPC
```

4.12 Binary (BINARY)

In the Binary encoding (Chen, et al., 2011; Chen, et al., 2013b), each amino acid is represented by a 20-dimensional binary vector, e.g.

A is encoded by (10000000000000000000), C is encoded by (01000000000000000000), ..., Y is encoded by (00000000000000000001), respectively. This encoding scheme is often used to encode peptides with an equal length.

Use the following command to extract the BINARY feature descriptors:

```
tcsh% python iFeature.py --file examples/test-peptide.txt --type  
BINARY
```

4.13 Moran correlation (Moran)

```

H CIDH920105
D Normalized average hydrophobicity scales (Cid et al., 1992)
R PMID:1518784
A Cid, H., Bunster, M., Canales, M. and Gazitua, F.
T Hydrophobicity and structural classes in proteins
J Protein Engineering 5, 373-375 (1992)
C CIDH920103 0.973 CIDH920104 0.970 CIDH920102 0.969
NISK860101 0.938 BASU050102 0.931 ZHOH040103 0.926
ROBB790101 0.921 CIDH920101 0.921 MIYS850101 0.916
BASU050103 0.914 PLIV810101 0.914 BIOV880101 0.912
BASU050101 0.907 WERD780101 0.905 ZHOH040101 0.904
RADA880108 0.898 FAUJ830101 0.893 MEEJ810101 0.892
PONP930101 0.891 SWER830101 0.890 CORJ870102 0.890
ROSM880104 0.886 BIOV880102 0.882 MANP780101 0.879
ARGP820101 0.867 JOND750101 0.866 RADA880102 0.861
CASG920101 0.859 GUOD860101 0.858 ROSG850102 0.858
NOZY710101 0.857 PONP800101 0.856 NISK800101 0.854
BLAS910101 0.852 CORJ870107 0.848 MEEJ810102 0.844
PONP800108 0.843 ROSM880105 0.843 MEEJ800102 0.840
TAKK010101 0.840 EISD860101 0.839 CORJ870104 0.838
CORJ870103 0.838 SIMZ760101 0.837 PONP800102 0.831
LIFS790101 0.828 LEVM760106 0.828 CORJ870101 0.827
CORJ870106 0.826 CORJ870105 0.822 GOLD730101 0.820
ZHOH040102 0.818 PONP800107 0.818 NADH010104 0.817
PTI0830102 0.813 VENT840101 0.813 NADH010103 0.810
PONP800103 0.807 MEIH800103 0.804 NADH010105 0.800
WOECT30101 -0.800 KIDA850101 -0.803 PUNT030101 -0.805
KRIW790101 -0.816 FUKS010103 -0.821 PUNT030102 -0.822
MEIH800102 -0.826 RACS770102 -0.830 VINM940103 -0.832
KARP850102 -0.839 CORJ870108 -0.843 FASG890101 -0.860
PARS000101 -0.860 KARP850101 -0.866 BULHT40101 -0.871
GRAR740102 -0.884 VINM940101 -0.885 MIYS990103 -0.886
RACS770101 -0.887 GUYH850102 -0.892 WOLS870101 -0.899
MIYS990105 -0.901 OOBM770103 -0.904 MIYS990104 -0.908
VINM940102 -0.910 MIYS990102 -0.915 MIYS990101 -0.916
MEIH800101 -0.923 GUYH850103 -0.927 PARJ860101 -0.948
I A/L R/K N/M D/F C/P Q/S E/T G/W H/Y I/V
  0.02 -0.42 -0.77 -1.04 0.77 -1.10 -1.14 -0.80 0.26 1.81
  1.14 -0.41 1.00 1.35 -0.09 -0.97 -0.77 1.71 1.11 1.13
//
```

Figure S3. An illustrated example of amino acid physicochemical properties in the AAIndex database (Kawashima, et al., 2008).

The autocorrelation descriptors are defined based on the distribution of amino acid properties along the sequence (Feng and Zhang, 2000; Horne, 1988; Sokal and Thomson, 2006). The amino acid properties used here are different types of amino acids index, which is retrieved from the AAindex Database (Kawashima, et al., 2008) available at <http://www.genome.jp/dbget/aindex.html/>. The eight indices 'CIDH920105', 'BHAR880101', 'CHAM820101', 'CHAM820102', 'CHOC760101', 'BIGC670101', 'CHAM810101', 'DAYM780201' are used (Xiao, et al., 2015). An illustrated example of this amino acid physicochemical properties from the AAIndex database is provided in **Figure S3**.

All the amino acid indices are centralized and standardized prior to the calculation:

$$P_r = \frac{P_r - \bar{P}}{\sigma}$$

where \bar{P} is the average of the properties of the 20 amino acids and σ is the standard deviation of

the properties of the 20 amino acids. \bar{P} and σ can be calculated as follows:

$$\bar{P} = \frac{\sum_{r=1}^{20} P_r}{20}, \quad \sigma = \sqrt{\frac{1}{20} \sum_{r=1}^{20} (P_r - \bar{P})^2}$$

The Moran autocorrelation descriptors (Feng and Zhang, 2000; Lin and Pan, 2001) can thus be defined as:

$$I(d) = \frac{\frac{1}{N-d} \sum_{i=1}^{N-d} (P_i - \bar{P})(P_{i+d} - \bar{P})}{\frac{1}{N} \sum_{i=1}^N (P_i - \bar{P})^2}, \quad d = 1, 2, 3, \dots, nlag$$

where d is the lag of the autocorrelation, $nlag$ is the maximum value of the lag (default value: 30),

P_i and P_{i+d} are the properties of the amino acids at positions i and $i + d$, respectively. \bar{P}' is the average of the considered property P over the entire sequence of length N and is calculated as:

$$\bar{P}' = \frac{\sum_{i=1}^N P_i}{N}$$

Use the following command to calculate the Moran feature descriptors:

```
tcsh% python iFeature.py --file examples/test-protein.txt --type Moran
```

Advanced users can adjust the property index to <index> and the maximum value of the $nlag$ to < N > (the default is 30) by running the following Python command:

```
tcsh% python codes/Moran.py --file examples/test-protein.txt --props <index> --nlag <N> --out Moran.tsv
```

Here, ‘--props <index>’ specifies the amino acid property index from the AAindex database, where multiple indices can be used here, e.g. “CIDH920105” and “BHAR880101”, separated by “:”, ‘--nlag <N>’ is a placeholder for the integer defining the maximum value of the lag. ‘--out’ specifies the name of the result output file. In the example provided below, “Moran.tsv” is the result output file.

For example:

```
tcsh% python codes/Moran.py --file examples/test-protein.txt --props CIDH920105:BHAR880101 --nlag 15 --out Moran.tsv
```

4.14 Geary correlation (Geary)

The Geary autocorrelation descriptors (Sokal and Thomson, 2006) for a protein or peptide sequence are defined as:

$$C(d) = \frac{\frac{1}{2(N-d)} \sum_{i=1}^{N-d} (P_i - P_{i+d})^2}{\frac{1}{N-1} \sum_{i=1}^N (P_i - \bar{P}')^2}, \quad d = 1, 2, \dots, nlag$$

where d , P_i and P_{i+d} , $nlag$ have the same definitions as described above.

Use the following command to extract the Geary feature descriptors:

```
tcsh% python iFeature.py --file examples/test-protein.txt --type Geary
```

Advanced users can adjust the property index to <index> and the maximum value of the $nlag$ to < N > (the default is 30) by running the following Python command:

```
tcsh% python codes/Geary.py --file examples/test-protein.txt --props <index> --nlag <N> --out Geary.tsv
```

Here, ‘--props <index>’ specifies the amino acid property index from the AAindex database, where multiple indices can be used here, e.g. “CIDH920105” and “BHAR880101”, separated by “:”, ‘--nlag <N>’ is a placeholder for the integer defining the maximum value of the lag. ‘--out’ specifies the name of the result output file.

For example:

```
tcsh% python codes/Geary.py --file examples/test-protein.txt --props CIDH920105:BHAR880101 --nlag 15 --out Geary.tsv
```

4.15 Normalized Moreau-Broto Autocorrelation (NMBroto)

The Moreau-Broto autocorrelation descriptors (Horne, 1988) are defined as follows:

$$AC(d) = \sum_{i=1}^{N-d} P_i \times P_{i+d}, \quad d = 1, 2, \dots, nlag$$

The normalized Moreau-Broto autocorrelation descriptors are thus defined as:

$$ATS(d) = \frac{AC(d)}{N-d}, \quad d = 1, 2, \dots, nlag$$

Use the following command to extract the NMBroto feature descriptors:

```
tcsh% python iFeature.py --file examples/test-protein.txt --type NMBroto
```

Advanced users can adjust the property index to <index> and the maximum value of the $nlag$ to < N > (the default is 30) by running the following Python command:

```
tcsh% python codes/NMBproto.py --file examples/test-protein.txt
--props <index> --nlag <N> --out NMBproto.tsv
```

Here, ‘`--props <index>`’ specifies the amino acid property index from the AAindex database, where multiple indices can be used here, e.g. “CIDH920105” and “BHAR880101”, separated by “:”, ‘`--nlag <N>`’ is a placeholder for the integer defining the maximum value of the lag. ‘`--out`’ specifies the name of the output file.

For example:

```
tcsh% python codes/NMBproto.py --file examples/test-protein.txt
--props CIDH920105:BHAR880101 --nlag 15 --out NMBproto.tsv
```

4.16 Composition/Transition/Distribution (CTD)

The Composition, Transition and Distribution (CTD) features represent the amino acid distribution patterns of a specific structural or physicochemical property in a protein or peptide sequence (Cai, et al., 2003; Cai, et al., 2004; Dubchak, et al., 1995; Dubchak, et al., 1999; Han, et al., 2004). 13 types of physicochemical properties have been previously used for computing these features. These include hydrophobicity, normalized Van der Waals Volume, polarity, polarizability, charge, secondary structures and solvent accessibility. These descriptors are calculated according to the following procedures: (i) The sequence of amino acids is transformed into a sequence of certain structural or physicochemical properties of residues; (ii) Twenty amino acids are divided into three groups for each of the seven different physicochemical attributes based on the main clusters of the amino acid indices of Tomii and Kanehisa (Tomii and Kanehisa, 1996). The groups of amino acids are listed in **Table S1**.

Table S1. Amino acid physicochemical attributes and the division of the amino acids into three groups according to each attribute.

Attribute	Division		
Hydrophobicity_PRAM900101	Polar: RKEDQN	Neutral: GASTPHY	Hydrophobicity: CLVIMFW
Hydrophobicity_ARGP820101	Polar: QSTNGDE	Neutral: RAHCKMV	Hydrophobicity: LYPFIW
Hydrophobicity_ZIMJ680101	Polar: QNGSWTDER A	Neutral: HMCKV	Hydrophobicity: LPFYI
Hydrophobicity_PONP930101	Polar: KPDESNQT	Neutral: GRHA	Hydrophobicity: YMFWLCVI
Hydrophobicity_CASG920101	Polar: KDEQPSRNTG	Neutral: AHYMLV	Hydrophobicity: FIWC
Hydrophobicity_ENGD860101	Polar: RDKENQHYP	Neutral :SGTAW	Hydrophobicity: CVLIMF
Hydrophobicity_FASG890101	Polar: KERSQD	Neutral: NTPG	Hydrophobicity:

				AYHWVMFLIC
Normalized van der Waals volume	Volume range: 0-2.78	Volume range: 2.95-94.0	Volume range: 4.03-8.08	MHKFRYW
	GASTPD	NVEQIL		
Polarity	Polarity value: 4.9-6.2	Polarity value: 8.0-9.2	Polarity value: 10.4-13.0	HQRKNED
	LIFWCMVY			
Polarizability	Polarizability value: 0-1.08	Polarizability value: 0.128-120.186	Polarizability value: 0.219-0.409	
	GASDT	GPNVEQIL	KMHFRYW	
Charge	Positive: KR	Neutral:	Negative: DE	
		ANCQGHILMFPSTW YV		
Secondary structure	Helix: EALMQKRH	Strand: VIYCWFT	Coil: GNPSD	
Solvent accessibility	Buried: ALFCGIVW	Exposed: PKQEND	Intermediate: MPSTHY	

4.16.1 CTDC

Taking the hydrophobicity attribute as an example, all amino acids are divided into three groups: polar, neutral and hydrophobic (**Table S1**). The Composition descriptor consists of three values: the global compositions (percentage) of polar, neutral and hydrophobic residues of the protein. An illustrated example of this encoding scheme is provided in the following **Figure S4**. The Composition descriptor can be calculated as follows:

$$C(r) = \frac{N(r)}{N}, \quad r \in \{\text{polar, neutral, hydrophobic}\}$$

where $N(r)$ is the number of amino acid type r in the encoded sequence and N is the length of the sequence.

Use the following command to extract the CTDC feature descriptors:

```
tcsh% python iFeature.py --file examples/test-protein.txt --type CTDC
```

Considering that categorizing these physicochemical properties into three groups is arbitrary, *iFeature* also allows a user-defined classification. Accordingly, we provided three additional Python scripts to address this issue by allowing users to specify their own amino acid groups and subsequently calculate the respective CTDC, CTDT and CTDD features (please refer to the following sections for that). For example, use the following command to extract the user-defined CTDC feature descriptors:

```
tcsh% python codes/CTDCClass.py examples/test-protein.txt  
CTDCClass.tsv RKEDQN GASTPHY CLV IMFW
```

4.16.2 CTDT

The Transition descriptor T also consists of three values (Dubchak, et al., 1995; Dubchak, et al., 1999): A transition from the polar group to the neutral group is the percentage frequency with which a polar residue is followed by a neutral residue or a neutral residue by a polar residue. Transitions between the neutral group and the hydrophobic group and those between the hydrophobic group and the polar group are defined in a similar way. The transition descriptor can then be calculated as:

$$T(r,s) = \frac{N(r,s) + N(s,r)}{N-1}, \quad r,s \in \{(polar,neutral), (neutral,hydrophobic), (hydrophobic,polar)\}$$

where $N(r,s)$ and $N(s,r)$ are the numbers of dipeptides encoded as “rs” and “sr” respectively in the sequence, while N is the length of the sequence. An illustrated example of this encoding scheme is provided in the following **Figure S4**.

Use the following command to extract the CTDT descriptors:

```
tcsh% python iFeature.py --file examples/test-protein.txt --type CTDT
```

Use the following command to extract the user-defined CTDT feature descriptors:

```
tcsh%     python      codes/CTDTClass.py      examples/test-protein.txt
CTDTClass.tsv RKEDQN GASTPHY CLV IMFW
```




Figure S4. An illustrated example of the calculation of composition and transition descriptors.

This example uses the hydrophobicity attribute.

4.16.3 CTDD

The Distribution descriptor consists of five values for each of the three groups (polar, neutral and hydrophobic) (Dubchak, et al., 1995; Dubchak, et al., 1999), namely the corresponding fraction of the entire sequence, where the first residue of a given group is located, and where 25, 50, 75 and 100% of occurrences are contained.

For example, we start with the first residue up to and including the residue that marks 25/50/75/100% of occurrences for residues of any given group and then we simply divide the position of this residue by the length of the entire sequence.

Use the following command to extract the CTDD descriptors:

```
tcsh% python iFeature.py --file examples/test-protein.txt --type CTDD
```

Use the following command to extract the user-defined CTDD feature descriptors:

```
tcsh%     python     codes/CTDDClass.py     examples/test-protein.txt  
CTDDClass.tsv RKEDQN GASTPHY CLV IMFW
```

4.17 Conjoint Triad (CTriad)

The Conjoint Triad descriptor (CTriad) considers the properties of one amino acid and its vicinal amino acids by regarding any three continuous amino acids as a single unit (Shen, et al., 2007). First, the protein sequence is represented by a binary space (V, F), where V denotes the vector space of the sequence features, and each feature (V_i) represents a sort of triad type; F is the number vector corresponding to V , where f_i , the value of the i -th dimension of F , is the number of type V_i appearing in the protein sequence.

For the amino acids that have been catalogued into seven classes, the size of V should be equal to $7 \times 7 \times 7 = 343$. Accordingly, $i = 1, 2, 3, \dots, 343$. An illustrated example of this encoding scheme is provided in the following **Figure S5**.

In principle, the longer a protein sequence, the higher the probability to have larger values of f_i , confounding the comparison of proteins with different lengths. Thus, we define a new parameter, d_i , by normalizing f_i with the following equation:

$$d_i = \frac{f_i - \min\{f_1, f_2, \dots, f_{343}\}}{\max\{f_1, f_2, \dots, f_{343}\}}$$

Use the following command to extract the CTriad feature descriptors:

```
tcsh% python iFeature.py --file examples/test-protein.txt --type  
CTriad
```




Figure S5. Schematic diagram for constructing the vector space (V, F) of a given protein sequence. V is the vector space of the sequence features; each feature (V_i) represents a triad composed of three consecutive amino acids; F is the number vector corresponding to V , and the value of the i -th entry of F , denoted f_i , is the number of occurrences that the triad associated with V_i appearing in the protein sequence. The figure was adapted from the Supplementary Figure in (Shen, et al., 2007).

4.18 *k*-Spaced Conjoint Triad (KSCTriad)

The *k*-Spaced Conjoint Triad (KSCTriad) descriptor is based on the Conjoint CTriad descriptor, which not only calculates the numbers of three continuous amino acid units, but also considers the continuous amino acid units that are separated by any k residues (The default maximum value of k is set to 5). For example, AxRxT is a 1-spaced triad. Thus, the dimensionality of the KSCTriad encoded feature vector is 343 ($k+1$). An illustrated example of this encoding scheme is provided in the following **Figure S6**.

Use the following command to extract the KSCTriad feature descriptors:

```
tcsh% python iFeature.py --file examples/test-protein.txt --type KSCTriad
```

Advanced users can adjust the value of k to $<k>$ (the default is 5) by running the following Python command:

```
tcsh% python codes/KSCTriad.py examples/test-protein.txt <k>
KSCTriad.tsv
```

Here, $\langle k \rangle$ is a placeholder for the integer. $k = 0, 1, 2, \dots, 5$.




Figure S6. Schematic diagram for constructing the vector space (V, F) of protein sequence ($k=1$).

4.19 Sequence-Order-Coupling Number (SOCNumber)

The d -th rank sequence-order-coupling number is defined as:

$$\tau_d = \sum_{i=1}^{N-d} (d_{i,i+d})^2, \quad d = 1, 2, 3, \dots, nlag$$

where $d_{i,i+d}$ is the entry in a given distance matrix describing a distance between the two amino acids at position i and $i + d$, $nlag$ denotes the maximum value of the lag (default value: 30) and N is the length of a protein or peptide sequence. As distance matrix both the Schneider-Wrede physicochemical distance matrix (Schneider and Wrede, 1994) used by Kuo-Chen Chou, and the chemical distance matrix by Grantham (Grantham, 1974) are used. Accordingly, the descriptor dimension will be $nlag \times 2$. The quasi-sequence-order descriptors described next also utilizes the two matrices. An illustrated example of this encoding scheme is provided in the following **Figure S7**.

Note: the length of the protein must be not less than the maximum value of $nlag$.

Use the following command to extract the SOCNumber feature descriptors:

```
tcsh% python iFeature.py --file examples/test-protein.txt --type
SOCNumber
```

Advanced users can adjust the maximum value of the *nlag* to $<N>$ (the default is 30) by running the following Python command:

```
tcsh% python codes/SOCNumber.py examples/test-protein.txt <N>
SOCNumber.tsv
```

Here, $<N>$ is a placeholder for the integer defining the maximum value of *nlag*.




Figure S7. A schematic drawing to show (a) the 1st-rank, (b) the 2nd-rank, and (c) the 3rd-rank sequence-order-coupling mode along a protein sequence. (a) reflects the coupling mode between all the most adjacent residues, (b) shows the coupling between the adjacent plus one residues, and (c) shows the coupling between the adjacent plus two residues. This figure is adapted from (Chou, 2000).

4.20 Quasi-sequence-order (QSOrder)

For each amino acid type, a quasi-sequence-order descriptor can be defined as:

$$X_r = \frac{f_r}{\sum_{r=1}^{20} f_r + w \sum_{d=1}^{nlag} \tau_d}, \quad r = 1, 2, \dots, 20$$

where f_r is the normalized occurrence of amino acid type r and w is a weighting factor ($w = 0.1$), $nlag$ and τ_d have the same definitions as described above. These are the first 20 quasi-sequence-order descriptors. The other 30 quasi-sequence-order descriptors are defined as:

$$X_d = \frac{w\tau_d - 20}{\sum_{r=1}^{20} f_r + w \sum_{d=1}^{nlag} \tau_d}, \quad d = 21, 22, \dots, 20 + nlag$$

Extract the QSOrder descriptors:

```
tcsh% python iFeature.py --file examples/test-protein.txt --type QSOrder
```

Advanced users can adjust the maximum value of the *nlag* to <N> (the default is 30) by running the following Python command:

```
tcsh% python codes/QSOrder.py examples/test-protein.txt <N>  
QSOrder.tsv
```

Here, <N> is a placeholder for the integer defining the maximum value of *nlag*.

4.21 Pseudo-Amino Acid Composition (PAAC)

This group of descriptors has been proposed in (Chou, 2001; Chou, 2005). Let $H_1^o(i)$, $H_2^o(i)$, $M^o(i)$ for $i = 1, 2, 3, \dots, 20$ be the original hydrophobicity values, the original hydrophilicity values and the original side chain masses of the 20 natural amino acids, respectively. They are converted to the following quantities by a standard conversion:

$$H_1(i) = \frac{H_1^o(i) - \frac{1}{20} \sum_{i=1}^{20} H_1^o(i)}{\sqrt{\frac{\sum_{i=1}^{20} [H_1^o(i) - \frac{1}{20} \sum_{i=1}^{20} H_1^o(i)]^2}{20}}}$$

where $H_2^o(i)$ and $M^o(i)$ are normalized as $H_2(i)$ and $M(i)$ in the same manner.

Next, a correlation function can be defined as:

$$\Theta(R_i, R_j) = \frac{1}{3} \{ [H_1(R_i) - H_1(R_j)]^2 + [H_2(R_i) - H_2(R_j)]^2 + [M(R_i) - M(R_j)]^2 \}$$

This correlation function is actually an averaged value for the three amino acid properties: hydrophobicity value, hydrophilicity value and side chain mass. Therefore, we can extend this definition of correlation function for one amino acid property or for a set of n amino acid properties.

For one amino acid property, the correlation can be defined as:

$$\Theta(R_i, R_j) = [H_1(R_i) - H_1(R_j)]^2$$

where $H(R_i)$ is the amino acid property of amino acid R_i after standardization.

An illustrated example of the correlation function is provided in the following **Figure S8**.




Figure S8. A schematic drawing to show (a) the first-tier, (b) the second-tier, and (3) the third-tier sequence order correlation mode along a protein sequence. (a) reflects the coupling mode between all the most adjacent residues, (b) shows the coupling between the adjacent plus one residues, and (c) shows the coupling between the adjacent plus two residues. This figure is adapted from (Chou, 2001) for illustration purposes.

For a set of n amino acid properties, it can be defined as:

$$\Theta(R_i, R_j) = \frac{1}{n} \sum_{k=1}^n [H_k(R_i) - H_k(R_j)]^2$$

where $H_k(R_i)$ is the k -th property in the amino acid property set for amino acid R_i .

A set of descriptors called sequence order-correlated factors are defined as:

$$\theta_1 = \frac{1}{N-1} \sum_{i=1}^{N-1} \Theta(R_i, R_{i+1})$$

$$\theta_2 = \frac{1}{N-2} \sum_{i=1}^{N-2} \Theta(R_i, R_{i+2})$$

$$\theta_3 = \frac{1}{N-3} \sum_{i=1}^{N-3} \Theta(R_i, R_{i+3})$$

...

$$\theta_\lambda = \frac{1}{N-\lambda} \sum_{i=1}^{N-\lambda} \Theta(R_i, R_{i+\lambda})$$

where λ ($\lambda < N$) is an integer parameter to be chosen. Let f_i be the normalized occurrence frequency of amino acid i in the protein sequence. Then, a set of $20 + \lambda$ descriptors called the pseudo-amino acid composition for a protein sequence can be defined as:

$$X_c = \frac{f_c}{\sum_{r=1}^{20} f_r + w \sum_{j=1}^{\lambda} \theta_j}, \quad (1 < c < 20)$$

$$X_c = \frac{w \theta_{c-20}}{\sum_{r=1}^{20} f_r + w \sum_{j=1}^{\lambda} \theta_j}, \quad (21 < c < 20 + \lambda)$$

where w is the weighting factor for the sequence-order effect and is set to $w = 0.05$ in *iFeature* as suggested by Chou *et al.* (Chou, 2001).

Use the following command to extract the PAAC feature descriptors:

```
tcs% python iFeature.py --file examples/test-protein.txt --type PAAC
```

Advanced users can adjust the maximum value of the λ to $<N>$ (the default is 30) by running the following Python command:

```
tcs% python codes/PAAC.py examples/test-protein.txt <N> PAAC.tsv
```

Here, $<N>$ is a placeholder for the integer defining the maximum value of λ .

4.22 Amphiphilic Pseudo-Amino Acid Composition (APAAC)

Amphiphilic Pseudo-Amino Acid Composition (APAAC) was proposed in (Chou, 2001; Chou, 2005). The definition of this set of features is similar to the PAAC descriptors. Using $H_1(i)$ and $H_2(j)$ as previously defined, the hydrophobicity and hydrophilicity correlation functions are defined as:

$$\begin{aligned} H_{i,j}^1 &= H_1(i)H_1(j) \\ H_{i,j}^2 &= H_2(i)H_2(j), \end{aligned}$$

respectively. An illustrated example of the correlation functions is provided in the following **Figure S9**.

Thus, sequence order factors can be defined as:

$$\begin{aligned}
\tau_1 &= \frac{1}{N-1} \sum_{i=1}^{N-1} H_{i,i+1}^1 \\
\tau_2 &= \frac{1}{N-1} \sum_{i=1}^{N-1} H_{i,i+1}^2 \\
\tau_3 &= \frac{1}{N-2} \sum_{i=1}^{N-2} H_{i,i+2}^1 \\
\tau_4 &= \frac{1}{N-2} \sum_{i=1}^{N-2} H_{i,i+2}^2 \\
&\dots \\
\tau_{2\lambda-1} &= \frac{1}{N-\lambda} \sum_{i=1}^{N-\lambda} H_{i,i+\lambda}^1 \\
\tau_{2\lambda} &= \frac{1}{N-\lambda} \sum_{i=1}^{N-\lambda} H_{i,i+\lambda}^2
\end{aligned}$$

Then, a set of descriptors, called Amphiphilic Pseudo-Amino Acid Composition (APAAC), is defined as:

$$\begin{aligned}
P_c &= \frac{f_c}{\sum_{r=1}^{20} f_r + w \sum_{j=1}^{2\lambda} \tau_j}, \quad (1 < c < 20) \\
P_u &= \frac{\omega \tau_u}{\sum_{r=1}^{20} f_r + w \sum_{j=1}^{2\lambda} \tau_j}, \quad (21 < u < 20 + 2\lambda)
\end{aligned}$$

where w is the weighting factor. In *iFeature* this factor is set to $w = 0.5$ as described in Chou's work (Chou, 2001).




Figure S9. A schematic diagram to show (a1/a2) the first-rank, (b1/b2) the second-rank and (c1/c2) the third-rank sequence-order-coupling mode along a protein sequence through a hydrophobicity/hydrophilicity correlation function, where $H_{i,j}^1$ and $H_{i,j}^2$ are given by the aforementioned equation. Panels (a1/a2) reflects the coupling mode between the most adjacent residues, panels (b1/b2) shows the coupling between the adjacent plus one residues, and panels (c1/c2) shows the coupling between the adjacent plus two residues. This figure is adapted from (Chou, 2005) for illustration purposes.

Use the following command to extract the APAAC feature descriptors:

```
tcsh% python iFeature.py --file examples/test-protein.txt --type APAAC
```

Advanced users can adjust the maximum value of the λ to $<N>$ (the default is 30) by running the following Python command:

```
tcsh% python codes/APAAC.py examples/test-protein.txt <N> APAAC.tsv
```

Here, $<N>$ is a placeholder for the integer defining the maximum value of λ .

4.23 K-Nearest Neighbor for peptides (KNNpeptide)

The *K*-Nearest Neighbor for peptides (KNNpeptide) descriptor (Chen, et al., 2013a) requires an extra training file and a label file. The training file is used to calculate the top *K*-Nearest Neighbor peptides by calculating the similarity score of two peptide sequences. Here, the similarity score between two peptides is defined as:

$$Score = \sum_{i=1}^n S(P_{1,i}, P_{2,i})$$
$$S(a,b) = \begin{cases} BLOSUM62(a,b), & \text{if } BLOSUM62 > 0 \\ 0, & \text{if } BLOSUM62 \leq 0 \end{cases}$$

where P is the peptide with n amino acids, i is the sequence position, and $BLOSUM62(a,b)$ is the corresponding element value for amino acids a and b in the BLOSUM62 matrix. The label file divides the protein sequences in the training file into different classes (positive samples and negative samples or multiclass). Then, the ratios of different sample classes for the top K -Nearest Neighbor peptides will be calculated. The default K values in KNNpeptide are set based on a set of values (i.e. 1%, 2%, 3%, ..., 30% of the total numbers of samples in the training file). KNNpeptide descriptor can be applied to encode peptides of equal length.

Use the following command to extract the KNNpeptide descriptors:

```
tcsh% python iFeature.py --file examples/test-peptide.txt --type  
KNNpeptide --train examples/train-peptide.txt --label  
examples/label.txt
```

4.24 K-Nearest Neighbor for proteins (KNNprotein)

The *K*-Nearest Neighbor for Proteins (KNNProtein) descriptor is similar to the KNNpeptide descriptor. The only difference between these two descriptors is the way similarity is calculated. In KNNprotein the similarity score of two protein sequences is obtained by applying the Needleman-Wunsch algorithm (Needleman and Wunsch, 1970).

Use the following command to extract the KNNprotein feature descriptors:

```
tcsh% python iFeature.py --file examples/test-protein.txt --type  
KNNprotein --train examples/train-protein.txt --label  
examples/label.txt
```

4.25 PSSM profile (PSSM)

This feature descriptor (Cai, et al., 2012; Radivojac, et al., 2010) is extracted from the Position-Specific Scoring Matrix (PSSM) profile. An illustrated example of PSSM profile is provided in **Figure S10**. The PSSM profile can be obtained by running PSI-BLAST (Altschul, et al., 1997) against the uniref 50 database. The PSSM descriptor is usually applied to encode the peptides with equal length. Each amino acid in the peptide is represented by a 20-dimensional vector.

		Last position-specific scoring matrix computed, weighted observed percentages rounded down, information per position, and relative weight of gapless real matches to																																										
		A	R	N	D	C	Q	B	G	H	I	L	K	M	F	P	S	T	W	Y	V	A	R	N	D	C	Q	E	G	H	I	L	K	M	F	P	S	T	W	Y	V			
1	M	-4	-4	-5	-6	-4	-3	-5	-5	-4	0	2	-4	10	-1	-5	-4	-3	-4	-3	-2	0	0	0	0	0	0	0	3	17	0	78	2	0	0	0	0	0	0	0	1.88	1.14		
2	T	-1	-4	3	1	-4	-1	1	-4	-2	-4	-4	-1	0	-2	-2	3	3	-6	-4	1	3	0	13	6	0	2	10	0	1	0	1	4	2	2	1	24	21	0	0	0	11	0.49	1.42
3	M	-2	-4	2	1	-5	-2	2	-3	-2	-1	1	-2	6	-3	-2	1	-1	-5	-4	-1	3	0	9	7	0	1	13	2	1	3	15	2	22	1	2	13	4	0	0	4	0.46	1.52	
4	D	-2	-1	2	4	-5	-1	3	-3	-2	-3	-6	1	-5	-6	-2	2	2	-6	-5	-3	2	3	11	20	0	0	1	21	1	0	1	0	7	0	0	2	16	12	0	0	1	0.62	1.54
5	K	-2	7	-2	-3	-6	1	-1	-5	1	-2	-4	3	-4	-1	-1	-4	-4	-6	-2	-3	2	56	1	1	0	5	2	0	3	2	1	20	0	1	3	0	0	0	1	1	1.25	1.60	
6	S	-2	-1	1	3	-6	6	-2	-2	-6	-4	1	0	-3	0	-2	-6	-2	-4	2	2	5	16	0	3	50	3	0	0	1	3	2	0	1	7	2	0	0	1	1	0.91	1.62		
7	E	-3	-3	0	4	-6	3	4	-5	0	-3	-4	1	-2	-4	-4	-2	-1	-6	-1	-3	2	1	5	23	0	14	28	0	2	2	2	9	1	1	0	2	4	0	2	2	0.71	1.61	
8	L	-2	-3	2	-4	2	-2	-4	-4	-1	1	4	-3	0	2	-5	-1	-3	0	2	-1	3	1	9	0	4	2	1	1	2	6	43	2	2	8	0	5	1	1	6	4	0.54	1.62	
9	V	-2	-2	-4	-6	-2	-2	-3	-2	-6	5	4	-2	3	2	0	-6	-5	-2	-5	-2	5	3	2	1	0	1	1	3	0	0	22	18	1	5	3	0	0	2	0	1	36	0.77	1.62
10	Q	-3	-2	-2	-3	0	3	-1	3	1	-2	-2	-3	-1	5	-6	-3	-2	-1	6	-3	2	2	1	1	2	14	3	2	3	2	4	1	1	22	0	1	2	0	33	2	0.94	1.63	
11	K	-3	1	-2	6	-3	-2	-5	-4	-3	-1	4	2	6	0	-5	-3	-1	-4	-2	-1	1	7	2	0	0	1	0	3	35	11	18	4	0	1	3	0	8	2	0.67	1.62			
12	A	6	-5	-5	-5	1	-4	-2	-2	-5	1	0	-4	-1	-5	-4	0	-2	-6	-5	-1	67	0	0	0	3	0	3	1	0	8	7	0	1	0	0	5	1	0	0	3	1.04	1.62	
13	K	-3	3	1	-1	-6	1	-1	-4	0	-3	-3	6	0	-6	-3	-1	-3	-3	-5	-3	1	16	6	2	0	7	2	1	2	1	3	50	2	0	0	4	1	0	0	2	0.95	1.65	
14	L	-1	-4	-3	-6	-2	-4	-3	-6	-3	4	-4	0	-2	-6	-2	-1	-5	-3	2	4	0	2	0	1	1	2	0	0	19	47	1	2	1	0	3	4	0	1	13	0.81	1.68		
15	A	5	-5	-2	-4	2	-4	-3	-3	-4	-1	1	-4	0	-1	-5	1	0	-1	-2	-2	47	0	2	1	4	0	1	1	0	3	12	0	3	2	0	9	5	1	8	2	0.67	1.69	
16	E	-3	-3	1	1	-2	1	6	-2	2	-4	-3	0	-2	0	-5	-2	-4	-5	-1	-4	1	0	6	8	1	5	55	2	4	1	2	4	1	5	0	3	0	0	2	1	0.97	1.70	
17	Q	-1	2	-1	-2	-5	6	2	-5	1	-5	-3	1	0	-4	-2	-1	-1	0	-3	-3	6	8	2	0	41	10	0	3	0	2	7	3	1	2	5	3	1	1	1	0.79	1.68		
18	A	5	-5	-3	-5	3	-3	-3	-2	-5	1	0	-4	1	0	-4	0	0	-5	0	0	45	0	1	0	6	1	1	2	0	8	8	0	3	4	0	5	6	0	3	6	0.61	1.68	
19	E	-3	-1	1	1	-6	0	5	2	0	-5	-4	1	-2	-3	-4	-1	-4	-5	-5	-1	2	7	5	0	3	44	17	2	0	1	9	1	1	0	4	0	0	0	0	0.81	1.64		
20	R	-4	7	1	0	2	2	-2	-5	-1	-3	-2	0	-1	0	-5	-3	-4	-5	-2	0	59	2	5	5	9	1	1	0	1	1	4	4	1	4	0	1	0	0	1	0	1.19	1.67	
21	Y	-4	-5	-1	-3	-2	-3	-4	-2	-3	-4	-3	-2	-3	-1	-3	-1	-4	8	-2	1	0	3	1	1	1	2	1	4	1	1	1	10	3	1	4	5	55	2	1.40	1.74			
22	D	-3	-4	1	5	6	1	3	-2	-2	-6	-6	0	-5	-6	0	-1	-2	-2	-5	-2	2	0	7	37	0	5	22	3	1	0	0	6	0	0	5	4	4	3	2	0	0	0.85	1.70
23	D	-3	-1	-1	6	-6	-1	4	-2	-1	-4	-5	-1	-2	-4	-2	-1	-3	-6	-2	-3	2	2	2	44	0	2	26	3	1	1	0	4	1	1	2	3	1	0	1	2	0.99	1.72	
24	M	0	-4	-2	-5	-1	-2	-3	-2	-4	0	-1	-2	9	-1	-5	0	-1	-5	-4	0	9	0	2	0	1	2	1	3	0	4	4	3	52	2	0	6	4	0	0	0	7	1.15	1.71
25	A	2	-1	-2	1	-5	-2	-3	-5	3	0	0	1	-3	-2	-2	-4	4	21	3	2	0	3	1	0	2	0	16	7	6	2	5	1	2	2	3	0	25	1.46	1.74				
26	A	0	0	0	1	-5	1	3	1	-2	-3	-1	-2	-2	-3	1	0	-5	0	-2	8	4	4	9	0	7	17	5	3	3	9	1	2	1	11	7	0	3	2	0.22	1.73			
27	A	1	-2	-1	2	2	-2	-3	2	-1	0	4	0	-5	0	-1	0	4	0	13	2	3	2	5	2	2	2	6	4	10	0	2	15	0	6	3	1	15	0	6	0.35	1.67		
28	M	-2	-4	-5	-5	0	-4	-5	-3	-4	2	1	-4	8	1	-2	-1	2	0	1	3	0	0	0	2	0	0	12	13	0	39	4	0	3	3	3	9	0.96	1.62					
29	K	-2	2	0	-1	1	0	-3	1	-2	-3	5	0	-4	-4	-2	-1	5	0	2	11	4	3	2	4	6	2	3	2	37	2	0	0	2	4	0	5	6	0.54	1.61				
30	A	0	1	0	0	-5	1	1	1	1	-1	-2	2	1	-4	-1	-1	0	2	0	-2	9	7	4	5	0	5	10	9	3	3	5	13	4	0	3	5	5	3	4	3	0.14	1.72	

Figure S10. Example of a PSSM profile.

Use the following command to extract the PSSM feature descriptors:

```
tcsh% python iFeature.py --file examples/test-peptide.txt --type PSSM  
--path examples/predictedProteinProperty
```

‘--path’ specifies the path of the protein PSSM profile files and the PSSM profiles can be obtained by running the script “generatePSSMProfile.py” in the scripts directory.

4.26 AAindex (AAINDEX)

Physicochemical properties of amino acids are the most intuitive features for representing biochemical reactions and have been extensively applied in bioinformatics research. The amino acid indices (AAindex) database (Kawashima, et al., 2008) collects many published indices representing physicochemical properties of amino acids. For each physicochemical property, there is a set of 20 numerical values for all amino acids. Currently, 544 physicochemical properties can be retrieved from the AAindex database. After removing physicochemical properties with value 'NA' for any of the amino acids, 531 physicochemical properties were left. In contrast to the residue-based encoding methods of amino acid identity and evolutionary information, a vector of 531 mean values is used to represent a sample for various window sizes. The AAINDEX descriptor (Tung and Ho, 2008) can be applied to encode peptides of equal length.

4.27 BLOSUM62 (BLOSUM62)

In this descriptor, the BLOSUM62 matrix is employed to represent the protein primary sequence information as the basic feature set. A matrix comprising of $m \times n$ elements is used to represent each residue in a training dataset, where n denotes the peptide length and $m = 20$, which elements comprise 20 amino acids. Each row in the BLOSUM62 matrix is adopted to encode one of 20

amino acids. The BLOSUM62 descriptor (Lee, et al., 2011a) can be applied to encode peptides of equal length.

Use the following command to extract the BLOSUM62 descriptors:

```
tcsh% python iFeature.py --file examples/test-peptide.txt --type  
BLOSUM62
```

4.28 Secondary Structure Elements Content (SSEC)

Protein secondary structure was first predicted by the PSIPRED V4.0 software (Jones, 1999). Here, the content of three types of secondary structure elements is calculated.

$$f(sse) = \frac{N(sse)}{N}, \quad sse \in \{\text{Helix, Strand, Coil}\}$$

where $N(sse)$ is the number of the secondary structure element sse and N is the length of the protein/peptide sequence.

Use the following command to extract the SSEC feature descriptors:

```
tcsh% python iFeature.py --file examples/test-protein.txt --type SSEC  
--path examples/predictedProteinProperty
```

‘ $--path$ ’ specifies the path of the predicted protein secondary structure files, and the predicted secondary structure file can be obtained by running the script “generateSecondaryStructure.py” in the scripts directory.

4.29 Secondary Structure Elements Binary (SSEB)

In the Secondary Structure Elements Binary (SSEB) descriptor, each residue in a peptide is represented by a 3-dimensional vector, i.e. Helix (001), Strand (010), Coil (100). The SSEB descriptor can be applied to encode peptides of equal length.

Use the following command to extract the SSEB descriptors:

```
tcsh% python iFeature.py --file examples/test-peptide.txt --type SSEB  
--path examples/predictedProteinProperty
```

4.30 Disorder (Disorder)

Protein disorder information was first predicted by the VSL2 software (Obradovic, et al., 2005; Peng, et al., 2006). The predicted probability value is taken as the feature. The Disorder descriptor (Cai, et al., 2012; Chen, et al., 2015) can be applied to encode peptides of equal length.

Use the following command to extract the Disorder descriptors:

```
tcsh% python iFeature.py --file examples/test-peptide.txt --type  
Disorder --path examples/predictedProteinProperty
```

‘`--path`’ specifies the path of the predicted protein disorder files.

4.31 DisorderC (DisorderC)

For this descriptor, the content of disorder and order is calculated.

$$f(d) = \frac{N(d)}{N}, \quad d \in \{order, disorder\}$$

where $N(d)$ is the number of ordered or disordered residues and N is the length of the protein/peptide sequence.

Use the following command to extract the DisorderC feature descriptors:

```
tcsh% python iFeature.py --file examples/test-protein.txt --type  
DisorderC --path examples/predictedProteinProperty
```

4.32 Disorder Binary (DisorderB)

For the Disorder Binary (DisorderB) descriptor, each residue in a peptide sequence is represented by a 2-dimensional vector, namely an order residue by (10) and a disorder residue by (01). The DisorderB descriptor can be applied to encode peptides of equal length.

Use the following command to extract the DisorderB feature descriptors:

```
tcsh% python iFeature.py --file examples/test-peptide.txt --type  
DisorderB --path examples/predictedProteinProperty
```

4.33 Accessible Solvent accessibility (ASA)

The protein Accessible Solvent Accessibility information was first predicted by the SPINE-X software (Faraggi, et al., 2009; Heffernan, et al., 2016; Heffernan, et al., 2015). The predicted ASA value is used as input feature. The ASA descriptor can be applied to encode peptides with an equal length.

Use the following command to extract the ASA feature descriptors:

```
tcsh% python iFeature.py --file examples/test-peptide.txt --type ASA  
--path examples/predictedProteinProperty
```

‘`--path`’ specifies the path of the SPINE-X output files.

4.34 Torsion angle (TA)

The protein Torsion Angle information was also introduced first by the SPINE-X software (Faraggi, et al., 2009; Heffernan, et al., 2016; Heffernan, et al., 2015). The predicted “phi” and

“psi” values are used as features. The TA descriptor can be applied to encode peptides of equal length.

Use the following command to extract the TA feature descriptors:

```
tcsh% python iFeature.py --file examples/test-peptide.txt --type TA  
--path examples/predictedProteinProperty
```

‘--path’ specifies the path of the SPINE-X output files.

4.35 Z-Scale (ZSCALE)

For this descriptor, each amino acid is characterized by five physicochemical descriptor variables (cf. **Table S2**), which were developed by Sandberg et al. in 1998 (Sandberg, et al., 1998). The ZSCALE descriptor (Chen, et al., 2012) can be applied to encode peptides of equal length.

Use the following command to extract the ZSCALE feature descriptors:

```
tcsh% python iFeature.py --file examples/test-peptide.txt --type  
ZSCALE
```

Table S2. Z-scale for the 20 amino acids.

Amino acid	Z1	Z2	Z3	Z4	Z5	Amino Acid	Z1	Z2	Z3	Z4	Z5
A	0.24	-2.32	0.60	-0.14	1.30	M	-2.85	-0.22	0.47	1.94	-0.98
C	0.84	-1.67	3.71	0.18	-2.65	N	3.05	1.60	1.04	-1.15	1.61
D	3.98	0.93	1.93	-2.46	0.75	P	-1.66	0.27	1.84	0.70	2.00
E	3.11	0.26	-0.11	-3.04	-0.25	Q	1.75	0.50	-1.44	-1.34	0.66
F	-4.22	1.94	1.06	0.54	-0.62	R	3.52	2.50	-3.50	1.99	-0.17
G	2.05	4.06	0.36	-0.82	-0.38	S	2.39	-1.07	1.15	-1.39	0.67
H	2.47	1.95	0.26	3.90	0.09	T	0.75	-2.18	-1.12	-1.46	-0.40
I	-3.89	-1.73	-1.71	-0.84	0.26	V	-2.59	-2.64	-1.54	-0.85	-0.02
K	2.29	0.89	-2.49	1.49	0.31	W	-4.36	3.94	0.59	3.44	-1.59
L	-4.28	-1.30	-1.49	-0.72	0.84	Y	-2.54	2.44	0.43	0.04	-1.47

4.36 48 pseudo K-tuple reduced amino acids composition (PseKRAAC)

Previous studies indicate that certain residues are similar in their physicochemical features, and can be clustered into groups because they play similar structural or functional roles in proteins (Wang and Wang, 1999). By implementing reduced amino acid alphabets, the protein complexity can be significantly simplified, which reduces information redundancy and decreases the risk of overfitting. The Pseudo K -tuple Reduced Amino Acids Composition (PseKRAAC) descriptor (Zuo, et al., 2017) includes two different feature types for protein sequence analysis: g -gap and λ -correlation PseKRAAC (Chou, 2001).

The g -gap PseKRAAC is used to represent a protein sequence with a vector containing RAAC K components, where g represents the gap between each K -tuple peptides (Liu, et al., 2015a; Liu, et al., 2015b; Liu, et al., 2015c; Wang, et al., 2016). A g -gap of n reflects the sequence-order

information for all K -tuple peptides with the starting residues separated by n residues. An illustrated example of this encoding scheme ($K = 2$) is provided in the following **Figure S11A**.

The λ -correlation PseKRAAC is used to represent a protein sequence with a vector containing RAAC K components, where λ is an integer that represents the correlation tier and is less than $N-K$, where N is the sequence length. The n -th-tier correlation factor ($\lambda = n$) reflects the sequence-order correlation between the n -th nearest residues. An illustrated example of this encoding scheme ($K = 2$) is provided in the following **Figure S11B**.




Figure S11. A schematic diagram to show: (A) g -gap definition of dipeptide, and (B) λ -correlation definition of dipeptide A: (a) g -gap of 0 reflects the sequence-order information between all adjacent dipeptides, i.e. separated by zero residues, (b) g -gap of 1 reflects the sequence-order information for all dipeptides with the starting residues separated by one residue, and (c) g -gap of 2 reflects the sequence-order information for all dipeptides with the starting residues separated by two residues; B: (a) the first-tier correlation factor reflects the sequence-order correlation between the nearest residues along a protein chain, (b) the second-tier correlation factor reflects the sequence-order correlation between the second nearest residues, (c) the third-tier correlation factor reflects the sequence-order correlation between the 3rd nearest residues, and so forth. The figure is adapted from (Zuo, et al., 2017).

The 16 types of reduced amino acid alphabets with different clustering approaches can be used to generate different versions of pseudo reduced amino acid compositions (PseRAACs) (**Table S3**).

Table S3. A list of 16 types of reduced amino acid alphabets for proteins (Zuo, et al., 2017).

Type	Description	Cluster	Reference
1	RedPSSM	2-19	(Liang, et al., 2015)
2	BLOSUM 62 matrix	2-6, 8, 15	(Ogul and Mumcuoglu, 2007)
3	PAM matrix (3A) and WAG matrix (3B)	2-19	(Kosiol, et al., 2004)
4	Protein Blocks	5,8,9,11,13	(Zuo and Li, 2010)
5	BLOSUM50 matrix	3,4,8,10,15	(Zuo and Li, 2010)
6	Multiple cluster	4,5A,5B,5C	(Melo and Marti-Renom, 2006)
7	Metric multi-dimensional scaling	2-19	(Rakshit and Ananthasuresh, 2008)
8	Grantham Distance Matrix	2-19	(Susko and Roger, 2007)
9	Grantham Distance Matrix	2-19	(Susko and Roger, 2007)
10	BLOSUM matrix for SWISS-PROT	2-19	(Liu, et al., 2002)
11	BLOSUM matrix for SWISS-PROT	2-19	(Liu, et al., 2002)
12	BLOSUM matrix for DAPS	2-18	(Li and Wang, 2007)

13	Coarse-graining substitution matrices	4,12,17	(Peterson, et al., 2009)
14	Alphabet Simplifier	2-19	(Cannata, et al., 2002)
15	MJ matrix	2-16	(Li, et al., 2003)
16	BLOSUM50 matrix	2-16	(Li, et al., 2003)

Use the following command to obtain the help information:

```
tcsh% python iFeaturePseKRAAC.py --help
```

```
E:\iFeature>python iFeaturePseKRAAC.py --help
usage: it's usage tip.

Generating PseKRAAC descriptors:

optional arguments:
  -h, --help            show this help message and exit
  --file FILE          input fasta file
  --type {type1, type2, type3A, type3B, type4, type5, type6A, type6B, type6C, type7, type8, type9, type10, type11, type12, type13, type14, type15, type16}      the descriptor type
  --subtype {g-gap, lambda-correlation}    the subtype of the descriptor type, default is 'g-gap'
  --ktuple {1, 2, 3}        k-tuple peptide, default is 2
  --gap_lambda {0, 1, 2, 3, 4, 5, 6, 7, 8, 9}    the gap value or lambda value for the 'g-gap' model or 'lambda-correlation' model
  --raactype RAACTYPE     the reduced amino acids cluster type
  --show                show detailed available '--raactype' value for each type
  --out OUTFILE         the generated descriptor file
```

The following parameters are required by ‘iFeaturePseKRAAC.py’:

- --file protein/peptide sequence file in fasta format
- --type descriptor type in the PseKRAAC feature group
- --subtype feature types for protein sequence analysis, two alternative modes (g-gap and lambda-correlation) are available, with the ‘g-gap’ model as the default.
- --ktuple K -tuple value, three K -tuple values (i.e. 1, 2 and 3) are available, default is 2
- --gap_lambda gap value for the ‘g-gap’ model or lambda value for the ‘lambda-correlation’ model, 10 values are available (i.e. 0, 1, 2, ..., 9)
- --raactype the reduced amino acids cluster type.

Users can run the following command to view the available values for each descriptor type:

```
tcsh% python iFeaturePseKRAAC.py --show
```

```

E:\iFeature>python iFeaturePseKRAAC.py --show
The 'raactype' value for each subtype descriptor could be chosen from:
type1 [2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20]
type2 [2, 3, 4, 5, 6, 8, 15, 20]
type3A [2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20]
type3B [2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20]
type4 [5, 8, 9, 11, 13, 20]
type5 [3, 4, 8, 10, 15, 20]
type6A [4, 5, 20]
type6B [5, 20]
type6C [5, 20]
type7 [2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20]
type8 [2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20]
type9 [2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20]
type10 [2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20]
type11 [2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20]
type12 [2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 20]
type13 [4, 12, 17, 20]
type14 [2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20]
type15 [2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 20]
type16 [2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 20]

```

Use the following command to extract the PseKRAAC feature descriptors:

```

tcsh% python iFeaturePseKRAAC.py --file examples/test-protein.txt
--type type1 --subtype lambda-correlation --ktuple 2 --gap_lambda 2
--raactype 5

```

5. Feature selection analysis using *iFeature*

iFeature integrates several commonly used (and very useful) feature selection, clustering, and dimensionality reduction algorithms. In order to facilitate the interpretation of the results for non-expert users, a scatter diagram will be plotted, showing the distribution of the clusters. The clustering result will also be stored in a text file. The clustering algorithms can be run using the following command:

```

tcsh% python cluster.py --file descriptor.tsv --type
<clustering_algorithm> --sof <sample/feature>

```

'--file' is the descriptor output file, which is generated by 'iFeature.py' or 'iFeaturePseKRAAC.py', '--type' specifies the clustering algorithm (kmeans, hcluster, apc, meanshift and dbscan). '--sof' specifies the option for performing clustering for samples or features (default: samples).

5.1 K-Means clustering (kmeans)

The *K*-Means algorithm clusters data by trying to separate samples in n groups of equal variance, minimizing a criterion known as the inertia or within-cluster sum-of-squares (Jain, et al., 1999; Rokach and Maimon, 2005). This algorithm requires the number of clusters to be specified. It scales well to large numbers of samples and has been used across a broad range of application areas.

The *K*-means algorithm divides a set of N samples X into K disjoint clusters C , each described by the mean μ_j of the samples in the cluster. The means are commonly called the cluster "centroids".

Note that they are not, in general, points from the set X , although they live in the same space. The K -means algorithm aims to choose centroids that minimize the inertia, or within-cluster sum of squared criterion:

$$\sum_{i=0}^n \min_{\mu_j \in C} (\|x_i - \mu_j\|^2)$$

Use the following command to perform the K -Means clustering:

```
tcsh% python cluster.py --file examples/example.tsv --type kmeans
--sof feature --nclusters 2
```




Figure S12. An example of the scatter diagram generated by *iFeature* for ‘kmeans’ clustering. The dataset is composed of samples of malonylation and non-malonylation sites in mammals and the feature extraction method is EAAC.

5.2 Hierarchical clustering (hcluster)

Hierarchical clustering is a general family of clustering algorithms that build nested clusters by merging or splitting them successively (Jain, 2010; Jain, et al., 1999; Rokach and Maimon, 2005). This hierarchy of clusters is represented as a tree (or dendrogram). The root of the tree is the unique cluster that gathers all the samples, the leaves being the clusters with only one sample.

Use the following command to perform the hierarchical clustering:

```
tcsh% python cluster.py --file examples/example.tsv --type hcluster  
--sof feature
```

In addition to the scatter diagram, for ‘hcluster’ clustering, a hierarchical cluster diagram can also be alternatively plotted. An example is shown in Figure S13 below.




Figure S13. Example of a hierarchical cluster diagram for ‘hcluster’ clustering.

5.3 Affinity Propagation clustering (apc)

Affinity Propagation creates clusters by sending messages between pairs of samples until convergence (Frey and Dueck, 2007). A dataset is then described using a small number of exemplars, which are identified as the most representative of samples. The messages sent between pairs represent the suitability for one sample to be the exemplar of the other, which is updated in response to the values from other pairs. This updating happens iteratively until convergence has been achieved, at which point the final exemplars are chosen, and hence the final clustering is given.

Use the following command to perform the Affinity Propagation clustering:

```
tcsh% python cluster.py --file examples/example.tsv --type apc --sof  
feature
```

5.4 Mean Shift clustering (meanshift)

MeanShift clustering aims to discover blobs in a smooth density of samples (Cheng, 1995). It is a centroid based algorithm, which works by updating candidates for centroids that are the mean of the points within a given region. These candidates are then filtered in a post-processing stage to eliminate near-duplicates and to form the final set of centroids.

Use the following command to perform the Mean Shift clustering:

```
tcsh% python cluster.py --file examples/example.tsv --type meanshift  
--sof feature
```

5.5 DBSCAN clustering (dbscan)

The DBSCAN algorithm views clusters as areas of high density separated by areas of low density (Ester, et al., 1996). Due to this rather generic view, clusters found by DBSCAN can have any shape, as opposed to k-means which assumes that clusters are convex shaped. The central component of the DBSCAN algorithm is the concept of core samples, which are samples that are in areas of high density. A cluster is therefore a set of core samples, each close to each other (measured by some distance measure) and a set of non-core samples that are close to a core sample (but are not themselves core samples). The algorithm has two parameters, min_samples and eps, which define formally what we mean when we say ‘dense’. Higher min_samples or lower eps indicate a higher density necessary to form a cluster.

Use the following command to perform the DBSCAN clustering:

```
tcsh% python cluster.py --file examples/example.tsv --type dbscan  
--sof feature
```

The feature selection algorithms can be run by the following command:

```
tcsh% python feaSelector.py --file descriptor.tsv --type  
<feature_selection_algorithm> --label sample_label_file
```

‘--label’ specify the sample class of the samples in ‘descriptor.tsv’.

5.6 Chi-Square feature selection (CHI2)

In statistics, the χ^2 test is applied to test the independence of two events. χ^2 is a measure of how much expected counts E and observed counts N deviate from each other (Chen, et al., 2009). A high value of χ^2 indicates that the hypothesis of independence, which implies that expected and observed counts are similar, is incorrect. This score can be used to select the n features with the highest values for the test chi-square statistic from x , which must contain only non-negative features such as Booleans or frequencies, relative to the classes.

$$\chi^2 = \sum \frac{(A - E)^2}{E}$$

where A is the observed value and E is the expected value.

Use the following command to perform the Chi-Square feature selection:

```
tcsh% python feaSelector.py --file examples/example.tsv --type CHI2  
--label examples/label.txt --out CHI2_feature.txt
```

5.7 Information Gain feature selection (IG)

Information gain (IG) measures the amount of information in bits with respect to the class prediction, if the only information available is the presence of a feature and the corresponding class distribution (Chen, et al., 2009; Chen, et al., 2007b). For any variable X from the features, its information entropy is defined as:

$$I(X) = - \sum_i P(x_i) \log_2(P(x_i))$$

where x_i represents a set of values of X , and $P(x_i)$ denotes the prior probability of x_i . The conditional entropy of X under the condition of Y is defined as:

$$I(X|Y) = - \sum_j P(y_j) \sum_i P(x_i | y_j) \log_2(P(x_i | y_j))$$

where $P(x_i | y_j)$ is the posterior probability of x_i given the value y_j of Y . Then, information gain $IG(X|Y)$ is given by:

$$IG(X|Y) = I(X) - I(Y)$$

Use the following command to perform the Information Gain feature selection:

```
tcsh% python feaSelector.py --file examples/example.tsv --type IG  
--label examples/label.txt --out IG_feature.txt
```

5.8 Mutual Information feature selection (MI)

Given two random variables X and Y , their mutual information (Peng, et al., 2005) can be defined based on their probabilities $P(X)$, $P(Y)$ and $P(X, Y)$:

$$I(X, Y) = \sum_{x \in X} \sum_{y \in Y} P(x, y) \log \frac{P(x, y)}{P(x)p(y)}$$

Mutual Information feature selection can be executed using the following command:

```
tcsh% python feaSelector.py --file examples/example.tsv --type MIC  
--label examples/label.txt --out MIC_feature.txt
```

5.9 Pearson Correlation coefficient feature selection (pearsonr)

The Pearson correlation coefficient (M. Stigler, 1989) r for a pair of variables (X, Y) is calculated as follows:

$$r = \frac{\sum_i (x_i - \bar{x}_i)(y_i - \bar{y}_i)}{\sqrt{\sum_i (x_i - \bar{x}_i)^2 \sum_i (y_i - \bar{y}_i)^2}}$$

where \bar{x}_i is the mean of X , and \bar{y}_i the mean of Y . The value of r is bounded within the [-1, 1] interval. A higher absolute value of r corresponds to a higher correlation between X and Y .

Use the following command to perform the Pearson Correlation feature selection:

```
tcsh% python feaSelector.py --file examples/example.tsv --type  
pearsonr --label examples/label.txt --out pearsonr_feature.txt
```

After running the feature selection algorithm (as discussed in sections 5.6 - 5.9), the feature descriptors will be ranked according to their importance. The higher the ranking is, the more important the feature descriptor is.

In addition, three dimensionality reduction algorithms (PCA, LDA, and t-SNE) have been implemented in the *iFeature* package and can be run using the following commands (explained in sections 5.10 - 5.12 below). To facilitate users' understanding and interpretability of results, the dimensionality reduction results can be visualized in the form of a scatter diagram.

5.10 Principal Component Analysis (PCA)

PCA (Pearson, 1901) is used to decompose a multivariate dataset in a set of successive orthogonal components that explain a maximum amount of the variance.

Use the following command to perform the PCA analysis:

```
tcsh% python scripts/pcaAnalysis.py --file examples/example.tsv  
--ncomponents 3 --out pcaResult.txt
```

'--ncomponents' specifies the number of principal components, '--out' specifies the name of the output file of PCA.

5.11 Latent Dirichlet Allocation (LDA)

Latent Dirichlet Allocation (Blei, et al., 2003) is a generative probabilistic model for collections of discrete dataset such as text corpora.

Use the following command to perform the LDA analysis:

```
tcsh% python scripts/ldaAnalysis.py --file examples/example.tsv  
--ncomponents 3 --label examples/label.txt --out ldaResult.txt
```

'--label' is the label file, which divides the protein sequences in the training file into different classes (positive samples and negative samples).

5.12 t-Distributed Stochastic Neighbor Embedding (t-SNE)

t-Distributed Stochastic Neighbor Embedding (t-SNE) (Maaten, 2014) is a technique for dimensionality reduction that is particularly well suited for the visualization of high-dimensional datasets.

Use the following command to perform the t-SNE analysis:

```
tcsh% python scripts/tsneAnalysis.py --file examples/example.tsv  
--label examples/label.txt --out tSNEResult.txt
```

'--label' is the label file, which divides the protein sequences in the training file into different classes (positive samples and negative samples).

6. Online Web Server

Moreover, for users that are not familiar with computer programming using Python we also implemented an online web server of *iFeature*, which is publicly available at <http://ifeature.erc.monash.edu/>. It is configured for the extensible cloud computing facility supported by the e-Research Centre at Monash University, equipped with 16 cores, 64 GB memory and a 2 TB hard disk. This configuration can be easily upgraded in line with increasing user demands in the future.

The *iFeature* web server (called *iFeatureWeb*) is a user-friendly online platform for computing the protein/peptide descriptors presented in the *iFeature* package. This is a short tutorial for using *iFeatureWeb*.

Input "<http://ifeature.erc.monash.edu>" on your browser, and click the "Go To Use It" button. Then, you will see the descriptor calculation page.

The screenshot shows the iFeatureWeb homepage. At the top, there is a blue header bar with links for iFeatureWeb, Server, Help, Examples, Query, Download, and Contact. Below the header, the URL "ifeature.erc.monash.edu" and the page title "Introduction" are displayed. The main content area features the iFeature logo (a green globe with the word "iFeature" overlaid) and a brief description: "A Python Toolkit and Web Server for Calculating a wide range of Structural and Physicochemical feature Descriptors from Protein and Peptide Sequences". A detailed paragraph explains the toolkit's capabilities, mentioning 18 major sequence encoding schemes, 53 feature descriptors, and various clustering and dimensionality reduction algorithms. At the bottom of this section are three buttons: "Help", "Go To Use It" (which is highlighted in blue), and "Query Your Job". A callout bubble with a pink border and arrow points to the "Go To Use It" button, containing the text: "Click here to go to the descriptor calculation page." At the very bottom of the page, a small copyright notice reads "Copyright © 2017 - 2018. All rights reserved."

Step 1. Input your fasta sequences in the designated text area or upload a file that includes the sequences in fasta format.

The screenshot shows the iFeatureWeb interface with a file dialog open over the main protein sequence input area. The dialog lists several files in the 'Applications' folder, with 'test-protein.txt' selected. The file content is displayed as a large block of amino acid sequences. A pink speech bubble highlights the 'TEXTAREA' label below the input field.

iFeature is capable of calculating and extracting generates a comprehensive spectrum of 18 major out redundant features and retain useful and relevant features.

Please note that in order to use the predicted secondary structure, protein disorder, accessible surface area, PSSM and server of iFeature does not support the calculation of these feature descriptors. Please download the iFeature package from our website.

Step 1: Input sequences in the fasta format:

Paste protein sequences in fasta format ([example](#)):

Enter protein sequences FASTA format

TEXTAREA

Or upload a file:

Choose File

Favorites

- label.txt
- predictedProteinProperty
- test-pep.txt
- test-protein.txt**
- train-pep.txt
- train-protein.txt

Applications

- Desktop
- Documents
- Downloads
- Movies
- Music
- Pictures
- Public
- Remote Disc

Devices

- ad.monash....

Shared

Plain Text - 1 KB

Created 29/09/2017
Modified 29/09/2017
Last opened 29/09/2017
[Add Tags...](#)

>P31946
MVKVQKAKLAEQAERYDDMA
ANHNVTEETGIGELNEERNLILSVA
WVIVGARPS
WVIVSIEEKTERNEKKCQQNGKEYR
EKIAEALDQJNDVNLLEDKLYLIPN
LWVYVYVYVYVYVYVYVYVYVYVYVY
LWKGQDFYRFYLSEVAGSNWQKOTVS
MSQAYQEAFESIKEMOPHTPIRL
GLALNFSVPT
VETVYVYVYVYVYVYVYVYVYVYVY
DTNEESYSYDSTLMLQLRDNLTL
DTNEESYSYDSTLMLQLRDNLTL

test-protein.txt

Cancel Open

Note: Paste your protein (or peptide) sequences in the 'TEXTAREA' or upload a file that includes the sequences. The protein sequences must be in 'FASTA' format. *iFeatureWeb* was designed to accept at most 100 sequences at once.

Step 2. Select descriptor(s).

Step 2: Select Feature Descriptor(s): (*** indicates that in order to generate the corresponding feature descriptor, the input protein/peptide sequences should have an equal sequence length)

Select output order for Group 1 and Group 2: userDefined automatically

ACDEFGHIKLMNPQRSTVWY When "userDefined" option is selected, users can specify the output order manually.

Group 1: Amino acid composition

Amino Acid Composition Enhanced Amino Acid Composition * Composition of K-Spaced Amino Acid Pairs Tripeptide Composition

* indicates that submitted proteins or peptide sequences need to have an equal length in order to calculate the corresponding Descriptor type.

Group 4: C/T/D

C/T/D Composition C/T/D Transition C/T/D Distribution

Group 5: Conjoint Triad

Conjoint Triad K-Spaced Conjoint Triad

Group 6: Quasi-sequence-order

Sequence-Order-Coupling Number Quasi-Sequence-Order

Group 7: Pseudo-amino acid composition

Pseudo-Amino Acid Composition Amphiphilic Pseudo-Amino Acid Composition

Group 8: PseKRAAC

Ktuple value: Lambda value: Gap value:

type-1 type-2 type-3 type-4 type-5 type-6 type-7 type-8 type-9 type-10 type-11 type-12 type-13 type-14 type-15 type-16 RAAC Cluster:

For PseKRAAC descriptors, when 'Gap value' is set as '0', iFeatureWeb will perform λ -correlation analysis for 16 types of PseKRAAC descriptors. Otherwise, it will perform the g -gap analysis.

Group 9: Binary

Binary AAindex

Group 10: AAindex

Group 11: BLOSUM62

BLOSUM62 Descriptor *

Group 12: Z-scale

Z-Scale Descriptor *

Click to select the Descriptor type.

One or more descriptor types should be chosen. Then you can click the ‘Submit’ button at the bottom of the page to calculate the selected descriptor(s) or go on to select the clustering algorithms for sample clustering or feature clustering.

Step 3. Select the clustering algorithms.

Step 3: Select Feature Clustering Algorithms (Optional):						
Clustering for:	<input checked="" type="radio"/> Sample Clustering <input type="radio"/> Feature Clustering	Plot?: <small>(Notice: It will spend more time when 'Yes' is selected.)</small>	<input type="radio"/> Yes <input checked="" type="radio"/> No			
Clustering algorithms:	<input type="checkbox"/> K-Means clustering <input type="checkbox"/> Hierarchical clustering		<input type="checkbox"/> Affinity Propagation clustering		<input type="checkbox"/> Mean Shift clustering <input type="checkbox"/> DBSCAN clustering	

In this step, *iFeatureWeb* allows users to select clustering algorithms. Users can select clustering for 'sample' or for 'feature'. Five commonly used clustering algorithms are supported by *iFeatureWeb*. If you do not need to perform a clustering analysis, just skip this step.

Step 4. Select the feature selection algorithms.

In this step, with additional 'sample label' information, *iFeatureWeb* can identify the most characterizing features according to the feature selection algorithms. Four commonly used feature selection algorithms are supported by *iFeatureWeb*. Like Step 3, this step is also optional.

Step 4: Select Feature Selection Algorithms (Optional):

Paste the label file([example](#)):

```
>P31946 1
>F62250 0
>Q4917 0
>P61981 1
>P31947 1
```

Feature selection algorithms: Chi-Square feature selection

Submit **Reset**

Copyright © 2017 - 2018. All rights reserved.

At last, click 'Submit' to calculate the descriptors and run the selected clustering and feature selection algorithms.

Step 5. Waiting for your result.


The screenshot shows a web browser window for 'iFeature Web Server'. The address bar shows 'ifeature.erc.monash.edu'. The navigation bar includes links for 'iFeatureWeb', 'Server', 'Help', 'Examples', 'Query', 'Download', and 'Contact'. Below the navigation bar, it says 'iFeature > Descriptors Calculating'. The main content area features the 'iFeature' logo and the text 'Calculate Protein Sequence-Driven Structural and Physicochemical Descriptors and Do analysis with iFeatureWeb'. A message box contains the text 'Your job is being processed ...'. Another message box below it states 'Your job ID is: 20171110012424, if you want to close this window, please save your job ID in order to find the result later. The job will be stored in this server for a week.' At the bottom, a copyright notice reads 'Copyright © 2017 - 2018. All rights reserved.'

The screenshot shows a web browser window for 'iFeatureWeb'. The address bar shows 'ifeature.erc.monash.edu'. The navigation bar includes links for 'iFeatureWeb', 'Server', 'Help', 'Examples', 'Query', 'Download', and 'Contact'. Below the navigation bar, it says 'iFeature > Calculated Descriptors'. The main content area features the 'iFeature' logo and the text 'Calculated Descriptors and feature analysis result'. Below this, there is a table of calculated descriptors. A message box at the bottom left says 'The descriptors, clustering and feature selection result can be downloaded [here](#)'. A pink callout bubble points from this message to the download link. At the bottom, a copyright notice reads 'Copyright © 2017 - 2018. All rights reserved.'

#	A	C	D	E	F	G	H	I	K	L	M	N	P	Q	R	S	T	V	W	Y
P31946	0.085	0.008	0.057	0.122	0.024	0.041	0.008	0.041	0.081	0.098	0.033	0.057	0.020	0.061	0.041	0.077	0.049	0.045	0.008	0.045
P82258	0.098	0.012	0.098	0.114	0.020	0.039	0.012	0.051	0.071	0.108	0.039	0.043	0.020	0.035	0.055	0.055	0.039	0.051	0.008	0.047
Q4917	0.098	0.012	0.069	0.114	0.028	0.033	0.004	0.037	0.081	0.110	0.028	0.057	0.016	0.053	0.049	0.069	0.033	0.053	0.008	0.049
P61981	0.093	0.012	0.069	0.113	0.012	0.032	0.016	0.040	0.069	0.097	0.028	0.057	0.018	0.049	0.053	0.073	0.045	0.061	0.008	0.057
P31947	0.105	0.008	0.060	0.133	0.020	0.060	0.012	0.040	0.069	0.097	0.032	0.032	0.028	0.038	0.052	0.077	0.040	0.048	0.008	0.040

After a few seconds, the calculated descriptors should appear as a table, where rows represent protein sequences and columns represent descriptors. The descriptors, clustering and feature selection results are available for download.

For each job, *iFeatureWeb* will generate a job ID, your calculation result will be stored for a week. With a week, you can query your result by searching your job ID.



7. Summary

In summary, *iFeature* has been extensively benchmarked to guarantee correctness of computations, and was deliberately designed to ensure workflow efficiency. To the best of our knowledge, this is the first universal toolkit for integrated feature calculation, clustering and selection analysis. We will integrate more analysis and clustering algorithms to enable interactive analysis and machine learning-based modeling in future work. It is anticipated that *iFeature* will be widely used as a powerful tool in bioinformatics, computational biology, systems biology and proteome research. The functionality of *iFeature* is made freely available via an online web server (<http://iFeature.erc.monash.edu/>) and stand-alone toolkit (<https://github.com/Superzchen/iFeature/>).

8. Acknowledgments

This work was financially supported by grants from the Australian Research Council (ARC) (LP110200333 and DP120104460), the National Natural Science Foundation of China (Grant No. 31701142), the National Health and Medical Research Council of Australia (NHMRC), the National Institute of Allergy and Infectious Diseases of the National Institutes of Health (R01 AI111965), and a Major Inter-Disciplinary Research (IDR) Grant awarded by Monash University. AL and TML were supported by Informatics startup packages through the UAB School of Medicine.

9. References

- Altschul, S.F., et al. (1997) Gapped BLAST and PSI-BLAST: a new generation of protein database search programs. *Nucleic Acids Res*, 25, 3389-3402.
- Bhasin, M. and Raghava, G.P. (2004) Classification of nuclear receptors based on amino acid composition and dipeptide composition. *J Biol Chem*, 279, 23262-23266.
- Blei, D.M., Ng, A.Y. and Jordan, M.I. (2003) Latent Dirichlet allocation. *Journal of Machine Learning Research*, 3, 993-1022.
- Cai, C.Z., et al. (2003) SVM-Prot: Web-based support vector machine software for functional classification of a protein from its primary sequence. *Nucleic Acids Res*, 31, 3692-3697.
- Cai, C.Z., et al. (2004) Enzyme family classification by support vector machines. *Proteins*, 55, 66-76.
- Cai, Y., et al. (2012) Prediction of lysine ubiquitination with mRMR feature selection and analysis. *Amino Acids*, 42, 1387-1395.
- Cannata, N., et al. (2002) Simplifying amino acid alphabets by means of a branch and bound algorithm and substitution matrices. *Bioinformatics*, 18, 1102-1108.
- Chen, K., et al. (2009) Prediction of integral membrane protein type by collocated hydrophobic amino acid pairs. *J Comput Chem*, 30, 163-172.
- Chen, K., Kurgan, L. and Rahbari, M. (2007a) Prediction of protein crystallization using collocation of amino acid pairs. *Biochem Biophys Res Commun*, 355, 764-769.
- Chen, K., Kurgan, L.A. and Ruan, J. (2007b) Prediction of flexible/rigid regions from protein sequences using k-spaced amino acid pairs. *BMC Struct Biol*, 7, 25.
- Chen, K., Kurgan, L.A. and Ruan, J. (2008) Prediction of protein structural class using novel evolutionary collocation-based sequence representation. *J Comput Chem*, 29, 1596-1604.
- Chen, X., et al. (2013a) Incorporating key position and amino acid residue features to identify general and species-specific Ubiquitin conjugation sites. *Bioinformatics*, 29, 1614-1622.
- Chen, Y.Z., et al. (2012) SUMOhydro: a novel method for the prediction of sumoylation sites based on hydrophobic properties. *PLoS One*, 7, e39195.
- Chen, Z., et al. (2011) Prediction of ubiquitination sites by using the composition of k-spaced amino acid pairs. *PLoS One*, 6, e22930.
- Chen, Z., et al. (2013b) hCKSAAP_UbSite: improved prediction of human ubiquitination sites by exploiting amino acid pattern and properties. *Biochim Biophys Acta*, 1834, 1461-1467.
- Chen, Z., et al. (2015) Towards more accurate prediction of ubiquitination sites: a comprehensive review of current methods, tools and features. *Brief Bioinform*, 16, 640-657.
- Cheng, Y.Z. (1995) Mean Shift, Mode Seeking, and Clustering. *Ieee T Pattern Anal*, 17, 790-799.
- Chou, K.C. (2000) Prediction of protein subcellular locations by incorporating quasi-sequence-order effect. *Biochem Biophys Res Commun*, 278, 477-483.
- Chou, K.C. (2001) Prediction of protein cellular attributes using pseudo-amino acid composition. *Proteins*, 43, 246-255.
- Chou, K.C. (2005) Using amphiphilic pseudo amino acid composition to predict enzyme subfamily classes. *Bioinformatics*, 21, 10-19.
- Dubchak, I., et al. (1995) Prediction of protein folding class using global description of amino acid sequence. *Proc Natl Acad Sci U S A*, 92, 8700-8704.
- Dubchak, I., et al. (1999) Recognition of a protein fold in the context of the Structural Classification of

- Proteins (SCOP) classification. *Proteins*, 35, 401-407.
- Ester, M., et al. A density-based algorithm for discovering clusters a density-based algorithm for discovering clusters in large spatial databases with noise. In, *Proceedings of the Second International Conference on Knowledge Discovery and Data Mining*. Portland, Oregon: AAAI Press; 1996. p. 226-231.
- Faraggi, E., et al. (2009) Predicting continuous local structure and the effect of its substitution for secondary structure in fragment-free protein structure prediction. *Structure*, 17, 1515-1527.
- Feng, Z.P. and Zhang, C.T. (2000) Prediction of membrane protein types based on the hydrophobic index of amino acids. *J Protein Chem*, 19, 269-275.
- Frey, B.J. and Dueck, D. (2007) Clustering by passing messages between data points. *Science*, 315, 972-976.
- Grantham, R. (1974) Amino acid difference formula to help explain protein evolution. *Science*, 185, 862-864.
- Han, L.Y., et al. (2004) Prediction of RNA-binding proteins from primary sequence by a support vector machine approach. *RNA*, 10, 355-368.
- Heffernan, R., et al. (2016) Highly accurate sequence-based prediction of half-sphere exposures of amino acid residues in proteins. *Bioinformatics*, 32, 843-849.
- Heffernan, R., et al. (2015) Improving prediction of secondary structure, local backbone angles, and solvent accessible surface area of proteins by iterative deep learning. *Sci Rep*, 5, 11476.
- Horne, D.S. (1988) Prediction of protein helix content from an autocorrelation analysis of sequence hydrophobicities. *Biopolymers*, 27, 451-477.
- Jain, A.K. (2010) Data clustering: 50 years beyond K-means. *Pattern Recognition Letters*, 31, 651-666.
- Jain, A.K., Murty, M.N. and Flynn, P.J. (1999) Data clustering: A review. *Acm Comput Surv*, 31, 264-323.
- Jones, D.T. (1999) Protein secondary structure prediction based on position-specific scoring matrices. *J Mol Biol*, 292, 195-202.
- Kawashima, S., et al. (2008) AAindex: amino acid index database, progress report 2008. *Nucleic Acids Res*, 36, D202-205.
- Kosiol, C., Goldman, N. and Buttimore, N.H. (2004) A new criterion and method for amino acid classification. *J Theor Biol*, 228, 97-106.
- Lee, T.Y., et al. (2011a) Incorporating distant sequence features and radial basis function networks to identify ubiquitin conjugation sites. *PLoS One*, 6, e17331.
- Lee, T.Y., et al. (2011b) Exploiting maximal dependence decomposition to identify conserved motifs from a group of aligned signal sequences. *Bioinformatics*, 27, 1780-1787.
- Li, J. and Wang, W. (2007) Grouping of amino acids and recognition of protein structurally conserved regions by reduced alphabets of amino acids. *Sci China C Life Sci*, 50, 392-402.
- Li, T., et al. (2003) Reduction of protein sequence complexity by residue grouping. *Protein Eng*, 16, 323-330.
- Liang, Y., Liu, S. and Zhang, S. (2015) Prediction of Protein Structural Classes for Low-Similarity Sequences Based on Consensus Sequence and Segmented PSSM. *Comput Math Methods Med*, 2015, 370756.
- Lin, Z. and Pan, X.M. (2001) Accurate prediction of protein secondary structural content. *J Protein Chem*, 20, 217-220.
- Liu, B., et al. (2015a) Identification of microRNA precursor with the degenerate K-tuple or Kmer strategy. *J Theor Biol*, 385, 153-159.
- Liu, B., et al. (2015b) repDNA: a Python package to generate various modes of feature vectors for DNA

sequences by incorporating user-defined physicochemical properties and sequence-order effects. *Bioinformatics*, 31, 1307-1309.

Liu, B., et al. (2015c) Pse-in-One: a web server for generating various modes of pseudo components of DNA, RNA, and protein sequences. *Nucleic Acids Res*, 43, W65-71.

Liu, X., et al. (2002) Simplified amino acid alphabets based on deviation of conditional probability from random background. *Phys Rev E Stat Nonlin Soft Matter Phys*, 66, 021906.

M. Stigler, S. Francis Galton's Account of the Invention of Correlation. 1989.

Maaten, L.V.D. (2014) Accelerating t-SNE using tree-based algorithms. *J. Mach. Learn. Res.*, 15, 3221-3245.

Melo, F. and Marti-Renom, M.A. (2006) Accuracy of sequence alignment and fold assessment using reduced amino acid alphabets. *Proteins*, 63, 986-995.

Needleman, S.B. and Wunsch, C.D. (1970) A general method applicable to the search for similarities in the amino acid sequence of two proteins. *J Mol Biol*, 48, 443-453.

Obradovic, Z., et al. (2005) Exploiting heterogeneous sequence properties improves prediction of protein disorder. *Proteins*, 61 Suppl 7, 176-182.

Ogul, H. and Mumcuoglu, E.U. (2007) A discriminative method for remote homology detection based on n-peptide compositions with reduced amino acid alphabets. *Biosystems*, 87, 75-81.

Pearson, K. (1901) LIII. On lines and planes of closest fit to systems of points in space. *The London, Edinburgh, and Dublin Philosophical Magazine and Journal of Science*, 2, 559-572.

Peng, H.C., Long, F.H. and Ding, C. (2005) Feature selection based on mutual information: Criteria of max-dependency, max-relevance, and min-redundancy. *Ieee T Pattern Anal*, 27, 1226-1238.

Peng, K., et al. (2006) Length-dependent prediction of protein intrinsic disorder. *BMC Bioinformatics*, 7, 208.

Peterson, E.L., et al. (2009) Reduced amino acid alphabets exhibit an improved sensitivity and selectivity in fold assignment. *Bioinformatics*, 25, 1356-1362.

Radivojac, P., et al. (2010) Identification, analysis, and prediction of protein ubiquitination sites. *Proteins*, 78, 365-380.

Rakshit, S. and Ananthasuresh, G.K. (2008) An amino acid map of inter-residue contact energies using metric multi-dimensional scaling. *J Theor Biol*, 250, 291-297.

Rokach, L. and Maimon, O. Clustering Methods. In: Maimon, O. and Rokach, L., editors, *Data Mining and Knowledge Discovery Handbook*. Boston, MA: Springer US; 2005. p. 321-352.

Sandberg, M., et al. (1998) New chemical descriptors relevant for the design of biologically active peptides. A multivariate characterization of 87 amino acids. *J Med Chem*, 41, 2481-2491.

Saravanan, V. and Gautham, N. (2015) Harnessing Computational Biology for Exact Linear B-Cell Epitope Prediction: A Novel Amino Acid Composition-Based Feature Descriptor. *OMICS*, 19, 648-658.

Schneider, G. and Wrede, P. (1994) The rational design of amino acid sequences by artificial neural networks and simulated molecular evolution: de novo design of an idealized leader peptidase cleavage site. *Biophys J*, 66, 335-344.

Shen, J., et al. (2007) Predicting protein-protein interactions based only on sequences information. *Proc Natl Acad Sci U S A*, 104, 4337-4341.

Sokal, R.R. and Thomson, B.A. (2006) Population structure inferred by local spatial autocorrelation: an example from an Amerindian tribal population. *Am J Phys Anthropol*, 129, 121-131.

Susko, E. and Roger, A.J. (2007) On reduced amino acid alphabets for phylogenetic inference. *Mol Biol Evol*, 24, 2139-2150.

- Tomii, K. and Kanehisa, M. (1996) Analysis of amino acid indices and mutation matrices for sequence comparison and structure prediction of proteins. *Protein Eng*, 9, 27-36.
- Tung, C.W. and Ho, S.Y. (2008) Computational identification of ubiquitylation sites from protein sequences. *BMC Bioinformatics*, 9, 310.
- Wang, J. and Wang, W. (1999) A computational approach to simplifying the protein folding alphabet. *Nat Struct Biol*, 6, 1033-1038.
- Wang, R., Xu, Y. and Liu, B. (2016) Recombination spot identification Based on gapped k-mers. *Sci Rep*, 6, 23934.
- Xiao, N., *et al.* (2015) protr/ProtrWeb: R package and web server for generating various numerical representation schemes of protein sequences. *Bioinformatics*, 31, 1857-1859.
- Zuo, Y., *et al.* (2017) PseKRAAC: a flexible web server for generating pseudo K-tuple reduced amino acids composition. *Bioinformatics*, 33, 122-124.
- Zuo, Y.C. and Li, Q.Z. (2010) Using K-minimum increment of diversity to predict secretory proteins of malaria parasite based on groupings of amino acids. *Amino Acids*, 38, 859-867.