goto in C

The `goto` statement allows transfer of control to any labelled point with a function. For example, this code:

```c
for (int i = 1; i <= 10; i++) {
    printf("%d\n", i);
}
```

can be written as:

```c
    int i = 1;
loop:
    if (i > 10) goto end;
        i++;
        printf("%d", i);
        printf("\n");
    goto loop;
end:
```

goto in C

- `goto` statements can result in very difficult to read programs.
- `goto` statements can also result in slower programs.
- In general, use of `goto` is considered poor programming style.
- Do not use `goto` without very good reason.
- kernel & embedded programmers sometimes use goto.

MIPS Programming

Writing correct assembler directly is hard.
Recommended strategy:

- develop the solution in C
- map to "simplified" C
- translate each simplified C statement to MIPS instructions

Simplified C

- does *not* have while, compound if, complex expressions
- *does* have simple if, goto, one-operator expressions

Simplified C makes extensive use of

- *labels* ... symbolic name for C statement
- *goto* ... transfer control to labelled statement

Example:

Mapping C into MIPS

Things to do:

- allocate variables to registers/memory
- place literals in data segment
- transform C program to:
    - break expression evaluation into steps
    - replace control structures by `goto`

add: C to simplified C

Standard C

```c
int main(void) {
    int x = 17;
    int y = 25;
    printf("%d\n", x + y);
}
```

Simplified C

```c
int main(void) {
    int x, y, z;
    x = 17;
    y = 25;
    z = x + y;
    printf("%d", z);
    printf("\n");
}
```

add: simplified C to MIPS

Simplified C

```c
int main(void) {
    int x, y, z;
    x = 17;
    y = 25;
    z = x + y;
    printf("%d", z);
    printf("\n");
}
```

MIPS

```mips
main:
    li   $t0, 17
    li   $t1, 25
    add  $t2, $t1, $t0

    move $a0, $t2
    li   $v0, 1
    syscall

    li   $a0, '\n'
    li   $v0, 11
    syscall

    jr   $ra
```

while: C to simplified C

Standard C

```
i = 0;
n = 0;
while (i < 5) {
    n = n + i;
    i++;
}
```

Simplified C

```
i = 0;
n = 0;
loop:
  if (i >= 5) goto end;
  n = n + i;
  i++;
  goto loop;
end:
```

while: simplified C to MIPS

Simplified C

```
i = 0;
n = 0;
loop:
  if (i >= 5) goto end;
  n = n + i;
  i++;
  goto loop;
end:
```

MIPS

```
li $t0, 0  # i in $t0
li $t1, 0  # n in $t1
loop:
  bge $t0, 5, end
  add $t1, $t1, $t0
  add $t0, $t0, 1
  goto loop
end:
```

if: C to simplified C

Standard C

```c
if (i < 0) {
    n = n - i;
} else {
    n = n + i;
}
```

Simplified C

```c
if (i >= 0) goto else1;
    n = n - i;
    goto end1;
else1:
    n = n + i;
end1:
```

Note: you can't use else as a **label** in C

if: simplified C to MIPS

Simplified C

```
if (i >= 0) goto else1;
    n = n - i;
    goto end1;
else1:
    n = n + i;
end1:
```

MIPS

```
# assume i in $t0
# assume n in $t1
  bge $t0, 0, else1
  sub $t1, $t1, $t0
  goto end1
else1:
  add $t1, $t1, $t0
end1:
```

if/and: C to simplified C

Standard C

```c
if (i < 0 && n >= 42) {
    n = n - i;
} else {
    n = n + i;
}
```

Simplified C

```c
if (i >= 0) goto else1;
if (n < 42) goto else1;
    n = n - i;
    goto end1;
else1:
    n = n + i;
end1:
```

if/and: simplified C to MIPS

Simplified C

```
if (i >= 0) goto else1;
if (n < 42) goto else1;
    n = n - i;
    goto end1;
else1:
    n = n + i;
end1:
```

MIPS

```
# assume i in $t0
# assume n in $t1
  bge $t0, 0, else1
  blt $t1, 42, else1
  sub $t1, $t1, $t0
  goto end1
else1:
  add $t1, $t1, $t0
end1:
```

odd-even: C to simplified C

Standard C

```
if (i < 0 || n >= 42) {
    n = n - i;
} else {
    n = n + i;
}
```

Simplified C

```
if (i < 0) goto then1;
if (n >= 42) goto then1;
goto else1;
then1:
    n = n - i;
    goto end1;
else1:
    n = n + i;
end1:
```

Example Printing First 10 Integers

```c
int main(void) {
    for (int i = 0; i <= 10; i++) {
        printf("%d\n", i);
    }
}
```

Example Printing First 10 Integers

Convert to goto and simple C statements and decide where variables will be stored.

```c
int main(void) {
    int i;      // in register $t0
    i = 0;
loop:
    if (i >= 10)
        goto end;
    i++;
    printf("%d", i);
    printf("%c", '\n');
    goto loop;
end:
    return 0;
}
```

Example Printing First 10 Integers

```
main:                   # int main(void) {
                        # int i; // in register $t0
    li   $t0, 0         # i = 0;
loop:                   # loop:
    bge  $t0, 10 end    # if (i >= 10) goto end;
    add  $t0, $t0 1     #   i++;
    move $a0, $t0       #   printf("%d" i);
    li   $v0, 1
    syscall
    li   $a0, '\n'      # printf("%c", '\n');
    li   $v0, 11
    syscall
    b    loop           # goto loop;
end:
    jr   $ra            # return
```