


1.if


⋮ PHP Sandbox

```
1 <?php
2 $score =85;
3 if ($score =70) {
4     echo "Congratulation! you pessed the exam.";
5 }
6 ?>
```

⊕ PHP Versions and Options (8.2.20)

⊕ Other Options

 Execute Code

 Save or share code

Result for 8.2.20:

Congratulation! you pessed the exam.

2.

⋮ PHP Sandbox

1 <?php

2 \$score = 70;

3

4 if (\$score >= 70) {

5 echo "You fial the exam..";

6 }

7 ?>

8

⊕ PHP Versions and Options (8.2.20)

⊕ Other Options

▶ Execute Code

📄 Save or share c

Result for 8.2.20:

You fial the exam..

3.if

⋮ PHP Sandbox

```
1 <?php
2 $score =50;
3 if ($score >=70) {
4     echo "Congratulation! you pessed the exam.";
5 } else {
6     echo"sorry , you did not pass the exam.";
7 }
8 ?>
```

⊕ PHP Versions and Options (8.2.20)

⊕ Other Options

▶ Execute Code

💾 Save or share code

Result for 8.2.20:

sorry , you did not pass the exam.

4.if

⋮ PHP Sandbox

```
1 <?php
2 $score = "short hair";
3 if ($score == "long hair") {
4     echo "You are very beautiful";
5 } else {
6     echo "You're not that beautiful.";
7 }
8 ?>
9 |
```

⊕ PHP Versions and Options (8.2.20)

⊕ Other Options

▶ Execute Code

📄 Save or share code

Result for 8.2.20:

You're not that beautiful.

5.if (Multiple - Alternative)

```
PHP Sandbox
1  <?php
2  $score = 85;
3
4  if ($score >= 90) {
5      echo "Excellent! You achieved an A grade.";
6  } elseif ($score >= 80) {
7      echo "Well done! You achieved a B grade.";
8  } elseif ($score >= 70) {
9      echo "Good job! You achieved a C grade.";
10 } else {
11     echo "Sorry, you did not pass the exam.";
12 }
13 ?>
14
```

⊕ PHP Versions and Options (8.2.20)

⊕ Other Options

▶ Execute Code 📄 Save or share code

Result for 8.2.20:

Well done! You achieved a B grade.

6. Switch

⋮ PHP Sandbox

```
1 <?php
2 $s = 5;
3
4 switch ($s) {
5     case 1:
6         echo "The executed case number is: 1";
7         break;
8     case 2:
9         echo "The executed case number is: 2";
10        break;
11    case 3:
12        echo "The executed case number is: 3";
13        break;
14    case 4:
15        echo "The executed case number is: 4";
16        break;
17    case 5:
18        echo "The executed case number is: 5";
19        break;
20    default:
21        echo "The default case";
22        break;
23 }
24 ?>
25
```

⊕ PHP Versions and Options (8.2.20)

⊕ Other Options

▶ Execute Code

💾 Save or share code

Result for 8.2.20:

The executed case number is: 5

7.for

```
<?php
for ($i = 1; $i <= 10; $i++) {
    echo "i = " . $i . "<br>";
}
?>
```

```
i=1
i=2
i=3
i=4
i=5
i=6
i=7
i=8
i=9
i=10
```

8.for

```
<?php
for ($i = 2; $i <= 10; $i++) {
    echo "i = " . $i . "<br>";
}
?>
```

```
i=2
i=3
i=4
i=5
i=6
i=7
i=8
i=9
i=10
```