

Data Structure Functions List

1. List Functions (list)

Method	Description
append(x)	Add an item to the end
extend(iterable)	Add all elements from another iterable
insert(i, x)	Insert item at index i
remove(x)	Remove first item with value x
pop([i])	Remove and return item at index i (default last)
clear()	Remove all items
index(x)	Return first index of value x
count(x)	Return number of occurrences of x
sort()	Sort the list in place
reverse()	Reverse the list in place
copy()	Return a shallow copy

2. Dictionary Functions (dict)

Method	Description
get(key[, default])	Get value or default if key missing
keys()	Get all keys
values()	Get all values
items()	Get key-value pairs
update(dict2)	Add/overwrite with another dictionary
pop(key[, default])	Remove key and return value
popitem()	Remove and return last item
setdefault(key[, default])	Like get(), but also sets if missing
clear()	Remove all items
copy()	Return shallow copy
fromkeys(iterable, value)	Create new dictionary from keys

3. Set Functions (set)

Method	Description
add(x)	Add element x
update(iterable)	Add multiple elements
remove(x)	Remove element, error if not found
discard(x)	Remove element, no error if not found
pop()	Remove and return a random element
clear()	Remove all elements
copy()	Return a shallow copy
union(set2) or ` `	Return the union of both sets
intersection(set2) or `&`	Return common elements
difference(set2) or `-`	Return elements only in original set
symmetric_difference(set2) or `^`	Elements in either but not both
issubset(set2)	Check if set is subset
issuperset(set2)	Check if set is superset
isdisjoint(set2)	Check if no common elements

4. Tuple Functions (tuple)

Method	Description
count(x)	Number of times x appears
index(x)	First index of x
Len(x)	Returns number of elements
Max(x)	Returns largest value
Min(x)	Returns smallest value
Sum(x)	Adds numeric values

