Top View

Rear View

PRIMUS

Left View

Right View

TOTAL

NO1   PCS

NO2   PCS

H

W

Front View

Detail :
- - 7 Segment Size 4" red color
- - Input Counter Sensor NPN, PNP, Contact 2 Channel
- - TOTAL : แสดงผลรวม NO1 + NO2
- - NO1 : Counter Sensor NPN, PNP, Contact 1 Channel
- - NO2 : Counter Sensor NPN, PNP, Contact 1 Channel

- - RS485 Modbus RTU
- - Support read holding registers 03
- - Support read input registers 04
- - Support preset multi registers 16
- - Baudrate 4800 9600 19200 38400 57600
- - Parity none odd even
- - Address 1 - 240

Technical Specification

Power Supply	100-240 VAC, 50-60Hz
Display	7 Segment Display
Input	Counter Sensor NPN, PNP, Contact 2 Ch
Output	-
Memory	EEPROM with Battery
Setting	Remote
Communication	RS485 Modbus RTU

REMARK	
Frame	Aluminum
Color	Black
Protection	IP30
Model	TGM-62131

APPEND		
Dimension	1.2"	☐
	2.3"	500W x 450H x 100Dmm. ☐
	4"	850W x 650H x 100Dmm. ☐
Character	Arial (Font), White PVC Sticker	

PRIMUS CO., LTD.	
Draft by	Suphot
Date	18.09.2019
Revision	0,1
Customer	

Approve	

Top View

Rear View

PRIMUS

Left View

Right View

TOTAL

NO1   PCS

NO2   PCS

Front View

Detail :
- - 7 Segment Size 4" red color
- - Input Counter Sensor NPN, PNP, Contact 2 Channel
- - TOTAL : แสดงผลรวม NO1 + NO2
- - NO1 : Counter Sensor NPN, PNP, Contact 1 Channel
- - NO2 : Counter Sensor NPN, PNP, Contact 1 Channel

- - RS485 Modbus RTU
- - Support read holding registers 03
- - Support read input registers 04
- - Support preset multi registers 16
- - Baudrate 4800 9600 19200 38400 57600
- - Parity none odd even
- - Address 1 - 240

Technical Specification

Power Supply	100-240 VAC, 50-60Hz
Display	7 Segment Display
Input	Counter Sensor NPN, PNP, Contact 2 Ch
Output	-
Memory	EEPROM with Battery
Setting	Remote
Communication	RS485 Modbus RTU

REMARK	
Frame	Aluminum
Color	Black
Protection	IP30
Model	TGM-62131

APPEND			
Dimension	1.2"		☐
	2.3"		☐
	4"	850W x 650H x 100Dmm.	☑
Character	Arial (Font), White PVC Sticker		

PRIMUS CO., LTD.	
Draft by	Suphot
Date	18.09.2019
Revision	0
Customer	

Approve	

Top View

Rear View

PRIMUS

Left View

**Right View**

TOTAL

NO1   PCS

NO2   PCS

H

W

Front View

Detail :
- 7 Segment Size 4" red color
- Input Counter Sensor NPN, PNP, Contact 2 Channel
- TOTAL : แสดงผลรวม NO1 + NO2
- NO1 : Counter Sensor NPN, PNP, Contact 1 Channel
- NO2 : Counter Sensor NPN, PNP, Contact 1 Channel

- RS485 Modbus RTU
- Support read holding registers 03
- Support read input registers 04
- Support preset multi registers 16
- Baudrate 4800 9600 19200 38400 57600
- Parity none odd even
- Address 1 - 240

Technical Specification

Power Supply	100-240 VAC, 50-60Hz
Display	7 Segment Display
Input	Counter Sensor NPN, PNP, Contact 2 Ch
Output	-
Memory	EEPROM with Battery
Setting	Remote
Communication	RS485 Modbus RTU

REMARK	
Frame	Aluminum
Color	Black
Protection	IP30
Model	TGM-62131

APPEND		
Dimension	1.2"	☐
	2.3"	500W x 450H x 100Dmm. ✓
	4"	☐
Character	Arial (Font), White PVC Sticker	

PRIMUS CO., LTD.	
Draft by	Suphot
Date	18.09.2019
Revision	1
Customer	

Approve	

TOTAL

NO1   **PCS**

NO2   **PCS**

ราคาตั้ง

Segment Big Display

TGM-62131   [4"]: 33,300 บาท

TGM-62131rev1   [2.3"]: 22,500 บาท