



Sigfox Verified Certification Number (1st page of Test Result)

11th, August, 2022



Sigfox Verified™ Certificate

M_0042_FDF8_01

Congratulations SJI Co., LTD., the following product is now Sigfox Verified™ certified:



PRODUCT MODEL NAME:	SFM10R1
RADIO CONFIGURATION:	RC1, RC6, RC7
TEST REPORT:	CERTIF-120_RCZ1_DL, 65173RSF..002, 65173RSF..003
LAYOUT VERSION:	V0.62
SCHEMATIC VERSION:	V0.6
BOM VERSION:	V0.6
FIRMWARE VERSION:	AX-Sigfox 1.1.2-ETSI
SIGFOX LIB:	V1.8.9 no add-on
MESSAGE ROLLOVER COUNTER: ..	4096
SIGFOX REFERENCE:	BUIL-904
CERTIFICATION DATE:	16/07/2020
SIGFOX FEATURES:	
DOWNLINK	✓
PAYLOAD ENCRYPTED	✗
MONARCH	✗

This certificate is valid for this product only. Any change to the certified product must be reported to Sigfox as it may lead to a renewal of the RF & protocol Tests.
The Sigfox Verified™ logo must be used in respect of Sigfox branding guidelines.





Sigfox Verified™ Certificate

M_0042_3F16_01

Congratulations SJI Co., LTD., the following product is now Sigfox Verified™ certified:



PRODUCT COMMERCIAL NAME: ...	WSSFM10R2AT / WSSFM20R2AT
PRODUCT MODEL NAME:	SFM10R2 / SFM20R2
RADIO CONFIGURATION:	RC2
CONDUCTED OUTPUT POWER: ...	21 dBm
TEST REPORT:	CORP-3560_RCZ2_UDL CERTIF-96_RCZ2_DL
LAYOUT VERSION:	1.0
SCHEMATIC VERSION:	1.0
BOM VERSION:	1.0
FIRMWARE VERSION:	AX-SIGFOX 1.1.2-FCC
SIGFOX LIB:	v1.8.7
SIGFOX REFERENCE:	CORP-3560
CERTIFICATION DATE:	01/06/2017
SIGFOX FEATURES:	
DOWNLINK.....	✓
PAYLOAD ENCRYPTED.....	✗
MONARCH.....	✗

This certificate is valid for this product only. Any change to the certified product must be reported to Sigfox Certification Authority as it may lead to a renewal of the RF & protocol Tests. The Sigfox Verified™ logo must be used in respect of the branding guidelines.





Sigfox Verified™ Certificate

M_0042_9D8D_01

Congratulations SJI Co., LTD., the following product is now Sigfox Verified™ certified:



PRODUCT COMMERCIAL NAME: ...	SFM11R3
PRODUCT MODEL NAME:	SFM11R3
RADIO CONFIGURATION:	RC3 / RC5
CONDUCTED OUTPUT POWER: ...	11.7 / 10.8 dBm
TEST REPORT:	CORP-15516 & 65173RSF..004
LAYOUT VERSION:	V0.62
SCHEMATIC VERSION:	V0.2
BOM VERSION:	V0.2
FIRMWARE VERSION:	AX-SIGFOX 1.1.0-RCZ3
SIGFOX LIB:	V1.8.9
MESSAGE ROLLOVER COUNTER: ..	4096
SIGFOX REFERENCE:	BUIL-903
CERTIFICATION DATE:	07/08/2020
SIGFOX FEATURES:	
DOWNLINK.....	✓
PAYLOAD ENCRYPTED.....	✗
MONARCH.....	✗

This certificate is valid for this product only. Any change to the certified product must be reported to Sigfox Certification Authority as it may lead to a renewal of the RF & protocol Tests. The Sigfox Verified™ logo must be used in respect of the branding guidelines.





Sigfox Verified™ Certificate

M_0042_6128_01

Congratulations SJI Co., LTD., the following product is now Sigfox Verified™ certified:



PRODUCT COMMERCIAL NAME: ...	WSSFM10R4 / WSSFM20R4
PRODUCT MODEL NAME:	SFM10R4 / SFM20R4
RADIO CONFIGURATION:	RC4
CONDUCTED OUTPUT POWER: ...	22 dBm
TEST REPORT:	CORP-3564_RCZ4_UDL CERTIF-119_RCZ4_DL
LAYOUT VERSION:	1.0
SCHEMATIC VERSION:	1.0
BOM VERSION:	1.0
FIRMWARE VERSION:	V1.1.2
SIGFOX LIB:	1.8.7
SIGFOX REFERENCE:	CORP-3564
CERTIFICATION DATE:	01/06/2017
SIGFOX FEATURES:	
DOWNLINK.....	✓
PAYLOAD ENCRYPTED.....	✗
MONARCH.....	✗

This certificate is valid for this product only. Any change to the certified product must be reported to Sigfox Certification Authority as it may lead to a renewal of the RF & protocol Tests. The Sigfox Verified™ logo must be used in respect of the branding guidelines.





Sigfox Verified™ Certificate

M_0042_EC1A_01

Congratulations SJI Co., LTD., the following product is now Sigfox Verified™ certified:



PRODUCT COMMERCIAL NAME: ...	WSSFM11R2DAT
PRODUCT MODEL NAME:	SFM11R2D
RADIO CONFIGURATION:	RC2 / RC4
CONDUCTED OUTPUT POWER: ...	22 dBm
TEST REPORT:	CORP-5236_RCZ2_UDL CORP-4615_RCZ4_UDL
LAYOUT VERSION:	0.2
SCHEMATIC VERSION:	0.2
BOM VERSION:	0.2
FIRMWARE VERSION:	AX-SIGFOX 1.1.2-FCC
SIGFOX LIB:	1.8.7
SIGFOX REFERENCE:	CORP-4615 / 5236
CERTIFICATION DATE:	01/06/2017
SIGFOX FEATURES:	
DOWNLINK.....	✓
PAYLOAD ENCRYPTED.....	✗
MONARCH.....	✗

This certificate is valid for this product only. Any change to the certified product must be reported to Sigfox Certification Authority as it may lead to a renewal of the RF & protocol Tests.
The Sigfox Verified™ logo must be used in respect of the branding guidelines.





Sigfox Verified™ Certificate

M_008B_1A9C_01

Congratulations SJI Co., LTD., the following product is now Sigfox Verified™ certified:



PRODUCT COMMERCIAL NAME: ...	WSSRM100A
PRODUCT MODEL NAME:	SRM100A
RADIO CONFIGURATION:	RC1 to RC7
TEST REPORT:	CORP_20618_RCx_UDL_ENC_MON
LAYOUT VERSION:	Rev1.1
SCHEMATIC VERSION:	Rev1.1
BOM VERSION:	Rev1.1
FIRMWARE VERSION:	MCU_API V1.6.1 RF_API V2.5.1.0 MONARCH_API V1.1.0 SRM100_4_V101
SIGFOX LIB:	LIB V2.8.1_FDL_MON ADDON V0.6.0
SIGFOX REFERENCE:	CORP-20618
CERTIFICATION DATE:	27/03/2020
SIGFOX FEATURES:	
DOWNLINK.....	✓
PAYLOAD ENCRYPTED.....	✓
MONARCH.....	✓

This certificate is valid for this product only. Any change to the certified product must be reported to Sigfox as it may lead to a renewal of the RF & protocol Tests.
The Sigfox Verified™ logo must be used in respect of Sigfox branding guidelines.





Sigfox Verified™ Certificate

M_008B_860B_01

Congratulations SJI Co., LTD., the following product is now Sigfox Verified™ certified:



PRODUCT COMMERCIAL NAME: ...	SRM200A
PRODUCT MODEL NAME:	SRM200A
RADIO CONFIGURATION:	RC1 RC2 RC3 RC4 RC5 RC6 RC7
MESSAGE ROLLOVER COUNTER: ..	4096
TEST REPORT:	CORP-20560, 65173RSF..001
LAYOUT VERSION:	v1.4
SCHEMATIC VERSION:	v1.41
BOM VERSION:	v1.41
FIRMWARE VERSION:	v1.0.0
SIGFOX LIB:	V2.8.1_FDL_MON & 0.6.0_FDL_MON
SIGFOX REFERENCE:	BUIL-706/905
CERTIFICATION DATE:	09 July 2020

SIGFOX FEATURES:

DOWNLINK.....	✓
PAYLOAD ENCRYPTED.....	✓
MONARCH.....	✓

This certificate is valid for this product only. Any change to the certified product must be reported to Sigfox as it may lead to a renewal of the RF & protocol Tests.
The Sigfox Verified™ logo must be used in respect of Sigfox branding guidelines.





Sigfox Verified™ Certificate M_008B_7257_01

Congratulations SJI Co., LTD, the following product is now Sigfox Verified™ certified:



PRODUCT COMMERCIAL NAME: ...	LSM100A
PRODUCT MODEL NAME:	LSM100A
RADIO CONFIGURATION:	RC1
CONDUCTED OUTPUT POWER: ...	12.6 dBm
TEST REPORT:	70278RSF.001
LAYOUT VERSION:	0.3
SCHEMATIC VERSION:	0.3
BOM VERSION:	0.3
FIRMWARE VERSION:	0
SIGFOX LIB:	V2.10.0_SE_FDL_MON
MESSAGE ROLLOVER COUNTER: ...	4096
SIGFOX REFERENCE:	BUIL-1244
CERTIFICATION DATE:	10/12/2021
SIGFOX FEATURES:	
DOWNLINK.....	✓
PAYLOAD ENCRYPTED.....	✓
MONARCH.....	✗

This certificate is valid for this product only. Any change to the certified product must be reported to Sigfox as it may lead to a renewal of the RF & protocol Tests.
The Sigfox Verified™ logo must be used in respect of Sigfox branding guidelines.





Sigfox Verified™ Certificate

M_008B_3FA8_01

Congratulations SJI Co., LTD., the following product is now Sigfox Verified™ certified:



PRODUCT COMMERCIAL NAME: ...	LSM110A
PRODUCT MODEL NAME:	LSM110A
RADIO CONFIGURATIONS:	RC2 ; RC4
CONDUCTED OUTPUT POWER: ...	19dBm
TEST REPORTS:	71580RSF.001 ; 71580RSF.002
LAYOUT VERSION:	0.3
SCHEMATIC VERSION:	0.3
BOM VERSION:	0.3
FIRMWARE VERSION:	1.0.0
SIGFOX LIB:	V2.10.0 Addon V0.8.0
MESSAGE ROLLOVER COUNTER: ..	4096
SIGFOX REFERENCE:	BUIL-1306
CERTIFICATION DATE:	19/05/2022
SIGFOX FEATURES:	
DOWNLINK.....	✓
PAYLOAD ENCRYPTED.....	✓
MONARCH.....	✗

This certificate is valid for this product only. Any change to the certified product must be reported to Sigfox as it may lead to a renewal of the RF & protocol Tests.
The Sigfox Verified™ logo must be used in respect of Sigfox branding guidelines.



WSSFM20R1AT & WSSFM60R1AT (Same Number)



SEONG JI
SEONG JI INDUSTRIAL CO., LTD



Wisol IoT BU is redesigned to SeongJi.



SIGFOX RF MODEM QUALIFICATION

REF: CORP-3559_RCZ1_UDL
QUALIFICATION: M_0042_FDF8_01
DATE: 03/27/2017

SIGFOX RF MODEM QUALIFICATION

WisOL

REF DESIGN : 1.0 EVB VERSION
FIRMWARE: AX-SIGFOX 1.1.2-ETSI
SIGFOX Lib: 1.8.7



		NAME	DATE
	AUTHOR	CELINE ROCHE	03/24/2017
	REVIEW	STEVE HAMARD	03/24/2017
	APPROVAL	APPROVED OUTPUT POWER MEASURED: 12 dBm RX SENSITIVITY: -125 dBm	03/27/2017

NOTICE: THE CONTENT OF THIS DOCUMENT IS THE SIGFOX PROPRIETARY AND SHALL NOT BE DISCLOSED, DISSEMINATED, COPIED, OR USED EXCEPT FOR PURPOSES EXPRESSLY AUTHORIZED IN WRITING BY SIGFOX.

WSSFM20R3AT & WSSFM60R3AT (Same Number)



SEONG JI
SEONG JI INDUSTRIAL CO., LTD



Wisol IoT BU is redesigned to SeongJi.



SIGFOX RF MODEM QUALIFICATION


REF: CORP-4616_RC3A_UDL
QUALIFICATION: M_0042_9D8D_01
DATE: 06/01/2017

SIGFOX RF MODEM QUALIFICATION

WISOL

REF DESIGN :WSSFM20R3: REV 1.0
FIRMWARE: AX-SIGFOX 1.1.0-RCZ3
SIGFOX LIB: 1.8.9



	NAME		DATE
	AUTHOR	CELINE ROCHE	05/23/2017
	REVIEW	STEVE HAMARD	05/23/2017
	APPROVAL	APPROVED OUTPUT POWER MEASURED: 13.3 dBm RX SENSITIVITY: -126 dBm	06/01/2017

NOTICE: THE CONTENT OF THIS DOCUMENT IS THE SIGFOX PROPRIETARY AND SHALL NOT BE DISCLOSED, DISSEMINATED, COPIED, OR USED EXCEPT FOR PURPOSES EXPRESSLY AUTHORIZED IN WRITING BY SIGFOX.

Thank you
