





Sigfox Verified (P1) Certification Number 1st page of Test Result

31st, March, 2020

WSSFM10R1AT







SIGFOX RF MODEM QUALIFICATION

REF: CERTIF-120_RCZ1_DL QUALIFICATION: M_0042_FDF8_01 DATE: 02/08/2017

SIGFOX RF MODEM QUALIFICATION

WISOL

REF DESIGN: V1 FIRMWARE: V1.1.2 SIGFOX LIB: 1.8.7





		NAME	DATE
X	AUTHOR	CELINE ROCHE	01/24/2017
sigfox verified	REVIEW	STEVE HAMARD	01/24/2017
	APPROVAL	APPROVED OUTPUT POWER MEASURED: 13.6 DBM RX SENSITIVITY: -126.00 DBM	02/08/2017

NOTICE: THE CONTENT OF THIS DOCUMENT IS THE SIGFOX PROPRIETARY AND SHALL NOT BE DISCLOSED, DISSEMINATED, COPIED, OR USED EXCEPT FOR PURPOSES EXPRESSLY AUTHORIZED IN WRITING BY SIGFOX.

WSSFM10R2AT







SIGFOX RF MODEM QUALIFICATION

REF: CERTIF-96_RCZ2_DL QUALIFICATION: M_0042_3F16_01 DATE: 12/08/2016

SIGFOX RF MODEM QUALIFICATION

WISOL

REF DESIGN: V3 FIRMWARE: V1.1.2 SIGFOX LIB: 1.8.7



		NAME	DATE
sigfox verified	AUTHOR	CELINE ROCHE	12/08/2016
	REVIEW	STEVE HAMARD	12/08/2016
	APPROVAL	APPROVED OUTPUT POWER MEASURED: 21.20 DBM RX SENSITIVITY: -127 DBM	12/08/2016

NOTICE: THE CONTENT OF THIS DOCUMENT IS THE SIGFOX PROPRIETARY AND SHALL NOT BE DISCLOSED, DISSEMINATED, COPIED, OR USED EXCEPT FOR PURPOSES EXPRESSLY AUTHORIZED IN WRITING BY SIGFOX.

COPYRIGHT SIGFOX. ALL RIGHTS RESERVED PAGE 1 OF 27

WSSFM10R3AT







SIGFOX RF MODEM QUALIFICATION

REF: CORP-3931_RCZ3a_UDL QUALIFICATION: M_0042_9D8D_01 DATE: 04/20/2017

SIGFOX RF MODEM QUALIFICATION

WISOL

REF DESIGN: 0.2 FIRMWARE: AX-SIGFOX 1.1.0-RCZ3 SIGFOX LIB: 1.8.9



×		NAME	DATE
	AUTHOR	CELINE ROCHE	04/14/17
sigfox verified	REVIEW	STEVE HAMARD	04/20/17
	APPROVAL	APPROVED OUTPUT POWER MEASURED: 12.6 DBM RX SENSITIVITY: -125 DBM	04/20/2017

NOTICE: THE CONTENT OF THIS DOCUMENT IS THE SIGFOX PROPRIETARY AND SHALL NOT BE DISCLOSED, DISSEMINATED, COPIED, OR USED EXCEPT FOR PURPOSES EXPRESSLY AUTHORIZED IN WRITING BY SIGFOX.

SFM11R3







sigfox

Sigfox Verified™ Certificate M_0042_9D8D_01

Congratulations WISOL, the following product is now Sigfox Verified™ certified:



MODULAR DESIGN: SFM11R3: SFM11R3000

TYPE: RC3C UPLINK AND DOWNLINK

LAYOUT: 0.62

SCHEMATIC VERSION: 0.2

BOM: 0.2

FIRMWARE: AX-SIGFOX 1.1.0-RCZ3 SIGFOX LIB: UDL1-1.8.9, NO ADDON TEST REPORT : CORP-15516

CERTIFICATION DATE: JANUARY 28, 2019

This certificate is valid for this product only. Any change to the certified product has to be reported to Sigfox as it may lead to a renewal of the Sigfox RF & Protocol Tests. The Sigfox Verified™ logo must be used in respect of Sigfox branding guidelines.



WSSFM10R4AT







SIGFOX RF MODEM QUALIFICATION

REF: CERTIF-119_RCZ4_DL QUALIFICATION: M_0042_6128_01 DATE: 12/09/2016

SIGFOX RF MODEM QUALIFICATION

WISOL

REF DESIGN: V2 FIRMWARE: V1.1.2 SIGFOX LIB: 1.8.7



		Name	DATE
1	AUTHOR	CELINE ROCHE	12/09/2016
ox ied	REVIEW	STEVE HAMARD	12/09/2016
	APPROVAL	APPROVED OUTPUT POWER MEASURED: 23 DBM RX SENSITIVITY: -127 DBM	12/09/2016

NOTICE: THE CONTENT OF THIS DOCUMENT IS THE SIGFOX PROPRIETARY AND SHALL NOT BE DISCLOSED, DISSEMINATED, COPIED, OR USED EXCEPT FOR PURPOSES EXPRESSLY AUTHORIZED IN WRITING BY SIGFOX.

COPYRIGHT SIGFOX. ALL RIGHTS RESERVED

WSSFM11R2DAT









SIGFOX RF MODEM QUALIFICATION

REF: CORP-5236_RCZ2_UDL QUALIFICATION: M_0042_EC1A_01 DATE: 06/01/2017



SIGFOX RF MODEM QUALIFICATION

REF: CORP-4615_RCZ4_UDL QUALIFICATION: M_0042_EC1A_01 DATE: 06/01/2017

SIGFOX RF MODEM QUALIFICATION

WISOL

MODULE: WSSFM11R2D: SFM11R2D REV 0.2 FIRMWARE: AX-SIGFOX 1.1.2-FCC SIGFOX LIB: 1.8.7



		Name	DATE
X	AUTHOR	CELINE ROCHE	05/24/20
sigfox verified	REVIEW	STEVE HAMARD	05/29/20
	APPROVAL	APPROVED OUTPUT POWER MEASURED: 21.8DBM RX SENSITIVITY: -127DBM	06/01/20

SIGFOX RF MODEM QUALIFICATION

WISOL

MODULE: WSSFM11R2D: SFM11R2D REV 0.2 FIRMWARE: AX-SIGFOX 1.1.2-FCC SIGFOX LIB: 1.8.7





WSSFM20R1AT & WSSFM60R1AT (Same Number)







Wisol IoT BU is redesigned to SeongJi.



SIGFOX RF MODEM QUALIFICATION

REF: CORP-3559_RCZ1_UDL QUALIFICATION: M_0042_FDF8_01 DATE: 03/27/2017

SIGFOX RF MODEM QUALIFICATION

WISOL

REF DESIGN: 1.0 EVB VERSION FIRMWARE: AX-SIGFOX 1.1.2-ETSI SIGFOX LIB: 1.8.7





		NAME	DATE
sigfox verified	Author	CELINE ROCHE	03/24/2017
	REVIEW	STEVE HAMARD	03/24/2017
	APPROVAL	APPROVED OUTPUT POWER MEASURED: 12 DBM RX SENSITIVITY: -125 DBM	03/27/2017

NOTICE: THE CONTENT OF THIS DOCUMENT IS THE SIGFOX PROPRIETARY AND SHALL NOT BE DISCLOSED, DISSEMINATED, COPIED, OR USED EXCEPT FOR PURPOSES EXPRESSLY AUTHORIZED IN WRITING BY SIGFOX.

COPYRIGHT SIGFOX. ALL RIGHTS RESERVED

WSSFM20R2AT & WSSFM60R2AT (Same Number)







Wisol IoT BU is redesigned to SeongJi.



SIGFOX RF MODEM QUALIFICATION

REF: CORP-3560_RCZ2_UDL QUALIFICATION: M_0042_3F16_01 DATE: 03/30/2017

SIGFOX RF MODEM QUALIFICATION

WISOL

REF DESIGN: 1.0 EVB VERSION FIRMWARE: AX-SIGFOX 1.1.2-FCC SIGFOX LIB: 1.8.7



		NAME	DATE
sigfox verified	AUTHOR	CELINE ROCHE	03/24/2017
	REVIEW	STEVE HAMARD	03/24/2017
	APPROVAL	APPROVED OUTPUT Power MEASURED: 21 DBM RX SENSITIVITY: -127 DBM	03/30/2017

NOTICE: THE CONTENT OF THIS DOCUMENT IS THE SIGFOX PROPRIETARY AND SHALL NOT BE DISCLOSED, DISSEMINATED, COPIED, OR USED EXCEPT FOR PURPOSES EXPRESSLY AUTHORIZED IN WRITING BY SIGFOX.

777	All and the second of the seco	58 173
	COPYRIGHT SIGFOX. ALL RIGHTS RESERVED	PAGE 1 OF 28

WSSFM20R3AT & WSSFM60R3AT (Same Number)







SIGFOX RF MODEM QUALIFICATION

REF: CORP-4616_RC3A_UDL QUALIFICATION: M_0042_9D8D_01 DATE: 06/01/2017

SIGFOX RF MODEM QUALIFICATION

WISOL

REF DESIGN: WSSFM20R3: Rev 1.0 FIRMWARE: AX-SIGFOX 1.1.0-RCZ3 SIGFOX LIB: 1.8.9





A		NAME	DATE
A	AUTHOR	CELINE ROCHE	05/23/2017
F	REVIEW	STEVE HAMARD	05/23/2017
AF	PPROVAL	APPROVED OUTPUT Power MEASURED: 13.3 DBM RX SENSITIVITY: -126 DBM	06/01/2017

NOTICE: THE CONTENT OF THIS DOCUMENT IS THE SIGFOX PROPRIETARY AND SHALL NOT BE DISCLOSED, DISSEMINATED, COPIED, OR USED EXCEPT FOR PURPOSES EXPRESSLY AUTHORIZED IN WRITING BY SIGFOX.

COPYRIGHT SIGFOX. ALL RIGHTS RESERVED

WSSFM20R4AT & WSSFM60R4AT (Same Number)







Wisol IoT BU is redesigned to SeongJi.



SIGFOX RF MODEM QUALIFICATION

REF: CORP-3564_RCZ4_UDL QUALIFICATION: M_0042_6128_01 DATE: 03/30/2017

SIGFOX RF MODEM QUALIFICATION

WISOL

REF DESIGN: 1.0 EVB VERSION FIRMWARE: V1.1.2 SIGFOX LIB: 1.8.7





		NAME	DATE
X	Author	CELINE ROCHE	03/29/2017
sigfox verified	REVIEW	STEVE HAMARD	03/29/2017
	APPROVAL	APPROVED OUTPUT POWER MEASURED: 21 DBM RX SENSITIVITY: -127 DBM	03/30/2017

NOTICE: THE CONTENT OF THIS DOCUMENT IS THE SIGFOX PROPRIETARY AND SHALL NOT BE DISCLOSED, DISSEMINATED, COPIED, OR USED EXCEPT FOR PURPOSES EXPRESSLY AUTHORIZED IN WRITING BY SIGFOX.

COPYRIGHT SIGFOX. ALL RIGHTS RESERVED

SRM100A









Sigfox Verified™ Certificate M 008B 1A9C 01

Congratulations Seongji, the following product is now Sigfox Verified™ certified:



PRODUCT COMMERCIAL NAME:	WSSRM100A	\
PRODUCT MODEL NAME:	SRM100A	1
RADIO CONFIGURATION:	RC1 to RC7 MONARCH	
TEST REPORT:	CORP_20618_RC1_UDL_ENC_MON	
LAYOUT VERSION:	Rev1.1	
SCHEMATIC VERSION:	Rev1.1	1
BOM VERSION:	Rev1.1	
FIRMWARE VERSION:	MCU_API V1.6.1 RF_API V2.5.1.0MON V1.1.0SRM100_4_V101	NARCH_AP
SIGFOX LIB:	LIB V2.8.0_FDL_MON ADDON V0.	6.0
SIGFOX REFERENCE:	CORP-20618	
CERTIFICATION DATE:	27/03/2020	

This certificate is valid for this product only. Any change to the certified product has to be reported to Sigfox as it may lead to a renewal of the RF & protocol Tests.

The Sigfox Verified™ logo must be used in respect of Sigfox branding guidelines.



SRM200A







Wisol IoT BU is redesigned to SeongJi.



Sigfox Verified™ Certificate M 008B 860B 01

MOMÁRCH

Congratulations Seongji, the following product is now Sigfox VerifiedTM certified:



SRM200A PRODUCT COMMERCIAL NAME: ... PRODUCT MODEL NAME: SRM200A RC1 RC2 RC3 C RC4 RC5 RC6 UDL-ENC-RADIO CONFIGURATION: MONARCH TEST REPORT: CORP-20560 LAYOUT VERSION: 1.4 SCHEMATIC VERSION: 1.41 R1.41 BOM VERSION: FIRMWARE VERSION: V1.01 2.7.0 FDL MON & 0.5.0 FDL MON SIGFOX LIB: JANUARY 9, 2020 CERTIFICATION DATE: SIGFOX FEATURES: DOWNLINK. PAYLOAD ENCRYPTED.

This certificate is valid for this product only. Any change to the certified product has to be reported to Sigfox as it may lead to a renewal of the RF & protocol Tests.

The Sigfox Verified™ logo must be used in respect of Sigfox branding guidelines.



Sigfox Head Office: 425 rue Jean Rostand, 31670 Labège, FRANCE



Thanks