


SCREENSHOTS


Setting up the Infrastructure

- 3 Instances are supposed to be created in AWS.
- These 3 Instances will be acting as the Machines where Jenkins and its Jobs will be running




Setting Jenkins up:


- Install Jenkins in one of the Machines along with Java.



○ Set up the Jenkins Dashboard.




○ Setup both of the other machines as Jenkins Agents in the Dashboard.




Setting up the GitHub repository provided below:

- The GitHub repository that has to be set up is <https://github.com/mdn/beginner-html-site-styled>
- Fork the repository on your end and use that forked repository for the rest of the Assignment.





- Create the Dockerfile to containerize the website that has been forked.



Create the Jenkins Job to perform the desired tasks as explained below:

- The Job is supposed to create a container on port 99 everytime the Job is executed.
- The Job will firstly create the image from the Dockerfile and then the container on port 99.
- The Job should be triggered every time there is a change made in the GitHub repository



Jenkins deploy-website

Status

Changes

Workspace

Build Now

Configure

Delete Project

GitHub Hook Log

GitHub

Rename

Builds

Filter

Today

9:10 AM

deploy-website

Permalinks

- Last build (#5), 16 sec ago
- Last stable build (#5), 16 sec ago
- Last successful build (#5), 16 sec ago
- Last completed build (#5), 16 sec ago

REST API Jenkins 2.555.1

Jenkins deploy-website #5

Console Output

Edit Build Information

Delete build #5

Polling Log

Timings

Git Build Data

```
Started by GitHub push by Supradeepank
Running as SYSTEM
Building on the built-in node in workspace /var/lib/jenkins/workspace/deploy-website
The recommended git tool is: NONE
No credentials specified
> git rev-parse --resolve-git-dir /var/lib/jenkins/workspace/deploy-website/.git # timeout=10
Fetching changes from the remote Git repository
> git config remote.origin.url https://github.com/Supradeepank/beginner-html-site-styled.git # timeout=10
Fetching upstream changes from https://github.com/Supradeepank/beginner-html-site-styled.git
> git --version # timeout=10
> git --version # git version 2.43.0
> git fetch --tags --force --progress -- https://github.com/Supradeepank/beginner-html-site-styled.git # timeout=10
> git rev-parse refs/remotes/origin/main^{commit} # timeout=10
Checking out Revision 6f54674ff4685c841f8e48c0894f51d2b1a739e (refs/remotes/origin/main)
> git config core.sparsecheckout # timeout=10
> git checkout -f 6f54674ff4685c841f8e48c0894f51d2b1a739e # timeout=10
Commit message: "test changed"
First time build. Skipping changelog.
[deploy-website] $ /bin/sh -xe /tmp/jenkins48031829251165780.sh
+ docker rm -f my-container
my-container
+ docker build -t my-image .
DEPRECATED: The legacy builder is deprecated and will be removed in a future release.
Install the buildx component to build images with BuildKit:
https://docs.docker.com/go/buildx/

Sending build context to Docker daemon 368.6kB

Step 1/2 : FROM nginx:latest
--> 3acc8b0c642
Step 2/2 : COPY . /usr/share/nginx/html
--> a5149b32272
Successfully built a5149b32272
Successfully tagged my-image:latest
+ docker run -d -p 99:80 --name my-container my-image
07ebf24dad9f44de07b4c0a59a46b0ee8062079ec1e9d46ce303544e5f3d77
Finished: SUCCESS
```

