

TokTickIT Lab 2 Submission Report

Student Name: สุประวีณ์ สุทธิเสรินทร์วัฒน์ (Suprawi Suthiseriniwat)
Student ID: 67070505227
Section: CPE334
GitHub Repository: <https://github.com/Suprawi5227/toktickit>

Answer Part 1: Git Use with Engineering Workflow (10 คะแนน)

1.1 URL List

รายการ	ลิงก์
GitHub Repository	https://github.com/Suprawi5227/toktickit
GitHub Project (Kanban)	https://github.com/users/Suprawi5227/projects/3
Issue #1 - Issue 1: Set up the TokTickIT project foundation	https://github.com/Suprawi5227/toktickit/issues/1
Issue #2 - Issue 2: Implement the API health check	https://github.com/Suprawi5227/toktickit/issues/2
Issue #3 - Issue 3: Create and seed IT request categories	https://github.com/Suprawi5227/toktickit/issues/3
Issue #4 - Issue 4: Display the IT request category list	https://github.com/Suprawi5227/toktickit/issues/4
Issue #15 - Issue 1: Sprint specification and test plan L2	https://github.com/Suprawi5227/toktickit/issues/15
Issue #17 - Issue 2: [Backend] Database setup & Development Requester context API L2	https://github.com/Suprawi5227/toktickit/issues/17
Issue #19 - Issue 3: [Frontend] Development Requester Selector UI L2	https://github.com/Suprawi5227/toktickit/issues/19
Issue #21 - Issue 4: [Backend] Ticket Creation API L2	https://github.com/Suprawi5227/toktickit/issues/21
Issue #23 - Issue 5: [Backend] Attachment API (Upload & Download) L2	https://github.com/Suprawi5227/toktickit/issues/23
Issue #25 - Issue 6: [Frontend] Create Ticket Form with Validation L2	https://github.com/Suprawi5227/toktickit/issues/25
Issue #27 - Issue 7: [Frontend+Backend] My Tickets Page (Table, Search, Pagination) L2	https://github.com/Suprawi5227/toktickit/issues/27
Issue #29 - Issue 8: [Frontend+Backend] Ticket Detail Page and Attachments Management L2	https://github.com/Suprawi5227/toktickit/issues/29
Issue #31 - Issue 9: [QA] Integration E2E Tests and UI Polish L2	https://github.com/Suprawi5227/toktickit/issues/31
PR #16: docs: create Lab 2 engineering specifications → <code>main</code>	https://github.com/Suprawi5227/toktickit/pull/16
PR #18: feat: setup db models and requesters api → <code>lab2-staging</code>	https://github.com/Suprawi5227/toktickit/pull/18
PR #20: feat: implement frontend requester selector and context → <code>lab2-staging</code>	https://github.com/Suprawi5227/toktickit/pull/20
PR #22: feat: implement backend ticket creation api → <code>lab2-staging</code>	https://github.com/Suprawi5227/toktickit/pull/22
PR #24: feat: implement backend attachment api → <code>lab2-staging</code>	https://github.com/Suprawi5227/toktickit/pull/24
PR #26: feat: implement frontend create ticket form → <code>lab2-staging</code>	https://github.com/Suprawi5227/toktickit/pull/26
PR #28: feat: implement my tickets page and get tickets API → <code>lab2-staging</code>	https://github.com/Suprawi5227/toktickit/pull/28
PR #30: feat: implement ticket detail page and soft delete attachment API → <code>lab2-staging</code>	https://github.com/Suprawi5227/toktickit/pull/30
PR #34: [QA] Integration E2E Tests and UI Polish → <code>lab2-staging</code>	https://github.com/Suprawi5227/toktickit/pull/34
Release PR #35: Release: Lab 2 - IT Support Ticket System (<code>lab2-staging</code> → <code>main</code>)	https://github.com/Suprawi5227/toktickit/pull/35

1.2 Kanban Board Evidence



GitHub Project Kanban Board showing all Issues in Done column

- **Project Board URL:** <https://github.com/users/Suprawi5227/projects/3>
- **Board Status:** All 13 Issues (Lab 1 Issues #1–#4 + Lab 2 Issues #15, #17, #19, #21, #23, #25, #27, #29, #31) are completed and placed in the **Done** column.
- **Kanban Column Breakdown:**
 - **Backlog:** 0 items
 - **Ready for Spec:** 0 items
 - **Started:** 0 items
 - **PR Review:** 0 items
 - **Done:** 13 items total (100% Completion)

1.3 Git Commit History



Git Commit Graph History Part 1



Git Commit Graph History Part 2



Git Commit Graph History Part 3

- **Workflow Verification:** The Git graph demonstrates feature branches created for each issue (`feat/*`), merged into `lab2-staging` via Pull Requests with peer review approvals, and final integration merged into `main` .

1.4 Repository Directory Structure



IDE File Tree Repository Directory Structure

- **Directory Organization:** The repository structure shows all required Lab 2 files, including `docs/lab-02/*.md` specifications and reports, `client/` frontend codebase, `server/` backend API codebase, `client/tests/lab-02/e2e.test.tsx` integration test suite, and `artifacts/lab-02/screenshots/` screenshot assets.

```

toktickit/
├─ client/                                # React + Vite Frontend
│  └─ src/
│     ├── components/                    # RequesterSelector, CreateTicketForm, MyTickets, TicketDetail
│     ├── contexts/                      # RequesterContext
│     ├── schemas/                       # ticket.schema.ts
│     └─ api.ts                          # API Client functions
│  └─ tests/                             # Unit and E2E React component tests
├─ server/                               # Node.js + Express Backend
│  ├── prisma/                           # Prisma Schema & Seed Script
│  ├── src/                              # API endpoints & handlers
│  └─ tests/                             # Backend API tests
├─ docs/                                # Lab specifications & peer review docs
│  ├── lab-01/
│  └─ lab-02/
│     ├── specification.md               # Sprint Spec DD
│     ├── api-spec.md                   # API Contract
│     ├── ui-spec.md                    # UI & Design System Spec
│     ├── tests.md                      # Test Plan & Matrix
│     ├── reviewer.md                   # Peer Review Record
│     ├── ai_use.md                     # AI Reflection & Prompts
│     ├── final-deliverable.md          # Full Submission Report
│     └─ final-deliverable.pdf          # Printable PDF Submission Report
├─ artifacts/
│  └─ lab-02/screenshots/               # Visual evidence assets (Desktop, Tablet, Mobile)
├─ README.md
└─ docker-compose.yml

```

1.5 README.md and .gitignore

Content of `README.md` :

 Rendered README.md

Content of README.md Rendered View

```
# TokTickIT - IT Service Desk Application

TokTickIT is an IT service desk web application built with React, TypeScript, Vite, Bootstrap, Node.js, Express, Prisma

## Tech Stack
* Frontend: React + TypeScript + Vite + Bootstrap 5
* Backend: Node.js + Express + TypeScript
* Database & ORM: PostgreSQL 16 + Prisma ORM
* Testing: Vitest + Supertest + React Testing Library

## Prerequisites
* Node.js (v18+)
* npm
* Docker & Docker Compose (or local PostgreSQL)

## Setup Instructions

1. Database Setup:
  docker compose up -d db

2. Backend Setup (server/):
  cd server
  npm install
  cp .env.example .env
  npm run prisma:migrate
  npm run prisma:seed
  npm run dev
  npm test

3. Frontend Setup (client/):
  cd client
  npm install
  cp .env.example .env
  npm run dev
  npm test
```

Content of `.gitignore` :

 Content of .gitignore in IDE

Content of .gitignore in IDE Code Editor

```
# dependencies
node_modules/

# env & secrets
.env
*.env
!.env.example

# build output
dist/
build/

# test results & scratch
test-results/
scratch/

# prisma
server/prisma/*.db

# uploads
uploads/
server/uploads/
```

1.6 Peer Review Evidence (5 คะแนน)

Rendered `docs/lab-02/reviewer.md` :

Lab 2 — Peer Review Record

Author: สุประวีณ์ สุทธิเสรีนิวัฒน์ — 67070505227 — GitHub: @Suprawi5227
Peer reviewer: ณัฐกมล มอญปาน — 67070505215 — GitHub: @natthakamol1130 , พัฒนาวดี แสงเงินยอด — 67070505222 — GitHub: @jejaebubu

Pull Requests I authored (reviewed by my partner)

PR	Branch	Reviewer verdict
PR #16	feat/lab2-specs	Approved with comments
PR #18	feat/lab2-db-seed	Approved with comments
PR #20	feat/lab2-frontend-context	Approved with comments
PR #22	feat/lab2-backend-ticket	Approved with comments
PR #24	feat/lab2-backend-attachment	Approved with comments
PR #26	feat/lab2-frontend-ticket-form	Approved with comments
PR #28	feat/lab2-issue7-my-tickets	Approved with comments
PR #30	feat/lab2-issue8-ticket-detail	Approved with comments
PR #34	feat/lab2-issue9-ga-polish	Approved with comments
Release PR #35	lab2-staging → main	Approved with comments

Reviewer comment I received & How I responded:

PR #16 (Issue 1: Specs)

- Reviewer comment:** เพื่อนสอบถามเรื่อง Data Retained after errors (BR-10) และการจำกัดขนาด/ประเภทไฟล์แนบ
- How I responded:** ตอบและปรับแก้รายละเอียดใน `specification.md` ให้ชัดเจน เรียบร้อยแล้วครับ

PR #18 (Issue 2: DB & Requester Context)

- Reviewer comment:** เพื่อนทักเรื่อง `isActive` boolean ใน `DevelopmentRequester` model ว่าควรมี default true หรือไม่
- How I responded:** แก้ไขใน `schema.prisma` ใส่ `@default(true)` และปรับ seed data ให้มี active 4 คน และ inactive 1 คน เพื่อรองรับ BR-09 เรียบร้อยแล้วครับ

PR #20 (Issue 3: Requester UI)

- Reviewer comment:** เพื่อนให้ความเห็นเรื่องปุ่มเลือก Requester ใน Modal ว่าควรแสดงชื่อและอีเมลให้ชัดเจน
- How I responded:** ปรับปรุง UI ใน `RequesterSelector.tsx` ให้แสดงชื่อพร้อมอีเมลขนาดเล็กได้ชื่อ เรียบร้อยแล้วครับ

PR #22 (Issue 4: Ticket Creation API)

- Reviewer comment:** เพื่อนทักเรื่องการรันเลขตัวอัตโนมัติ `TKT-YYYY-XXXXXX` ว่าต้องเป็น Atomic Transaction หรือไม่
- How I responded:** ใช้ `$transaction` ใน Prisma เพื่อรันเลขตัวตามลำดับความปลอดภัย เรียบร้อยแล้วครับ

PR #24 (Issue 5: Attachment API)

- Reviewer comment:** เพื่อนสอบถามเรื่องการตรวจไฟล์ปลอม (MIME type vs File extension) และการจำกัดขนาด 5MB

- **How I responded:** ตั้งค่า `multer` ตรวจสอบทั้ง MIME type และขนาดไฟล์ไม่เกิน 5MB พร้อมทดสอบ API ผ่าน 100% เรียบร้อยแล้วครับ

PR #26 (Issue 6: Create Ticket Form)

- **Reviewer comment:** เพื่อนแจ้งว่า Priority Enum ใช้ค่า "CRITICAL" แต่ Prisma Schema กำหนดเป็น "URGENT" และ property TicketNumber ไม่ตรงกับ API Spec
- **How I responded:** แก้ไข Priority เป็น URGENT และปรับ Schema ปรับฟอร์มให้ตรง API Spec เรียบร้อยแล้วครับ

PR #28 (Issue 7: My Tickets Page)

- **Reviewer comment:** เพื่อนแนะนำให้เปลี่ยนจากการส่ง `requesterId` ผ่าน query param เป็น HTTP Header `x-requester-id` และปรับ payload `getMyTickets` ให้ตรงกับ API Spec
- **How I responded:** ปรับปรุง API และ Frontend Client ให้ส่ง Header `x-requester-id` และคืนค่า meta object ตาม API Spec เรียบร้อยแล้วครับ

PR #30 (Issue 8: Ticket Detail & Attachments)

- **Reviewer comment:** เพื่อนแจ้งให้เพิ่ม 403 Forbidden enforcement ในการเช็ค Ownership ของ Ticket และบังคับใส่เหตุผลในการลบไฟล์ (Soft Remove)
- **How I responded:** เพิ่ม middleware เช็ค `ticket.requesterId !== requesterId` คืนค่า 403 Forbidden และบังคับใส่ `removalReason` ในการลบไฟล์ เรียบร้อยแล้วครับ

PR #34 (Issue 9: QA & Integration E2E Tests)

- **Reviewer comment:** ตรวจสอบ E2E test suite และ UI alignment เรียบร้อย
- **How I responded:** ปรับแต่ง CSS Spacing และอนุมัติการ Merge เข้าสาขา `lab2-staging`

Pull Requests I reviewed for my partner

PR	Branch	Reviewer verdict
natthakamol1130/toktickit#26	<code>feature/7-create-ticket-ui</code>	Approved with comments
natthakamol1130/toktickit#28	<code>feature/8-my-tickets-api</code>	Approved with comments
natthakamol1130/toktickit#30	<code>feature/9-my-tickets-ui</code>	Approved with comments
jejaebubu/toktickit#11	<code>feature/4-category-list</code>	Approved with comments

My comments & partner's responses for partner PRs:

My comment (PR #26 for partner natthakamol1130):

- **My comment:** รีวิวเรื่อง Form Validation และการแสดงผลปุ่ม Submit ขณะกำลังโหลด ให้เพิ่ม busy state spinner เพื่อป้องกันการกดซ้ำ
- **Partner's response:** ขอบคุนสำหรับคำแนะนำ ได้ทำการเพิ่ม busy state spinner และ disable ปุ่มขณะกำลัง submit เรียบร้อยแล้วค่ะ

My comment (PR #28 for partner natthakamol1130):

- **My comment:** รีวิวเรื่องการ Pagination และการกรองข้อมูล ให้รองรับ multi-select category/priority filter ตาม API Spec
- **Partner's response:** แก้ไขเรียบร้อยแล้วค่ะ เพิ่ม query parser ให้รองรับ multi-select filter และส่งคืน metadata pagination ครบถ้วนค่ะ

My comment (PR #30 for partner natthakamol1130):

- **My comment:** รีวิวเรื่อง Ownership Guard (403 Forbidden) ให้ตรวจสอบ Header `x-requester-id` กับเจ้าของตัวทุกครั้งก่อนคืนข้อมูล
- **Partner's response:** อัปเดต middleware เช็คเจ้าของตัวเรียบร้อยแล้ว หาก ID ไม่ตรงกันจะตอบกลับเป็น 403 Forbidden ทันทีค่ะ

Answer Part 2: Spec DD (5 คะแนน)

ลิงก์: <https://github.com/Suprawi5227/toktickit/blob/main/docs/lab-02/specification.md>

Lab 2 Sprint Engineering Specification

1. Sprint Goal

Deliver a responsive Requester-facing IT support ticketing MVP for TokTickIT using a temporary Development Requester identity selector. The increment enables Requesters to create tickets with attachments, receive a system-generated Ticket Number, view and search their own ticket history in My Tickets, inspect Ticket Details (including Ticket Date / creation timestamp), management of attachment lifecycle (upload, metadata inspection, download, soft removal with mandatory reason), and strict data isolation between requesters.

2. Stakeholder Request Interpretation

The IT department needs an end-user ticketing interface allowing Requesters to report issues, select categories and affected systems, set requested priority, attach evidence files, and track ticket progress. Because full authentication is deferred to Lab 3, a temporary Development Requester selector acts as the logged-in context for testing multi-user ticket ownership and access control. The UI must follow a consistent Zen Green design system with reusable components, loading, empty, and safe error states.

3. Scope

Included

- **Development Requester Selector:** Temporary testing identity switcher to select among seeded active Requesters, storing context in local storage.
- **Create Ticket Flow:** Form capturing Ticket Date / creation timestamp, Requester identity (read-only from context), Category, Related System, Requested Priority, Ticket Summary, Description, and file attachments. Generates official format `TKT-YYYY-XXXXXX`.
- **My Tickets Flow:** Paginated list of tickets owned by the current requester supporting text search, multi-select dropdown filters (Category, Priority, Status), sorting, clear filters, empty state, and no-results state.
- **Ticket Detail & Attachment Flow:** Read-only display of owned ticket fields, attachment metadata list (`GET /api/tickets/:id/attachments`), adding allowed attachments, downloading active attachments, and soft-removing attachments with required removal reasons.
- **Requester Data Isolation:** Backend authorization enforcement preventing any Requester from viewing or modifying tickets or attachments owned by another Requester.
- **Zen Green Design & Responsiveness:** Consistent visual tokens across Desktop ($\geq 992\text{px}$), Tablet ($768\text{--}991\text{px}$), and Mobile ($< 768\text{px}$).

Excluded

- Real user authentication (login/logout, passwords, sessions, JWT tokens).
- IT Staff workflow (queues, claiming, changing IT Priority, resolving/closing tickets).
- Collaboration features (Public Comments, Internal Notes, Actions Taken).
- Status changes beyond initial `NEW`.
- Administrator functions (managing categories, systems, or user accounts).

4. Functional Requirements

- **FR-01:** The system shall provide a Development Requester Selection interface allowing the user to select an active testing Requester identity.


- **FR-02:** The selected Requester identity shall persist in the frontend application shell until explicitly changed.
- **FR-03:** The Create Ticket form shall require Category, Related System, Requested Priority, Ticket Summary, and Description.
- **FR-04:** The system shall auto-generate a unique Ticket Number in the format `TKT-YYYY-XXXXXX` upon ticket creation.
- **FR-05:** The system shall record and display the Ticket Date / creation timestamp (`createdAt`) on ticket creation, ticket listing, and ticket detail views.
- **FR-06:** A newly created ticket shall start with Current Status `NEW` and default IT Priority `MEDIUM` .
- **FR-07:** The system shall allow attaching files during ticket creation or via Ticket Detail screen.
- **FR-08:** The system shall restrict attachments to allowed MIME types (JPG/JPEG, PNG, WEBP, PDF) and max size of 5 MB per file.
- **FR-09:** The system shall restrict each ticket to a maximum of 5 active (non-removed) attachments.
- **FR-10:** The system shall allow the owning Requester to soft-remove an active attachment by providing a mandatory removal reason.
- **FR-11:** Soft-removed attachments shall remain visible as metadata in the attachment list marked as removed, but file payload shall be blocked from preview or download.
- **FR-12:** My Tickets screen shall display a paginated list of tickets belonging strictly to the currently selected Requester.
- **FR-13:** My Tickets screen shall support text search across Ticket Number and Summary.
- **FR-14:** My Tickets screen shall support filtering by Category, Requested Priority, and Status, as well as sorting by Ticket Date / `createdAt` and Ticket Number.
- **FR-15:** Unauthorized/cross-requester ticket access must not return the requested ticket data, using the documented ownership-failure status (`403 Forbidden`).

5. Business Rules


- **BR-01:** Official Ticket Number is generated by backend database sequence/generator and must be globally unique (`TKT-YYYY-XXXXXX`).
- **BR-02:** Initial Current Status is hardcoded to `NEW` .
- **BR-03:** Initial IT Priority defaults to `MEDIUM` unless updated by IT Staff in later sprints.
- **BR-04:** Requester identity selected in Development Requester selector is for testing only and does NOT constitute secure authentication.
- **BR-05:** Inactive Requesters (`isActive: false`) must NOT be listed in the Development Requester selector.
- **BR-06:** Switching the active Requester reloads all application data and clears cached requester-specific tickets.
- **BR-07:** Ticket Summary is required, trimmed of leading/trailing whitespace, minimum 5 characters, maximum 120 characters.
- **BR-08:** Ticket Description is required, trimmed, minimum 10 characters, maximum 2000 characters.
- **BR-09:** Ticket Date (`createdAt`) is immutable system timestamp set upon initial database insert.
- **BR-10:** Allowed file attachment extensions: `.jpg` , `.jpeg` , `.png` , `.webp` , `.pdf` . File size max: 5,242,880 bytes (5 MB).
- **BR-11:** Maximum active attachments per ticket is 5. Attempts to upload a 6th active attachment must fail with validation error `422 Unprocessable Entity` .
- **BR-12:** Attachment removal MUST be implemented as a soft removal (`isRemoved: true` , `removedAt` , `removalReason` , `removedByRequesterId`). Hard deletion of file payload or database record is forbidden.
- **BR-13:** Removal reason is mandatory, trimmed, minimum 3 characters, maximum 250 characters.
- **BR-14:** Direct file download `GET /api/attachments/:id/download` for a soft-removed attachment MUST return `403 Forbidden` or `404 Not Found` .
- **BR-15:** Attachment Upload Transaction & Compensation Strategy:
 - When creating a ticket with initial attachments: Ticket creation and database records execute inside a database transaction. If file storage writes fail during ticket creation, the database transaction is rolled back completely.
 - When uploading attachments to an existing ticket: File storage write executes first with a temporary filename; database record creation follows. If database insertion fails, the temporary file is deleted (compensated).
- **BR-16:** Form inputs preserve entered data when validation errors occur on submission failure.
- **BR-17:** Requester ticket isolation is enforced on every single API endpoint by validating `requesterId` parameter against ticket owner.

- **BR-18:** Empty state appears when a Requester has 0 total tickets. No-results state appears when filters/search yield 0 matching tickets.
- **BR-19:** Default page size for My Tickets list is 10 items per page with page numbers starting at 1. Default sorting is `createdAt DESC`.
- **BR-20:** Transition to Lab 3 auth will replace the Development Requester Selector with secure session/JWT headers while maintaining the same database schema (`requesterId`).


2.1 Specification Pre-existence Proof



PR #16 Specification & Test Plan File Additions Proof



PR #16 specification.md Creation Diff



PR #18 Database Schema Implementation updating specification.md

- **Pre-existence Proof:** PR #16 (Feature/1 Sprint Specifications & Test Plan) was created and merged into `main` before any implementation PRs (PR #18 DB Schema, PR #20 Requester Context, PR #22 Create Ticket API, etc.) were developed and merged, proving Spec-Driven Development workflow compliance.

Answer Part 3: Test DD and Traceability (10 คะแนน)

ลิงก์: <https://github.com/Suprawi5227/toktickit/blob/main/docs/lab-02/tests.md>

Lab 2 Test Plan and Traceability Matrix

1. Test Strategy

The testing strategy validates the entire full-stack application across five distinct levels:

1. **Unit Tests:** `server/tests/lab-02/unit/`
2. **API Integration Tests:** `server/tests/lab-02/`
3. **UI Component Tests:** `client/tests/lab-02/`
4. **UI Style & Responsive Tests:** `client/tests/lab-02/`
5. **Playwright E2E Tests:** `client/tests/lab-02/e2e.test.tsx`

2. Planned Test Table

Test ID	Level	Requirement / AC	What It Tests	Expected Result	Automated Test File Path	Status
UNIT-01	Unit	BR-01, FR-04	Ticket number format generator	Returns string matching <code>TKT-\d{4}-\d{6}</code>	<code>server/tests/lab-02/unit/ticket-number.test.ts</code>	Pass

Test ID	Level	Requirement / AC	What It Tests	Expected Result	Automated Test File Path	Status
UNIT-02	Unit	BR-10, BR-11	Attachment file validation & rollback logic	Rejects files >5MB or non-image/pdf, cleans disk	server/tests/lab-02/create-ticket.api.test.ts	Pass
API-01	API	AC-01, FR-04	Ticket creation endpoint <code>POST /api/tickets</code>	Returns 201 Created with valid Ticket payload & ticketNumber	server/tests/lab-02/create-ticket.api.test.ts	Pass
API-02	API	AC-01, BR-07	Ticket creation missing summary	Returns 400 Bad Request with validation errors	server/tests/lab-02/create-ticket.api.test.ts	Pass
API-03	API	AC-03, FR-12	Paginated My Tickets <code>GET /api/tickets?requesterId=1</code>	Returns 200 OK with tickets owned by Requester 1	server/tests/lab-02/my-tickets.api.test.ts	Pass
API-04	API	AC-08, FR-13	Search & filter My Tickets <code>GET /api/tickets</code>	Filters tickets matching search term & category	server/tests/lab-02/my-tickets.api.test.ts	Pass
API-05	API	AC-04, FR-15	Owned ticket detail access <code>GET /api/tickets/:id</code>	Returns 200 for owner; returns 403/404 for non-owner	server/tests/lab-02/ticket-detail.api.test.ts	Pass
API-06	API	FR-07, BR-10	Attachment upload <code>POST /api/tickets/:id/attachments</code>	Uploads file and returns attachment metadata	server/tests/lab-02/attachments.api.test.ts	Pass
API-07	API	AC-06, BR-11	Exceeding 5 active attachments limit	Fails with 422 Unprocessable Entity error	server/tests/lab-02/attachments.api.test.ts	Pass
API-08	API	AC-05, BR-12	Soft-remove attachment with reason	Sets <code>isRemoved: true</code> and blocks future download stream	server/tests/lab-02/attachments.api.test.ts	Pass
UI-01	UI	AC-02, FR-01	Development Requester selector screen	Renders active requesters dropdown and persists selection	client/tests/lab-02/RequesterSelect.test.tsx	Pass
UI-02	UI	AC-01, FR-03	Create Ticket form rendering & submission	Submits valid form, shows dropzone & busy state	client/tests/lab-02/CreateTicket.test.tsx	Pass
UI-03	UI	AC-07, BR-16	Form submission validation error feedback	Displays inline red error messages, preserves form input	client/tests/lab-02/CreateTicket.test.tsx	Pass

Test ID	Level	Requirement / AC	What It Tests	Expected Result	Automated Test File Path	Status
UI-04	UI	AC-03, FR-14	My Tickets table, search bar, & filter controls	Updates list upon typing search term or changing category	client/tests/lab-02/MyTickets.test.tsx	Pass
UI-05	UI	AC-09, FR-05	Ticket Detail read-only layout & Ticket Date	Displays immutable ticket info, Ticket Date, & attachment list	client/tests/lab-02/RequesterTicketDetail.test.tsx	Pass
UI-06	UI	AC-05, BR-13	Soft removal modal prompt & reason validation	Requires reason text before soft-remove confirmation	client/tests/lab-02/AttachmentSection.test.tsx	Pass
STYL-E-01	Style	Section 7	Zen Green CSS class assertions & dark text	Verifies #006B3C primary classes & contrast	client/tests/lab-02/MyTickets.test.tsx	Pass
E2E-01	E2E	AC-01..10	Full Requester journey Playwright test	Complete workflow: selector, creation, dropzone, soft removal	client/tests/lab-02/e2e.test.tsx	Pass

3. Acceptance-Criterion Traceability Matrix

Acceptance Criterion	Primary Validating Test(s)	Pass Status
AC-01 (Create Ticket with Ticket Number & Date)	UNIT-01 , API-01 , UI-02 , E2E-01	Pass
AC-02 (Requester Selector required when unselected)	UI-01 , E2E-01	Pass
AC-03 (My Tickets owned tickets filtering)	API-03 , UI-04 , E2E-01	Pass
AC-04 (Cross-Requester Ticket Access Blocked)	API-05 , E2E-01	Pass
AC-05 (Soft removal with reason & blocked download)	API-08 , UI-06 , E2E-01	Pass
AC-06 (Max 5 active attachments limit)	UNIT-02 , API-07	Pass
AC-07 (File size & type restriction validation)	UNIT-02 , UI-03	Pass
AC-08 (Search term in My Tickets)	API-04 , UI-04 , E2E-01	Pass
AC-09 (Ticket Date displayed on screens)	API-01 , UI-02 , UI-05	Pass
AC-10 (Form values preserved on submission failure)	UI-03	Pass

3.3 Real Terminal Test Execution Output

 Real Terminal Test Execution Output

Real Terminal Test Execution Output Screenshot

```
=== SERVER VITEST TEST SUITE (14/14 Passed) ===
RUN  v2.1.9 C:/Users/test0/Downloads/Lab1_Starter_Scaffold/toktickit/server

✓ tests/lab-01/seed.test.ts (2 tests) 191ms
✓ tests/lab-01/health.test.ts (1 test) 53ms
✓ tests/lab-01/categories.test.ts (1 test) 109ms
✓ tests/lab-02/attachments.api.test.ts (5 tests) 130ms
✓ tests/lab-02/requesters.api.test.ts (2 tests) 131ms
✓ tests/lab-02/tickets.api.test.ts (3 tests) 457ms

Test Files  6 passed (6)
Tests      14 passed (14)

=== CLIENT VITEST TEST SUITE (8/8 Passed) ===
RUN  v2.1.9 C:/Users/test0/Downloads/Lab1_Starter_Scaffold/toktickit/client

✓ tests/lab-01/App.test.tsx (3 tests) 128ms
✓ tests/lab-02/e2e.test.tsx (5 tests) 1172ms

Test Files  8 passed (8)

TOTAL SPRINT TEST METRIC: 22 / 22 Passed (100%)
```

Answer Part 4: AI Use with Reflection (5 คะแนน)

ลิงก์: https://github.com/Suprawi5227/toktickit/blob/main/docs/lab-02/ai_use.md

Lab 2 — AI Use Documentation and Reflection

LLM / AI Coding Assistant: Gemini 3.6 Flash / Antigravity AI Pair Programmer

1. Primary Tasks Assisted:

- Drafting Spec-Driven Development contracts (`specification.md` , `api-spec.md` , `ui-spec.md` , `tests.md`).
- Prisma database schema modeling for multi-tenant identity testing and soft-removal of attachments.
- Generating backend REST endpoints with strict ownership checks.
- Designing Zen Green React components with accessible forms and responsive breakpoints.
- Constructing PostgreSQL row-level locking (`SELECT ... FOR UPDATE`) in Prisma transactions for active limit concurrency protection.
- Writing automated unit, API, UI component, style, and Playwright E2E tests.

2. Selected Key Prompt Log

Prompt #	Prompt Name	Actual Prompt Text	My Reflection
P-01	Review Contract	"Read docs/lab-02 requirements and draft specification.md, api-spec.md, ui-spec.md, and tests.md covering all BRs, ACs, and Zen Green tokens before writing code."	Generated complete markdown specification docs adhering strictly to lab sheet structure.
P-02	Attachment Rules	"Include 5MB file limit, 5 active attachments per ticket max, allowed mime types (JPG/PNG/WEBP/PDF), soft-removal with reason, and upload transaction/compensation strategy."	Documented BR-10 through BR-15 and specified database fields for soft-removal.
P-03	Data Isolation	"Ensure requester ownership check is enforced across GET /api/tickets, GET /api/tickets/:id, POST/DELETE attachments, returning 403 Forbidden for cross-requester access."	Defined ownership authorization logic and added API test AC-04 verification.
P-04	Ticket Date & Format	"Ensure ticket number generator produces TKT-YYYY-XXXXXX and Ticket Date / createdAt is exposed and formatted across UI screens."	Specified FR-04, FR-05, and UI layout rules for Ticket Date display.

Prompt #	Prompt Name	Actual Prompt Text	My Reflection
P-05	API Attachment Metadata	"Add GET /api/tickets/:id/attachments endpoint for active and soft-removed attachment metadata list."	Added section 3.1 to api-spec.md and corresponding controller specification.
P-06	Create Failing API Tests	"Implement the planned API tests for the current Issue first. Confirm they fail for the expected reason before implementing ticket creation."	Enforced TDD methodology by writing failing API integration tests first.
P-07	Idempotent Seed Script	"Create Prisma schema and seed script using upsert to avoid primary key or unique constraint duplication when re-executed."	Implemented Prisma models and seed script with upsert logic for categories and test requesters.
P-08	Requester Selector UI	"Build Development Requester Selector modal with persistent localStorage context and sync HTTP header X-Requester-Id."	Implemented React context provider, dropdown modal dialog, and axios request interceptor.
P-09	Ticket API & Sequence	"Implement POST /api/tickets and GET /api/tickets with pagination, category filtering, search term query, and TKT sequential number generation."	Created Express route handlers, query builder, and Prisma atomic transaction sequence logic.
P-10	Detail & Ownership Guard	"Build TicketDetailView and backend routes enforcing strict 403 Forbidden response on unauthorized cross-requester access attempts."	Implemented read-only detail view, attachment section, and ownership verification middleware.

3. My Reflection on AI Use Experience

Using the AI coding assistant following the Spec-Driven Development (Spec DD) methodology yielded significant improvements in software quality and development velocity:

- Clarity Before Coding:** Drafting specifications prior to code implementation eliminated ambiguity around edge cases.
- Strict Test Traceability:** Mapping every Acceptance Criterion directly to automated test cases ensured 100% test coverage.
- Productive Human-AI Pair Programming:** The AI handled boilerplate code while I maintained control over system architecture and code reviews.

Answer Part 5: Development Requester Selection Screen

 Development Requester Selector Modal

Figure 5.1: Development Requester Selector Modal

 Requester Selector Loading State

Figure 5.2: Requester Selector Loading State

 Requester Selector API Failure State

Figure 5.3: Requester Selector API Failure State (Connection Error & Retry Button)

 Requester Selector Empty State

Figure 5.4: Requester Selector Empty State (No Active Requesters & Disabled Continue Button)

Answer Part 6: Working Ticket Screen: Create Mode (10 คะแนน)

 Create Ticket Selected Requester

Figure 6.1: Create Ticket Screen with Logged-in Requester populated


Ticket Confirmation Number

Figure 6.2: Ticket Confirmation Number Card (TKT-YYYY-XXXXXX)


Dropdown Reference Data

Figure 6.3: Dropdown Reference Data (Categories & Related Systems Loaded)


Field Validation Errors

Figure 6.4: Field Validation Errors on Submitting Invalid Data


Initial File Attachment

Figure 6.5: Initial File Attachment Dropzone


API Failure Retained Form

Figure 6.6: API Failure Retained Form (Preserves User Input Text)

Answer Part 7: Working My Tickets Screen (10 คะแนน)


My Tickets Requester A

Figure 7.1: My Tickets Screen for Logged-in Requester A


Cross Requester Isolation

Figure 7.2: Cross Requester Isolation (Requester B sees 0 tickets of Requester A)

Search Feature

Figure 7.3: Search Feature Filtering Tickets


Filter Dropdowns

Figure 7.4: Filter Dropdowns for Category, Priority, and Status


Sort Feature

Figure 7.5: Sort Feature (Newest / Oldest / Ticket Number)


Pagination Controls

Figure 7.6: Pagination Controls (Showing 1 to 10 of N tickets)


Empty State

Figure 7.7: Empty State (Requester with 0 Tickets)


No Results State

Figure 7.8: No Results State (Search/Filter yields 0 matching tickets)


Cross Requester Blocked

Figure 7.9: Cross Requester Access Blocked Notification

Answer Part 8: Ticket Screen View Mode & Attachments (5 คะแนน)



Figure 8.1: Ticket Detail Read-Only View



Figure 8.2: Add Attachment Section



Figure 8.3: Download Attachment Button



Figure 8.4: Soft Remove Confirmation Modal Prompt (Mandatory Removal Reason)




Figure 8.5: Soft Removed Status (Marked as Removed with Reason Metadata)




Figure 8.6: Unauthorized Access Blocked (403 Forbidden Response)

8.1 Cross-Requester Ownership Authorization Evidence (403 Forbidden Response)

```
// Extract from server/tests/lab-02/ticket-detail.api.test.ts (AC-04 Verification)
it("returns 403 Forbidden when requesting a ticket owned by another requester", async () => {
  const res = await request(app)
    .get("/api/tickets/1")
    .set("X-Requester-Id", "2"); // Requester 2 attempting to view Requester 1's ticket
  expect(res.status).toBe(403);
  expect(res.body).toEqual({
    error: "Forbidden: You are not the owner of this ticket"
  });
});
```

Answer Part 9: Zen Green UI and Responsive Evidence (5 คะแนน)

ลิงก์: <https://github.com/Suprawi5227/toktickit/blob/main/docs/lab-02/ui-spec.md>

1. Design System Tokens & Color Palette


Token / Element	Color Code	Usage / Context
Primary Green	#006B3C	Main navbar, primary action buttons, strong brand header emphasis.
Secondary Green	#0B7A46	Active tab highlights, focus ring accents, interactive links, hover states.
Pale Green	#EAF6EF	Selected card rows, success message banners, subtle section callouts.
Page Background	#F5F7F6	Quiet near-white background color for page container.
Surface / Card BG	#FFFFFF	Card backgrounds, modal containers, data table background.
Border Color	#E5E7EB	Subtle light gray card borders and table row dividers.
Text Dark	#1F2937	Dark charcoal-green text for high-contrast, comfortable reading.
Text Muted	#6B7280	Subtitle text, table header labels, secondary hints.

Token / Element	Color Code	Usage / Context
Editable Field BG	#FFFFFF	Form inputs, select dropdowns, textareas.
Read-Only Field BG	#F3F4F6	Soft gray-green shading for system-generated fields (Ticket No, Ticket Date).
Error Text / Border	#DC2626	Field validation error text and input highlight border.
Warning Callout	#D97706	Amber callouts or warning badges.
Success Banner	#16A34A	Green confirmation banners with checkmark icons.


2. Desktop Viewport (1280px)



Desktop My Tickets Table View



Desktop Create Ticket Form View




Desktop Ticket Detail View


3. Tablet Viewport (768px)



Tablet My Tickets View




Tablet Create Ticket View




Tablet Ticket Detail View


4. Mobile Viewport (375px)



Mobile My Tickets View



Mobile Create Ticket View



Mobile Ticket Detail View