

Create VPC

A VPC is an isolated portion of the AWS Cloud populated by AWS objects, such as Amazon EC2 instances.

VPC settings

Resources to create

Create only the VPC resource or the VPC and other networking resources.

VPC only

VPC and more

Name tag - optional

Creates a tag with a key of 'Name' and a value that you specify.

my-vpc-01

IPv4 CIDR block

IPv4 CIDR manual input

IPAM-allocated IPv4 CIDR block

IPv4 CIDR

10.0.0.0/24

VPC > Your VPCs > vpc-0aeaf79b9f5830a1

VPC dashboard

AWS Global View

Filter by VPC

Virtual private cloud

Your VPCs

Subnets

Route tables

Internet gateways

Egress-only internet gateways

DHCP option sets

Elastic IPs

Managed prefix lists

VPC > Subnets > Create subnet

You successfully created vpc-0aeaf79b9f5830a1 / aws-vpc

vpc-0aeaf79b9f5830a1 / aws-vpc

Actions

Details

VPC ID
vpc-0aeaf79b9f5830a1

DNS resolution
Enabled

Main network ACL
acl-070229028ea8ed48c

IPv6 CIDR (Network border group)
-

Encryption control ID
-

State
Available

Tenancy
default

Default VPC
No

Network Address Usage metrics
Disabled

Encryption control mode
-

Block Public Access
Off

DHCP option set
dopt-079667757f03710ef

IPv4 CIDR
11.0.0.0/16

Route 53 Resolver DNS Firewall rule groups
-

DNS hostnames
Disabled

Main route table
rtb-090c4bcdeae52447

IPv6 pool
-

Owner ID
842921968896

Create subnet

VPC

VPC ID

Create subnets in this VPC.

vpc-0aeaf79b9f5830a1 (aws-vpc)

Associated VPC CIDRs

IPv4 CIDRs
11.0.0.0/16

Subnet settings

Specify the CIDR blocks and Availability Zone for the subnet.

Subnet 1 of 1

Subnet name

Create a tag with a key of 'Name' and a value that you specify.

my-subnet-01

The name can be up to 256 characters long.

You have successfully created 2 subnets: subnet-0b16d14c1700285e0, subnet-04f8c999d7a56c25f

Subnets (2)

Last updated
less than a minute ago

Actions

Create subnet

Find subnets by attribute or tag

Subnet ID: subnet-0b16d14c1700285e0

Subnet ID: subnet-04f8c999d7a56c25f

Clear filters

	Name	Subnet ID	State	VPC	Block Public...	IPv4 CIDR
☐	aws-private-sb	subnet-04f8c999d7a56c25f	Available	vpc-0aeaf79b9f5830a1 aws-vpc	Off	11.0.2.0/24
☐	aws-public-sb	subnet-0b16d14c1700285e0	Available	vpc-0aeaf79b9f5830a1 aws-vpc	Off	11.0.1.0/24

Create internet gateway [Info](#)

An internet gateway is a virtual router that connects a VPC to the internet. To create a new internet gateway specify the name for the gateway below.

Internet gateway settings

Name tag

Creates a tag with a key of 'Name' and a value that you specify.

aws-ig

Tags - optional

A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.

Key

Q Name

Value - optional

Q aws-ig

Remove

Add new tag

You can add 49 more tags.

Cancel

Create internet gateway

✓ The following internet gateway was created: igw-0ced8268a8a5fdffd - aws-ig. You can now attach to a VPC to enable the VPC to communicate with the internet.

Attach to a VPC



igw-0ced8268a8a5fdffd / aws-ig

Actions

Details [Info](#)

Internet gateway ID

igw-0ced8268a8a5fdffd

State

Detached

VPC ID

-

Owner

842921968896

Tags (1)

Q Search tags

Manage tags

< 1 > ⚙

Key

Value

Name

aws-ig

✓ The following internet gateway was created: igw-0ced8268a8a5fdffd - aws-ig. You can now attach to a VPC to enable the VPC to communicate with the internet.

Attach to a VPC



Attach to VPC (igw-0ced8268a8a5fdffd) [Info](#)

VPC

Attach an internet gateway to a VPC to enable the VPC to communicate with the internet. Specify the VPC to attach below.

Available VPCs

Attach the internet gateway to this VPC.

Q vpc-0aefaf79b9f5830a1

► AWS Command Line Interface command

Cancel

Attach internet gateway

Create route table [Info](#)

A route table specifies how packets are forwarded between the subnets within your VPC, the internet, and your VPN connection.

Route table settings

Name - optional

Create a tag with a key of 'Name' and a value that you specify.

aws-public-rt

VPC

The VPC to use for this route table.

vpc-0aefaf79b9f5830a1 (aws-vpc)

Tags

A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.

Key

Q Name

Value - optional

Q aws-public-rt

Remove

Add new tag

You can add 49 more tags.

Cancel

Create route table

Route tables (4) Info

Last updated less than a minute ago

Actions

Create route table

Find route tables by attribute or tag

<

1

>

☐	Name	Route table ID	Explicit subnet associ...	Edge associations	Main	VPC
☐	-	rtb-047400b581f97ec2c	-	-	Yes	vpc-008a5be236609f089
☐	-	rtb-090c4bcdeae52447	-	-	Yes	vpc-0aefaf79b9f5830a1 aws-vp
☐	aws-public-rt	rtb-06b7009fdd4c392bb	-	-	No	vpc-0aefaf79b9f5830a1 aws-vp
☐	aws-private-rt	rtb-018e9d5c64aad7128	-	-	No	vpc-0aefaf79b9f5830a1 aws-vp

rtb-018e9d5c64aad7128 / aws-private-rt

Actions

Details Info

Route table ID
rtb-018e9d5c64aad7128

VPC
vpc-0aefaf79b9f5830a1 | aws-vpc

Main
No

Owner ID
842921968896

Explicit subnet associations
-

Edge associations
-

Routes

Subnet associations

Edge associations

Route propagation

Tags

Explicit subnet associations (0)

Find subnet association

< 1 >

Name	Subnet ID	IPv4 CIDR	IPv6 CIDR
No subnet associations You do not have any subnet associations.			

You have successfully updated subnet associations for rtb-06b7009fdd4c392bb / aws-public-rt.

rtb-06b7009fdd4c392bb / aws-public-rt

Actions

Details Info

Route table ID

Main

Explicit subnet associations

Edge associations

Routes

Subnet associations

Edge associations

Route propagation

Tags

Routes (1)

Filter routes

Both

Edit routes

< 1 >

Destination	Target	Status	Propagated	Route Origin
11.0.0.0/16	local	Active	No	Create Route Table

Edit routes

Destination
11.0.0.0/16

Target
local

Status
Active

Propagated
No

Route Origin
CreateRouteTable

Q 0.0.0.0/0

Internet Gateway

-

No

CreateRoute

Remove

Add route

Cancel

Preview

Save changes

Create NAT gateway info

A highly available, managed Network Address Translation (NAT) service that instances in private subnets can use to connect to services in other VPCs, on-premises networks, or the internet.

NAT gateway settings

Name - optional

Create a tag with a key of 'Name' and a value that you specify.

aws-natgw

The name can be up to 256 characters long.

Availability mode info

Choose whether to deploy across all zones in the region or restrict to a single availability zone.

Regional - new

Scales automatically across all regional AZs, simplifying management for multi AZ deployments.

Zonal

Provides granular control within a specific availability zone, adhering to subnet level settings.

Subnet

Select a subnet in which to create the NAT gateway.

subnet-0b16d14c1700285e0 (aws-public-sb)

Connectivity type

Select a connectivity type for the NAT gateway.

NAT gateways (1) Info

Find NAT gateways by attribute or tag

Actions

Create NAT gateway

Name	NAT gateway ID	Connectivity...	State	State message	Availability ...	Route table ID	P
☐ aws-natgw	nat-077d0ea930f780195	Public	Pending	-	Zonal	-	-

VPC > Route tables > rtb-018e9d5c64aad7128 > Edit routes

Edit routes

Destination

11.0.0.0/16

Target

local

Q local

NAT Gateway

nat-077d0ea930f780195

Status

Active

Propagated

No

Route Origin

CreateRouteTable

Q 0.0.0.0/0

X

NAT Gateway

nat-077d0ea930f780195

-

No

CreateRoute

Remove

Add route

Cancel

Preview

Save changes

EC2 > Instances

EC2

Dashboard

AWS Global View

Events

Instances

Instances

Instance Types

Launch Templates

Instances Info

Find Instance by attribute or tag (case-sensitive)

All states

Name	Instance ID	Instance state	Instance type	Status check	Alarm status	Availability Zone	Public IPv4
No instances							
You do not have any instances in this region							
Launch instances							

Instances (2) Info

Find Instance by attribute or tag (case-sensitive)

All states

Name	Instance ID	Instance state	Instance type	Status check	Alarm status	Availability Zone	Public IPv4
☐ aws-ec2-private	i-095555ae919fe518c	Running	t3.micro	Initializing	View alarms +	eu-north-1b	-
☐ aws-ec2-public	i-0bb9d9ca2a193451c	Running	t3.micro	Initializing	View alarms +	eu-north-1a	-

```

SUPRIYA GOUDA@DESKTOP-FES1JTC MINGW64 ~
$ cd Downloads

SUPRIYA GOUDA@DESKTOP-FES1JTC MINGW64 ~/Downloads (master)
$ chmod 400 ssh-publickey.pem

SUPRIYA GOUDA@DESKTOP-FES1JTC MINGW64 ~/Downloads (master)
$ ssh -i ssh-publickey.pem ubuntu@51.21.129.40
The authenticity of host '51.21.129.40 (51.21.129.40)' can't be established.
ED25519 key fingerprint is SHA256:5vkvdtdvAH0DxCONzhTWyz/xaljqQ8lOLF5luFbnbhy.
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '51.21.129.40' (ED25519) to the list of known hosts.
Welcome to Ubuntu 24.04.4 LTS (GNU/Linux 6.17.0-1007-aws x86_64)

 * Documentation:  https://help.ubuntu.com
 * Management:    https://landscape.canonical.com
 * Support:       https://ubuntu.com/pro

System information as of Sun Mar 22 16:52:28 UTC 2026

System load: 0.0           Temperature: -273.1 C
Usage of /: 26.3% of 6.71GB Processes: 109
Memory usage: 24%         Users logged in: 0
Swap usage: 0%            IPv4 address for ens5: 11.0.1.54

Expanded Security Maintenance for Applications is not enabled.

0 updates can be applied immediately.

Enable ESM Apps to receive additional future security updates.
See https://ubuntu.com/esm or run: sudo pro status

The list of available updates is more than a week old.
To check for new updates run: sudo apt update

The programs included with the Ubuntu system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by
applicable law.

To run a command as administrator (user "root"), use "sudo <command>".
See "man sudo_root" for details.

ubuntu@ip-11-0-1-54:~$ curl ipinfo.io
{
  "ip": "51.21.129.40",
  "hostname": "ec2-51-21-129-40.eu-north-1.compute.amazonaws.com",
  "city": "Stockholm",
  "region": "Stockholm",
  "country": "SE",
  "loc": "59.3294,18.0687",
  "org": "AS16509 Amazon.com, Inc.",
  "postal": "195 87",
  "timezone": "Europe/Stockholm",
  "readme": "https://ipinfo.io/missingauth"
}
ubuntu@ip-11-0-1-54:~$

```