

DBT MCQs

1. Which of the following best defines DBMS?

- A) A programming language for web design
- B) A software system to store, manage, and retrieve data
- C) A hardware component
- D) A network protocol

Answer: B

2. Which DBMS type stores data in key-value format?

- A) Relational DBMS
- B) NoSQL
- C) Object Relational DBMS
- D) Hierarchical DBMS

Answer: B

3. What is the main purpose of ER diagrams?

- A) Writing SQL queries
- B) Designing database schema visually
- C) Executing transactions
- D) Storing data

Answer: B

4. Which rule is NOT part of Codd's 12 rules?

- A) Information rule
- B) Null rule
- C) Encryption rule
- D) Integrity rule

Answer: C

5. Which SQL command category does CREATE belong to?

- A) DML
- B) DDL
- C) DCL
- D) TCL

DBT MCQs

Answer: B

6. Which command removes table structure permanently?

- A) DELETE
- B) DROP
- C) TRUNCATE
- D) REMOVE

Answer: B

7. What does normalization mainly reduce?

- A) Speed
- B) Data redundancy
- C) Security
- D) Index size

Answer: B

8. Which normal form removes partial dependency?

- A) 1NF
- B) 2NF
- C) 3NF
- D) BCNF

Answer: B

9. Which clause filters grouped records?

- A) WHERE
- B) HAVING
- C) ORDER BY
- D) DISTINCT

Answer: B

10. What does LIKE operator do?

DBT MCQs

- A) Exact match
- B) Pattern matching
- C) Sorting
- D) Joining

Answer: B

11. Which join returns only matching rows?

- A) LEFT JOIN
- B) RIGHT JOIN
- C) INNER JOIN
- D) FULL JOIN

Answer: C

12. What does AUTO_INCREMENT do?

- A) Decreases value automatically
- B) Automatically generates unique number
- C) Deletes duplicates
- D) Encrypts values

Answer: B

13. Which statement permanently saves transaction?

- A) ROLLBACK
- B) SAVEPOINT
- C) COMMIT
- D) GRANT

Answer: C

14. Which command gives permissions?

- A) REVOKE
- B) GRANT
- C) PERMIT
- D) ALLOW

Answer: B

DBT MCQs

15. A VIEW in SQL is:

- A) Physical table
- B) Virtual table
- C) Index
- D) Stored procedure

Answer: B

16. Which relational algebra operation selects rows?

- A) Projection
- B) Selection
- C) Union
- D) Join

Answer: B

17. UNION operator:

- A) Keeps duplicates
- B) Removes duplicates
- C) Sorts data
- D) Filters rows

Answer: B

18. Which join combines all rows from both tables?

- A) INNER JOIN
- B) CROSS JOIN
- C) LEFT JOIN
- D) FULL OUTER JOIN

Answer: D

19. Index in DBMS is used to:

- A) Slow queries
- B) Improve query speed

DBT MCQs

- C) Delete data
- D) Encrypt data

Answer: B

20. Default storage engine in MySQL is:

- A) MyISAM
- B) InnoDB
- C) MEMORY
- D) CSV

Answer: B

21. Which command creates stored procedure?

- A) CREATE FUNCTION
- B) CREATE PROCEDURE
- C) CREATE TRIGGER
- D) CREATE VIEW

Answer: B

22. OUT parameter is used to:

- A) Input only
- B) Output only
- C) Both input and output
- D) None

Answer: B

23. BETWEEN operator is used for:

- A) Pattern matching
- B) Range checking
- C) Sorting
- D) Joining

Answer: B

DBT MCQs

24. ORDER BY is used for:

- A) Filtering
- B) Sorting
- C) Grouping
- D) Indexing

Answer: B

25. TRUNCATE command:

- A) Deletes specific rows
- B) Deletes all rows but keeps structure
- C) Deletes table
- D) Updates table

Answer: B

26. EXISTS keyword is used in:

- A) Joins
- B) Subqueries
- C) Indexing
- D) Views

Answer: B

27. ACID stands for:

- A) Access Control Integrity Data
- B) Atomicity, Consistency, Isolation, Durability
- C) Advanced Computing Interface Design
- D) None

Answer: B

28. Cursor in DBMS is used for:

- A) Indexing
- B) Row-by-row processing
- C) Sorting
- D) Joining tables

DBT MCQs

Answer: B

29. BEFORE trigger executes:

- A) After insert
- B) Before insert/update/delete
- C) Only after commit
- D) Randomly

Answer: B

30. MongoDB stores data in:

- A) Tables
- B) Rows
- C) Documents
- D) Columns

Answer: C

31. BSON is:

- A) Binary JSON format
- B) SQL format
- C) Text format
- D) Graph format

Answer: A

32. CAP theorem includes:

- A) Consistency, Availability, Partition tolerance
- B) Control, Access, Performance
- C) Cache, API, Processing
- D) None

Answer: A

33. UPSERT means:

DBT MCQs

- A) Insert only
- B) Update only
- C) Insert or update
- D) Delete or insert

Answer: C

34. Which MongoDB operator is used for filtering?

- A) \$filter
- B) \$match
- C) \$select
- D) \$where

Answer: B

35. Normalization aims to:

- A) Increase redundancy
- B) Reduce redundancy
- C) Increase duplication
- D) Increase storage

Answer: B

36. 3NF removes:

- A) Partial dependency
- B) Transitive dependency
- C) Functional dependency
- D) Redundancy only

Answer: B

37. Primary key must be:

- A) Null allowed
- B) Unique and not null
- C) Duplicate allowed
- D) Optional

Answer: B

DBT MCQs

38. Which SQL command deletes specific rows?

- A) DROP
- B) DELETE
- C) TRUNCATE
- D) REMOVE

Answer: B

39. GROUP BY is used to:

- A) Sort data
- B) Group rows
- C) Join tables
- D) Filter columns

Answer: B

40. MySQL Workbench is used for:

- A) Hardware testing
- B) Database design and management
- C) Network configuration
- D) Programming Java

Answer: B

41. Which SQL constraint ensures uniqueness of a column?

- A) NOT NULL
- B) UNIQUE
- C) DEFAULT
- D) CHECK

Answer: B

42. What will be the output?

```
SELECT COUNT(*) FROM table WHERE id = NULL;
```

DBT MCQs

- A) 0
- B) NULL
- C) Error
- D) 1

Answer: A

43. Which join returns all records from left table and matched from right?

- A) INNER JOIN
- B) LEFT JOIN
- C) RIGHT JOIN
- D) CROSS JOIN

Answer: B

44. Which SQL clause is mandatory in SELECT query?

- A) WHERE
- B) SELECT
- C) FROM
- D) GROUP BY

Answer: C

45. Which normal form removes repeating groups?

- A) 1NF
- B) 2NF
- C) 3NF
- D) BCNF

Answer: A

46. What is the output of this query concept?

`SELECT 10 / 3;`

- A) 3
- B) 3.33
- C) 3.0
- D) 4

DBT MCQs

Answer: B

47. Which command removes duplicates in result set?

- A) UNIQUE
- B) DISTINCT
- C) GROUP
- D) ORDER

Answer: B

48. Which SQL operator is used for range checking?

- A) IN
- B) BETWEEN
- C) LIKE
- D) EXISTS

Answer: B

49. Which command modifies table structure?

- A) INSERT
- B) UPDATE
- C) ALTER
- D) SELECT

Answer: C

50. What does foreign key do?

- A) Uniquely identifies row
- B) Links two tables
- C) Encrypts data
- D) Deletes records

Answer: B

51. Which join is also called Cartesian product?

DBT MCQs

- A) INNER JOIN
- B) CROSS JOIN
- C) LEFT JOIN
- D) SELF JOIN

Answer: B

52. What is the output behavior of NULL in arithmetic?

- A) 0
- B) NULL
- C) Error
- D) 1

Answer: B

53. Which command removes all rows and resets table faster?

- A) DELETE
- B) DROP
- C) TRUNCATE
- D) REMOVE

Answer: C

54. Which keyword is used for grouping in SQL?

- A) ORDER BY
- B) GROUP BY
- C) SORT BY
- D) COLLECT BY

Answer: B

55. Which DBMS model uses documents?

- A) Relational
- B) NoSQL
- C) Hierarchical
- D) Network

Answer: B

DBT MCQs

56. MongoDB collections are similar to:

- A) Tables
- B) Rows
- C) Columns
- D) Views

Answer: A

57. Which NoSQL type is graph-based?

- A) MongoDB
- B) Redis
- C) Neo4j
- D) Cassandra

Answer: C

58. Which SQL clause filters rows before grouping?

- A) HAVING
- B) WHERE
- C) ORDER BY
- D) GROUP BY

Answer: B

59. Which command is used to remove index?

- A) DROP INDEX
- B) DELETE INDEX
- C) REMOVE INDEX
- D) CLEAR INDEX

Answer: A

60. ACID property ensures:

- A) Speed
- B) Reliability of transactions

DBT MCQs

- C) UI performance
- D) Data compression

Answer: B

61. Which command is used to give user access?

- A) GRANT
- B) REVOKE
- C) PERMIT
- D) ALLOW

Answer: A

62. Which statement about VIEW is true?

- A) Stores data physically
- B) Stores query result logically
- C) Always editable
- D) Used for indexing

Answer: B

63. Which join returns only common records?

- A) LEFT JOIN
- B) RIGHT JOIN
- C) INNER JOIN
- D) FULL JOIN

Answer: C

64. What is output?

```
SELECT 5 BETWEEN 10 AND 20;
```

- A) TRUE
- B) FALSE
- C) NULL
- D) Error

Answer: B

DBT MCQs

65. Which is NOT a NoSQL type?

- A) Key-Value
- B) Document
- C) Column
- D) Relational

Answer: D

66. Which command is used in transaction control?

- A) SELECT
- B) COMMIT
- C) CREATE
- D) DROP

Answer: B

67. Which SQL function returns highest value?

- A) MIN()
- B) MAX()
- C) SUM()
- D) AVG()

Answer: B

68. Which operator checks multiple values?

- A) BETWEEN
- B) IN
- C) LIKE
- D) EXISTS

Answer: B

69. Which is used for pattern matching?

- A) LIKE
- B) IN

DBT MCQs

- C) BETWEEN
- D) JOIN

Answer: A

70. Which command deletes entire database table?

- A) DELETE
- B) DROP
- C) TRUNCATE
- D) REMOVE

Answer: B

71. Which NoSQL database is document-oriented?

- A) MySQL
- B) MongoDB
- C) Oracle
- D) SQL Server

Answer: B

72. What does ERD represent?

- A) Execution flow
- B) Entity relationship design
- C) Encryption rule design
- D) Error reporting diagram

Answer: B

73. Which rule ensures no duplicate rows in table?

- A) Integrity rule
- B) Entity integrity
- C) Foreign rule
- D) Null rule

Answer: B

DBT MCQs

74. Which SQL command is used for filtering groups?

- A) WHERE
- B) HAVING
- C) GROUP BY
- D) ORDER BY

Answer: B

75. Which function counts rows?

- A) SUM()
- B) COUNT()
- C) AVG()
- D) TOTAL()

Answer: B

76. Which storage engine supports transactions?

- A) MyISAM
- B) InnoDB
- C) CSV
- D) MEMORY

Answer: B

77. Which command changes data in table?

- A) SELECT
- B) UPDATE
- C) CREATE
- D) DROP

Answer: B

78. Which keyword removes privileges?

- A) GRANT
- B) REVOKE
- C) REMOVE
- D) DENY

DBT MCQs

Answer: B

79. Which clause sorts descending?

- A) ORDER BY ASC
- B) ORDER BY DESC
- C) SORT DESC
- D) GROUP DESC

Answer: B

80. Which is used to check existence of record?

- A) IN
- B) EXISTS
- C) LIKE
- D) BETWEEN

Answer: B

81. Which SQL statement is used to remove a column from a table?

- A) DROP COLUMN
- B) DELETE COLUMN
- C) REMOVE COLUMN
- D) ALTER TABLE DROP COLUMN

Answer: D

82. What will be the output?

```
SELECT '10' + 5;
```

- A) 105
- B) 15
- C) 10
- D) Error

Answer: B

DBT MCQs

83. Which constraint ensures values follow a condition?

- A) CHECK
- B) UNIQUE
- C) PRIMARY KEY
- D) FOREIGN KEY

Answer: A

84. Which join returns all rows from both tables including unmatched?

- A) INNER JOIN
- B) FULL OUTER JOIN
- C) CROSS JOIN
- D) SELF JOIN

Answer: B

85. Which SQL keyword is used to eliminate duplicate rows?

- A) DISTINCT
- B) UNIQUE
- C) DIFFERENT
- D) SINGLE

Answer: A

86. What does normalization primarily reduce?

- A) Speed
- B) Data redundancy
- C) CPU usage
- D) Memory usage

Answer: B

87. Which normal form removes transitive dependency?

- A) 1NF
- B) 2NF
- C) 3NF
- D) BCNF

DBT MCQs

Answer: C

88. Which SQL clause is used after GROUP BY for filtering?

- A) WHERE
- B) HAVING
- C) ORDER BY
- D) DISTINCT

Answer: B

89. Which function returns the total of numeric column?

- A) COUNT()
- B) SUM()
- C) AVG()
- D) TOTAL()

Answer: B

90. Which operator is used for pattern matching?

- A) =
- B) LIKE
- C) IN
- D) BETWEEN

Answer: B

91. What is the output?

`SELECT NULL = NULL;`

- A) TRUE
- B) FALSE
- C) NULL
- D) Error

Answer: B

DBT MCQs

92. Which command removes all rows without logging individual row deletions?

- A) DELETE
- B) DROP
- C) TRUNCATE
- D) UPDATE

Answer: C

93. Which SQL clause is used to filter rows before grouping?

- A) HAVING
- B) WHERE
- C) ORDER BY
- D) GROUP BY

Answer: B

94. Which of the following is a NoSQL database?

- A) MySQL
- B) Oracle
- C) MongoDB
- D) SQL Server

Answer: C

95. BSON is mainly used in:

- A) MySQL
- B) MongoDB
- C) PostgreSQL
- D) Oracle

Answer: B

96. CAP theorem includes:

- A) Consistency, Availability, Partition tolerance
- B) Control, Access, Performance
- C) Cache, API, Protocol
- D) None

DBT MCQs

Answer: A

97. UPSERT means:

- A) Only insert
- B) Only update
- C) Insert or update
- D) Delete and insert

Answer: C

98. Which MongoDB operator is used for filtering?

- A) \$filter
- B) \$match
- C) \$select
- D) \$find

Answer: B

99. Which command is used to create a database in MongoDB?

- A) create db
- B) use
- C) db.create()
- D) new database

Answer: B

100. Which index improves search performance?

- A) Primary index only
- B) Secondary index only
- C) Index structure
- D) Foreign key

Answer: C

101. Which SQL command is used to modify data?

DBT MCQs

- A) UPDATE
- B) ALTER
- C) INSERT
- D) SELECT

Answer: A

102. Which join produces Cartesian product?

- A) INNER JOIN
- B) CROSS JOIN
- C) LEFT JOIN
- D) RIGHT JOIN

Answer: B

103. Which command is used to undo transaction?

- A) COMMIT
- B) SAVEPOINT
- C) ROLLBACK
- D) GRANT

Answer: C

104. Which keyword is used in subqueries?

- A) EXISTS
- B) GROUP
- C) ORDER
- D) DISTINCT

Answer: A

105. Which is NOT a SQL data type?

- A) INT
- B) VARCHAR
- C) BOOLEAN
- D) OBJECTFILE

Answer: D

DBT MCQs

106. Which command creates a view?

- A) CREATE TABLE
- B) CREATE VIEW
- C) CREATE INDEX
- D) CREATE PROCEDURE

Answer: B

107. Which storage engine supports ACID?

- A) MyISAM
- B) InnoDB
- C) CSV
- D) MEMORY

Answer: B

108. Which command is used to delete a database?

- A) DROP DATABASE
- B) DELETE DATABASE
- C) REMOVE DATABASE
- D) TRUNCATE DATABASE

Answer: A

109. Which clause is used to sort data?

- A) GROUP BY
- B) ORDER BY
- C) SORT BY
- D) ARRANGE BY

Answer: B

110. Which SQL keyword is used to define condition?

- A) WHERE
- B) HAVING

DBT MCQs

- C) BOTH A and B
- D) ORDER BY

Answer: C

111. Which operator is used for NULL checking?

- A) = NULL
- B) IS NULL
- C) NULL =
- D) CHECK NULL

Answer: B

112. Which NoSQL model is best for hierarchical data?

- A) Key-Value
- B) Graph
- C) Column
- D) Relational

Answer: B

113. Which command is used to create index?

- A) MAKE INDEX
- B) CREATE INDEX
- C) ADD INDEX
- D) BUILD INDEX

Answer: B

114. Which is true about views?

- A) Store physical data
- B) Store query definition
- C) Cannot be queried
- D) Always updatable

Answer: B

DBT MCQs

115. Which keyword is used to grant privileges?

- A) REVOKE
- B) GRANT
- C) PERMIT
- D) ALLOW

Answer: B

116. Which command is used to copy table structure?

- A) COPY TABLE
- B) CREATE TABLE AS
- C) CLONE TABLE
- D) DUPLICATE TABLE

Answer: B

117. Which is used to enforce uniqueness?

- A) FOREIGN KEY
- B) UNIQUE
- C) CHECK
- D) DEFAULT

Answer: B

118. Which function returns average value?

- A) SUM()
- B) AVG()
- C) COUNT()
- D) MAX()

Answer: B

119. Which SQL operation removes duplicate rows in result?

- A) DISTINCT
- B) UNIQUE
- C) GROUP
- D) FILTER

DBT MCQs

Answer: A

120. Which database model is most flexible?

- A) Relational
- B) NoSQL
- C) Hierarchical
- D) Network

Answer: B

121. Which SQL statement is used to add a new column to an existing table?

- A) MODIFY TABLE
- B) ALTER TABLE ADD COLUMN
- C) UPDATE TABLE
- D) INSERT COLUMN

Answer: B

122. What will be the output?

```
SELECT 10 / 0;
```

- A) 0
- B) NULL
- C) Error
- D) Infinity

Answer: C

123. Which constraint ensures a column cannot have NULL values?

- A) UNIQUE
- B) NOT NULL
- C) CHECK
- D) DEFAULT

Answer: B

DBT MCQs

124. Which join returns rows when there is a match in either table?

- A) INNER JOIN
- B) FULL OUTER JOIN
- C) CROSS JOIN
- D) SELF JOIN

Answer: B

125. Which SQL function returns the number of rows?

- A) SUM()
- B) COUNT()
- C) TOTAL()
- D) LENGTH()

Answer: B

126. Which command is used to remove a table completely?

- A) DELETE
- B) DROP
- C) TRUNCATE
- D) REMOVE

Answer: B

127. Which normal form removes multivalued dependency?

- A) 1NF
- B) 2NF
- C) 3NF
- D) 4NF

Answer: D

128. Which operator is used for set membership in SQL?

- A) BETWEEN
- B) IN
- C) LIKE
- D) EXISTS

DBT MCQs

Answer: B

129. What is the result of this query?

```
SELECT 'A' + 'B';
```

- A) AB
- B) 0
- C) Error
- D) NULL

Answer: B

130. Which SQL clause is used to group rows?

- A) ORDER BY
- B) GROUP BY
- C) HAVING
- D) DISTINCT

Answer: B

131. Which clause filters grouped results?

- A) WHERE
- B) HAVING
- C) GROUP BY
- D) ORDER BY

Answer: B

132. Which index type is automatically created on primary key?

- A) Secondary Index
- B) Clustered Index
- C) Composite Index
- D) Non-clustered Index

Answer: B

DBT MCQs

133. Which SQL command is used to change table structure?

- A) MODIFY
- B) ALTER
- C) CHANGE
- D) UPDATE

Answer: B

134. Which join is also called product of tables?

- A) INNER JOIN
- B) CROSS JOIN
- C) LEFT JOIN
- D) RIGHT JOIN

Answer: B

135. Which keyword is used to remove duplicate values?

- A) UNIQUE
- B) DISTINCT
- C) DIFFERENT
- D) SINGLE

Answer: B

136. Which SQL statement is used to create a database?

- A) CREATE TABLE
- B) CREATE DATABASE
- C) NEW DATABASE
- D) MAKE DATABASE

Answer: B

137. What does foreign key ensure?

- A) Data uniqueness
- B) Referential integrity
- C) Sorting
- D) Encryption

DBT MCQs

Answer: B

138. Which command is used to save transaction permanently?

- A) ROLLBACK
- B) SAVEPOINT
- C) COMMIT
- D) GRANT

Answer: C

139. Which statement removes all records but keeps structure?

- A) DROP
- B) DELETE
- C) TRUNCATE
- D) REMOVE

Answer: C

140. Which operator is used for pattern matching?

- A) LIKE
- B) IN
- C) BETWEEN
- D) EXISTS

Answer: A

141. Which NoSQL database is document-based?

- A) Redis
- B) MongoDB
- C) Cassandra
- D) Neo4j

Answer: B

142. BSON stands for:

DBT MCQs

- A) Binary SQL Object Notation
- B) Binary JSON
- C) Basic Structured Object Node
- D) None

Answer: B

143. CAP theorem includes:

- A) Consistency, Availability, Partition tolerance
- B) Cache, API, Protocol
- C) Control, Access, Performance
- D) None

Answer: A

144. UPSERT means:

- A) Insert only
- B) Update only
- C) Insert or update
- D) Delete or insert

Answer: C

145. Which MongoDB operator filters data?

- A) \$filter
- B) \$match
- C) \$select
- D) \$query

Answer: B

146. Which command is used to create index in MongoDB?

- A) createIndex()
- B) makeIndex()
- C) addIndex()
- D) buildIndex()

Answer: A

DBT MCQs

147. Which SQL operation is used to remove a column?

- A) DROP COLUMN
- B) DELETE COLUMN
- C) ALTER TABLE DROP COLUMN
- D) REMOVE COLUMN

Answer: C

148. Which SQL function returns highest value?

- A) MIN()
- B) MAX()
- C) SUM()
- D) AVG()

Answer: B

149. Which keyword is used to check NULL values?

- A) = NULL
- B) IS NULL
- C) NULL CHECK
- D) CHECK NULL

Answer: B

150. Which join returns only matching rows?

- A) LEFT JOIN
- B) RIGHT JOIN
- C) INNER JOIN
- D) FULL JOIN

Answer: C

151. Which SQL clause is used to filter rows before grouping?

- A) HAVING
- B) WHERE

DBT MCQs

- C) GROUP BY
- D) ORDER BY

Answer: B

152. Which command is used to remove index?

- A) DROP INDEX
- B) DELETE INDEX
- C) REMOVE INDEX
- D) CLEAR INDEX

Answer: A

153. Which NoSQL type uses graph structure?

- A) MongoDB
- B) Redis
- C) Neo4j
- D) Cassandra

Answer: C

154. Which property ensures all or nothing in transactions?

- A) Consistency
- B) Atomicity
- C) Isolation
- D) Durability

Answer: B

155. Which SQL command is used for updating data?

- A) INSERT
- B) UPDATE
- C) ALTER
- D) MODIFY

Answer: B

DBT MCQs

156. Which function counts rows?

- A) COUNT()
- B) SUM()
- C) AVG()
- D) TOTAL()

Answer: A

157. Which keyword is used to combine subquery results?

- A) UNION
- B) JOIN
- C) GROUP
- D) MERGE

Answer: A

158. Which constraint ensures default value?

- A) DEFAULT
- B) CHECK
- C) UNIQUE
- D) PRIMARY KEY

Answer: A

159. Which SQL command deletes specific rows?

- A) DROP
- B) DELETE
- C) TRUNCATE
- D) REMOVE

Answer: B

160. Which operator checks range values?

- A) IN
- B) BETWEEN
- C) LIKE
- D) EXISTS

DBT MCQs

Answer: B

161. Which MongoDB operation retrieves data?

- A) find()
- B) get()
- C) select()
- D) fetch()

Answer: A

162. Which NoSQL model is fastest for caching?

- A) Graph
- B) Key-Value
- C) Document
- D) Column

Answer: B

163. Which command creates table structure?

- A) CREATE TABLE
- B) INSERT TABLE
- C) NEW TABLE
- D) BUILD TABLE

Answer: A

164. Which clause is used for sorting data?

- A) GROUP BY
- B) ORDER BY
- C) SORT BY
- D) ARRANGE BY

Answer: B

165. Which SQL feature ensures consistency?

DBT MCQs

- A) ACID
- B) BASE
- C) CAP
- D) CRUD

Answer: A

166. Which command is used for rollback?

- A) COMMIT
- B) SAVEPOINT
- C) ROLLBACK
- D) GRANT

Answer: C

167. Which index is best for fast lookup?

- A) Hash Index
- B) Linear Index
- C) Tree Index
- D) Random Index

Answer: A

168. Which operator is used for multiple value check?

- A) IN
- B) BETWEEN
- C) LIKE
- D) EXISTS

Answer: A

169. Which SQL function returns average?

- A) SUM()
- B) AVG()
- C) COUNT()
- D) MAX()

Answer: B

DBT MCQs

170. Which command is used to give privileges?

- A) GRANT
- B) REVOKE
- C) ALLOW
- D) PERMIT

Answer: A

171. Which SQL keyword removes duplicates?

- A) DISTINCT
- B) UNIQUE
- C) DIFFERENT
- D) SINGLE

Answer: A

172. Which join returns all rows from left table?

- A) INNER JOIN
- B) LEFT JOIN
- C) RIGHT JOIN
- D) CROSS JOIN

Answer: B

173. Which NoSQL database is widely used for caching?

- A) MongoDB
- B) Redis
- C) Neo4j
- D) MySQL

Answer: B

174. Which command creates procedure?

- A) CREATE FUNCTION
- B) CREATE PROCEDURE

DBT MCQs

- C) CREATE VIEW
- D) CREATE TRIGGER

Answer: B

175. Which keyword is used in triggers?

- A) OLD and NEW
- B) FIRST and LAST
- C) START and END
- D) BEFORE and AFTER ONLY

Answer: A

176. Which SQL statement modifies schema?

- A) ALTER
- B) UPDATE
- C) INSERT
- D) SELECT

Answer: A

177. Which clause is used in filtering groups?

- A) WHERE
- B) HAVING
- C) ORDER BY
- D) GROUP BY

Answer: B

178. Which command deletes entire database?

- A) DROP DATABASE
- B) DELETE DATABASE
- C) REMOVE DATABASE
- D) TRUNCATE DATABASE

Answer: A

DBT MCQs

179. Which NoSQL model uses collections?

- A) MongoDB
- B) MySQL
- C) Oracle
- D) SQL Server

Answer: A

180. Which SQL keyword checks existence?

- A) EXISTS
- B) IN
- C) LIKE
- D) BETWEEN

Answer: A

181. Which operation is used in relational algebra?

- A) Selection
- B) Compilation
- C) Execution
- D) Rendering

Answer: A

182. Which join is fastest for matching records?

- A) CROSS JOIN
- B) INNER JOIN
- C) FULL JOIN
- D) OUTER JOIN

Answer: B

183. Which SQL command is used to rename table?

- A) RENAME TABLE
- B) CHANGE TABLE
- C) MODIFY TABLE
- D) ALTER NAME

DBT MCQs

Answer: A

184. Which MongoDB command deletes document?

- A) remove()
- B) deleteOne()
- C) drop()
- D) clear()

Answer: B

185. Which SQL keyword ensures uniqueness?

- A) PRIMARY KEY
- B) UNIQUE
- C) BOTH A and B
- D) FOREIGN KEY

Answer: C

186. Which operator is used for logical AND in SQL?

- A) AND
- B) &
- C) &&
- D) BOTH A and C

Answer: A

187. Which clause is mandatory in SELECT?

- A) WHERE
- B) FROM
- C) GROUP BY
- D) ORDER BY

Answer: B

188. Which NoSQL type is best for relationships?

DBT MCQs

- A) Key-Value
- B) Document
- C) Graph
- D) Column

Answer: C

189. Which command is used to create trigger?

- A) CREATE TRIGGER
- B) MAKE TRIGGER
- C) ADD TRIGGER
- D) BUILD TRIGGER

Answer: A

190. Which SQL function returns minimum value?

- A) MIN()
- B) MAX()
- C) SUM()
- D) AVG()

Answer: A

191. Which constraint prevents duplicate and null?

- A) UNIQUE
- B) PRIMARY KEY
- C) CHECK
- D) DEFAULT

Answer: B

192. Which keyword is used for subquery?

- A) EXISTS
- B) SELECT inside SELECT
- C) JOIN
- D) GROUP

Answer: B

DBT MCQs

193. Which MongoDB operation updates data?

- A) updateOne()
- B) modify()
- C) change()
- D) set()

Answer: A

194. Which SQL clause filters rows?

- A) WHERE
- B) HAVING
- C) GROUP BY
- D) ORDER BY

Answer: A

195. Which NoSQL model is schema-less?

- A) Relational
- B) SQL
- C) NoSQL
- D) None

Answer: C

196. Which command removes constraint?

- A) DROP CONSTRAINT
- B) DELETE CONSTRAINT
- C) REMOVE CONSTRAINT
- D) ALTER CONSTRAINT

Answer: A

197. Which operator is used for OR condition?

- A) OR
- B) |

DBT MCQs

- C) ||
- D) BOTH B and C

Answer: A

198. Which SQL command is used to insert data?

- A) ADD
- B) INSERT
- C) PUT
- D) CREATE

Answer: B

199. Which NoSQL database is best for high scalability?

- A) MySQL
- B) MongoDB
- C) Oracle
- D) SQLite

Answer: B

200. Which concept ensures database reliability during failure?

- A) ACID
- B) CAP
- C) BASE
- D) CRUD

Answer: A

201. Which SQL clause is executed first logically in a SELECT query?

- A) SELECT
- B) WHERE
- C) FROM
- D) ORDER BY

Answer: C

DBT MCQs

202. What will be the output?

```
SELECT 10 = '10';
```

- A) TRUE
- B) FALSE
- C) NULL
- D) Error

Answer: A

203. Which normal form removes partial dependency?

- A) 1NF
- B) 2NF
- C) 3NF
- D) BCNF

Answer: B

204. Which SQL command is used to permanently delete a table structure?

- A) DELETE
- B) TRUNCATE
- C) DROP
- D) REMOVE

Answer: C

205. Which constraint ensures referential integrity?

- A) UNIQUE
- B) PRIMARY KEY
- C) FOREIGN KEY
- D) CHECK

Answer: C

206. Which clause is used to filter aggregated results?

- A) WHERE
- B) HAVING

DBT MCQs

- C) GROUP BY
- D) ORDER BY

Answer: B

207. What will be the output?

```
SELECT COUNT(*) FROM (SELECT NULL UNION SELECT NULL) t;
```

- A) 0
- B) 1
- C) 2
- D) NULL

Answer: C

208. Which join returns only matching rows between tables?

- A) INNER JOIN
- B) LEFT JOIN
- C) RIGHT JOIN
- D) FULL OUTER JOIN

Answer: A

209. Which SQL operator is used for NULL-safe comparison in general logic?

- A) =
- B) IS NULL
- C) IS NOT NULL
- D) Both B and C

Answer: D

210. Which index is automatically created on PRIMARY KEY?

- A) Unique index
- B) Clustered index
- C) Secondary index
- D) Full-text index

Answer: B

DBT MCQs

211. What does AUTO_INCREMENT guarantee?

- A) Reusability of IDs
- B) Unique sequential values
- C) Random values
- D) Null values allowed

Answer: B

212. Which statement is true about TRUNCATE?

- A) It deletes rows one by one
- B) It can be rolled back in all DBMS
- C) It is faster than DELETE
- D) It allows WHERE clause

Answer: C

213. Which command is used to undo a transaction?

- A) COMMIT
- B) SAVEPOINT
- C) ROLLBACK
- D) GRANT

Answer: C

214. Which SQL keyword is used for pattern matching?

- A) IN
- B) LIKE
- C) BETWEEN
- D) EXISTS

Answer: B

215. What is output?

```
SELECT 'A' + 1;
```

DBT MCQs

- A) A1
- B) 1
- C) 0
- D) Error

Answer: B

216. Which NoSQL type is best for hierarchical data?

- A) Key-Value
- B) Document
- C) Graph
- D) Column

Answer: C

217. MongoDB stores data in:

- A) Tables
- B) Rows
- C) Documents
- D) Columns

Answer: C

218. BSON stands for:

- A) Binary SQL Object Notation
- B) Binary JSON
- C) Basic Structured Object Node
- D) None

Answer: B

219. Which MongoDB method is used to insert multiple documents?

- A) insertMany()
- B) addMany()
- C) bulkInsert()
- D) pushMany()

Answer: A

DBT MCQs

220. Which operator is used in MongoDB filtering?

- A) \$filter
- B) \$match
- C) \$where
- D) \$select

Answer: B

221. CAP theorem includes:

- A) Consistency, Availability, Partition tolerance
- B) Cache, API, Protocol
- C) Control, Access, Performance
- D) None

Answer: A

222. BASE model stands for:

- A) Basic Availability, Soft state, Eventual consistency
- B) Binary Access System Engine
- C) Balanced Atomic Storage Engine
- D) None

Answer: A

223. Which NoSQL database is best for caching?

- A) MongoDB
- B) Redis
- C) Neo4j
- D) Cassandra

Answer: B

224. Which SQL keyword is used to remove duplicates?

- A) UNIQUE
- B) DISTINCT

DBT MCQs

- C) DIFFERENT
- D) SINGLE

Answer: B

225. Which function returns highest value?

- A) MIN()
- B) MAX()
- C) AVG()
- D) COUNT()

Answer: B

226. Which clause sorts data?

- A) GROUP BY
- B) ORDER BY
- C) HAVING
- D) FILTER

Answer: B

227. What will be output?

`SELECT NULL + 5;`

- A) 5
- B) NULL
- C) 0
- D) Error

Answer: B

228. Which SQL command modifies table structure?

- A) UPDATE
- B) ALTER
- C) CHANGE
- D) MODIFY DATA

Answer: B

DBT MCQs

229. Which is NOT a valid SQL join?

- A) INNER JOIN
- B) LEFT JOIN
- C) RIGHT JOIN
- D) MIDDLE JOIN

Answer: D

230. Which command is used to create a view?

- A) CREATE TABLE
- B) CREATE VIEW
- C) CREATE INDEX
- D) CREATE PROCEDURE

Answer: B

231. Which constraint prevents NULL values?

- A) UNIQUE
- B) PRIMARY KEY
- C) NOT NULL
- D) CHECK

Answer: C

232. Which SQL function counts rows?

- A) SUM()
- B) COUNT()
- C) TOTAL()
- D) LENGTH()

Answer: B

233. Which operator is used for set membership?

- A) IN
- B) BETWEEN

DBT MCQs

- C) LIKE
- D) EXISTS

Answer: A

234. Which join returns all rows from both tables?

- A) INNER JOIN
- B) FULL OUTER JOIN
- C) CROSS JOIN
- D) SELF JOIN

Answer: B

235. Which SQL clause filters before grouping?

- A) HAVING
- B) WHERE
- C) ORDER BY
- D) GROUP BY

Answer: B

236. Which index improves search speed?

- A) Hash Index
- B) Tree Index
- C) Both A and B
- D) None

Answer: C

237. Which SQL command is used to delete records?

- A) DROP
- B) DELETE
- C) TRUNCATE
- D) REMOVE

Answer: B

DBT MCQs

238. Which NoSQL model uses key-value pairs?

- A) Document
- B) Graph
- C) Key-Value
- D) Column

Answer: C

239. Which command gives privileges?

- A) REVOKE
- B) GRANT
- C) ALLOW
- D) PERMIT

Answer: B

240. Which keyword checks existence of rows?

- A) IN
- B) EXISTS
- C) LIKE
- D) BETWEEN

Answer: B

241. Which operation is NOT part of relational algebra?

- A) Selection
- B) Projection
- C) Join
- D) Compilation

Answer: D

242. Which join is Cartesian product?

- A) INNER JOIN
- B) CROSS JOIN
- C) LEFT JOIN
- D) RIGHT JOIN

DBT MCQs

Answer: B

243. Which SQL function returns average?

- A) SUM()
- B) AVG()
- C) COUNT()
- D) MAX()

Answer: B

244. Which command creates database?

- A) CREATE DB
- B) CREATE DATABASE
- C) NEW DATABASE
- D) MAKE DB

Answer: B

245. Which storage engine supports transactions?

- A) MyISAM
- B) InnoDB
- C) CSV
- D) MEMORY

Answer: B

246. Which SQL command removes table structure?

- A) DELETE
- B) DROP
- C) TRUNCATE
- D) REMOVE

Answer: B

247. Which clause groups records?

DBT MCQs

- A) ORDER BY
- B) GROUP BY
- C) HAVING
- D) FILTER

Answer: B

248. Which SQL keyword ensures uniqueness?

- A) PRIMARY KEY
- B) UNIQUE
- C) BOTH A and B
- D) CHECK

Answer: C

249. Which NoSQL database is document-based?

- A) MongoDB
- B) MySQL
- C) Oracle
- D) SQLite

Answer: A

250. Which command is used to update data?

- A) MODIFY
- B) UPDATE
- C) CHANGE
- D) ALTER

Answer: B

251. Which SQL keyword is used for filtering rows?

- A) HAVING
- B) WHERE
- C) GROUP BY
- D) ORDER BY

Answer: B

DBT MCQs

252. Which operator is used for range?

- A) IN
- B) BETWEEN
- C) LIKE
- D) EXISTS

Answer: B

253. Which command removes all rows quickly?

- A) DELETE
- B) DROP
- C) TRUNCATE
- D) REMOVE

Answer: C

254. Which NoSQL database is graph-based?

- A) Redis
- B) MongoDB
- C) Neo4j
- D) Cassandra

Answer: C

255. Which SQL clause sorts results?

- A) GROUP BY
- B) ORDER BY
- C) HAVING
- D) FILTER

Answer: B

256. Which command creates index?

- A) CREATE INDEX
- B) ADD INDEX

DBT MCQs

- C) MAKE INDEX
- D) BUILD INDEX

Answer: A

257. Which SQL concept ensures reliability?

- A) ACID
- B) BASE
- C) CAP
- D) CRUD

Answer: A

258. Which operator is used for OR?

- A) OR
- B) ||
- C) |
- D) BOTH A and B

Answer: A

259. Which command inserts data?

- A) ADD
- B) INSERT
- C) PUT
- D) CREATE

Answer: B

260. Which NoSQL system is best for scalability?

- A) MySQL
- B) MongoDB
- C) Oracle
- D) SQLite

Answer: B

DBT MCQs

261. Which SQL statement is used to remove duplicates from query result?

- A) UNIQUE
- B) DISTINCT
- C) DIFFERENT
- D) GROUP

Answer: B

262. What will be the output?

```
SELECT 0/10;
```

- A) 0
- B) NULL
- C) Error
- D) Infinity

Answer: A

263. Which constraint ensures values are always unique and not null?

- A) UNIQUE
- B) NOT NULL
- C) PRIMARY KEY
- D) CHECK

Answer: C

264. Which join returns only matching rows between two tables?

- A) LEFT JOIN
- B) RIGHT JOIN
- C) INNER JOIN
- D) FULL JOIN

Answer: C

265. Which SQL clause is executed after WHERE but before SELECT output formatting?

- A) ORDER BY

DBT MCQs

- B) GROUP BY
- C) HAVING
- D) FROM

Answer: B

266. Which function returns number of non-null values?

- A) COUNT(*)
- B) COUNT(column)
- C) SUM(column)
- D) AVG(column)

Answer: B

267. Which SQL operation removes only structure and data completely?

- A) DELETE
- B) TRUNCATE
- C) DROP
- D) ALTER

Answer: C

268. Which operator is used for pattern matching in SQL?

- A) =
- B) LIKE
- C) IN
- D) BETWEEN

Answer: B

269. What is output?

```
SELECT '5' * 2;
```

- A) 52
- B) 10
- C) 7
- D) Error

DBT MCQs

Answer: B

270. Which clause is used to filter aggregated results?

- A) WHERE
- B) HAVING
- C) GROUP BY
- D) ORDER BY

Answer: B

271. Which NoSQL type is schema-less?

- A) Relational
- B) SQL
- C) Document
- D) Table-based

Answer: C

272. MongoDB data is stored in:

- A) Tables
- B) Rows
- C) Documents
- D) Columns

Answer: C

273. BSON is optimized for:

- A) SQL queries
- B) Binary storage and speed
- C) UI rendering
- D) File compression only

Answer: B

274. Which MongoDB command retrieves multiple documents?

DBT MCQs

- A) find()
- B) get()
- C) select()
- D) fetch()

Answer: A

275. Which operator is used in MongoDB filtering queries?

- A) \$where
- B) \$match
- C) \$filter
- D) \$select

Answer: B

276. CAP theorem prioritizes:

- A) Speed, Memory, CPU
- B) Consistency, Availability, Partition tolerance
- C) Cache, API, Protocol
- D) CRUD operations

Answer: B

277. BASE model stands for:

- A) Basic Availability, Soft state, Eventual consistency
- B) Binary Access System Engine
- C) Balanced Atomic System Environment
- D) None

Answer: A

278. Which NoSQL database is best for caching?

- A) MongoDB
- B) Redis
- C) Neo4j
- D) MySQL

Answer: B

DBT MCQs

279. Which SQL keyword eliminates duplicates?

- A) UNIQUE
- B) DISTINCT
- C) GROUP
- D) FILTER

Answer: B

280. Which function returns highest value?

- A) MIN()
- B) MAX()
- C) AVG()
- D) COUNT()

Answer: B

281. Which SQL clause sorts records?

- A) GROUP BY
- B) ORDER BY
- C) HAVING
- D) FILTER

Answer: B

282. What will be output?

`SELECT NULL + NULL;`

- A) 0
- B) NULL
- C) Error
- D) 1

Answer: B

283. Which SQL command modifies table structure?

DBT MCQs

- A) UPDATE
- B) ALTER
- C) INSERT
- D) SELECT

Answer: B

284. Which join returns Cartesian product?

- A) INNER JOIN
- B) CROSS JOIN
- C) LEFT JOIN
- D) RIGHT JOIN

Answer: B

285. Which SQL statement creates a view?

- A) CREATE TABLE
- B) CREATE VIEW
- C) CREATE INDEX
- D) CREATE PROCEDURE

Answer: B

286. Which constraint prevents null values?

- A) UNIQUE
- B) NOT NULL
- C) CHECK
- D) DEFAULT

Answer: B

287. Which function counts rows?

- A) SUM()
- B) COUNT()
- C) AVG()
- D) MAX()

Answer: B

DBT MCQs

288. Which operator checks list membership?

- A) BETWEEN
- B) IN
- C) LIKE
- D) EXISTS

Answer: B

289. Which join returns all rows from both tables?

- A) INNER JOIN
- B) FULL OUTER JOIN
- C) LEFT JOIN
- D) RIGHT JOIN

Answer: B

290. Which SQL clause filters before grouping?

- A) HAVING
- B) WHERE
- C) GROUP BY
- D) ORDER BY

Answer: B

291. Which index is automatically created on primary key?

- A) Clustered index
- B) Secondary index
- C) Hash index
- D) Full-text index

Answer: A

292. Which SQL command deletes records?

- A) DROP
- B) DELETE

DBT MCQs

- C) TRUNCATE
- D) REMOVE

Answer: B

293. Which NoSQL model uses key-value pairs?

- A) Graph
- B) Document
- C) Key-Value
- D) Column

Answer: C

294. Which command grants permissions?

- A) REVOKE
- B) GRANT
- C) ALLOW
- D) PERMIT

Answer: B

295. Which keyword checks existence?

- A) IN
- B) EXISTS
- C) LIKE
- D) BETWEEN

Answer: B

296. Which relational algebra operation selects rows?

- A) Projection
- B) Selection
- C) Join
- D) Union

Answer: B

DBT MCQs

297. Which join is used for matching only common records?

- A) LEFT JOIN
- B) INNER JOIN
- C) RIGHT JOIN
- D) FULL JOIN

Answer: B

298. Which SQL command creates database?

- A) CREATE DB
- B) CREATE DATABASE
- C) NEW DATABASE
- D) MAKE DB

Answer: B

299. Which NoSQL database is document-oriented?

- A) MySQL
- B) MongoDB
- C) Oracle
- D) SQL Server

Answer: B

300. Which concept ensures transaction reliability?

- A) BASE
- B) CAP
- C) ACID
- D) CRUD

Answer: C
