

ASSIGNMENT ON EMP AND MANAGER RELATION.

71.WAQTD SMITHS REPORTING MANAGER'S NAME

72.WAQTD ADAMS MANAGER'S MANAGER NAME

73.WAQTD DNAME OF JONES MANAGER

74.WAQTD MILLER'S MANAGER'S SALARY

75.WAQTD LOC OF SMITH'S MANAGER'S MANAGER,

76.WAQTD NAME OF THE EMPLOYEES REPORTING TO
BLAKE

77.WAQTD NUMBER OF EMPLOYEES REPORTING TO KING

78.WAQTD DETAILS OF THE EMPLOYEES REPORTING TO
JONES

79.WAQTD ENAMES OF THE EMPLOYEES REPORTING TO
BLAKE'S MANAGER

80.WAQTD NUMBER OF EMPLOYEES REPORTING TO FORD'S
MANAGER

File Edit Search Options Help

```
SQL> SELECT ENAME "MGR NAME"
  2   FROM EMP
  3   WHERE EMPNO = (SELECT MGR
  4                     FROM EMP
  5                     WHERE ENAME = 'SMITH');
```

MGR NAME

FORD

```
SQL> SELECT ENAME "MGR'S MGR NAME"
  2   FROM EMP
  3   WHERE EMPNO = (SELECT MGR
  4                     FROM EMP
  5                     WHERE EMPNO = (SELECT MGR
  6                                       FROM EMP
  7                                       WHERE ENAME = 'ADAMS'));
```

MGR'S MGR

JONES

```
SQL> SELECT DNAME
  2   FROM DEPT
  3   WHERE DEPTNO = (SELECT DEPTNO
  4                     FROM EMP
  5                     WHERE EMPNO = (SELECT MGR
  6                                       FROM EMP
  7                                       WHERE ENAME = 'JONES'));
```

DNAME

ACCOUNTING

```
SQL> SELECT SAL "MGR SAL"
  2   FROM EMP
  3   WHERE EMPNO = (SELECT MGR
  4                     FROM EMP
  5                     WHERE ENAME = 'MILLER');
```

MGR SAL

2450

SQL> |

File Edit Search Options Help

```
SQL> SELECT LOC
  2 FROM DEPT
  3 WHERE DEPTNO = (SELECT DEPTNO
  4                  FROM EMP
  5                  WHERE EMPNO = (SELECT MGR
  6                                FROM EMP
  7                                WHERE EMPNO = (SELECT MGR
  8                                                FROM EMP
  9                                                WHERE ENAME = 'SMITH')));
```

LOC

DALLAS

```
SQL> SELECT ENAME
  2 FROM EMP
  3 WHERE MGR = (SELECT EMPNO
  4              FROM EMP
  5              WHERE ENAME = 'BLAKE');
```

ENAME

ALLEN
WARD
MARTIN
TURNER
JAMES

```
SQL> SELECT COUNT(ENAME)
  2 FROM EMP
  3 WHERE MGR = (SELECT EMPNO
  4              FROM EMP
  5              WHERE ENAME = 'KING');
```

COUNT(ENAME)

3

```
SQL> SELECT *
  2 FROM EMP
  3 WHERE MGR = (SELECT EMPNO
  4              FROM EMP
  5              WHERE ENAME = 'JONES');
```

EMPNO	ENAME	JOB	MGR	HIREDATE	SAL	COMM	DEPTNO
7788	SCOTT	ANALYST	7566	19-APR-87	3000		20
7902	FORD	ANALYST	7566	03-DEC-81	3000		20



File Edit Search Options Help

```
SQL> SELECT ENAME
  2   FROM EMP
  3   WHERE MGR IN (SELECT MGR
  4                   FROM EMP
  5                   WHERE ENAME = 'BLAKE');
```

ENAME

CLARK

BLAKE

JONES

```
SQL> SELECT COUNT(ENAME)
  2   FROM EMP
  3   WHERE MGR IN (SELECT MGR
  4                   FROM EMP
  5                   WHERE ENAME = 'FORD');
```

COUNT(ENAME)

2

SQL>