

ASSIGNMENT ON INNER JOIN :

- 1.NAME OF THE EMPLOYEE AND HIS LOCATION OF ALL THE EMPLOYEES .
- 2.WAQTD DNAME AND SALARY FOR ALL THE EMPLOYEE WORKING IN ACCOUNTING.

New Section 1 Page 4

- 3.WAQTD DNAME AND ANNUAL SALARY FOR ALL EMPLOYEES WHOS SALARY IS MORE THAN 2340
- 4.WAQTD ENAME AND DNAME FOR EMPLOYEES HAVING CAHARACTER 'A' IN THEIR DNAME
- 5.WAQTD ENAME AND DNAME FOR ALL THE EMPLOYEES WORKING AS SALESMAN
- 6.WADTD DNAME AND JOB FOR ALL THE EMPLOYEES WHOS JOB AND DNAME STARTS WITH CHARACTER 'S'
- 7.WAQTD DNAME AND MGR NO FOR EMPLOYEES REPORTING TO 7839
- 8.WAQTD DNAME AND HIREDATE FOR EMPLOYEES HIRED AFTER 83 INTO ACCOUNTING OR RESEARCH DEPT
- 9.WAQTD ENAME AND DNAME OF THE EMPLOYEES WHO ARE GETTING COMM IN DEPT 10 OR 30
- 10.WAQTD DNAME AND EMPNO FOR ALL THE EMPLOYEES WHO'S EMPNO ARE (7839,7902) AND ARE WORKING IN LOC NEW YORK.

File Edit Search Options Help

```
SQL> SELECT ENAME , LOC
      2  FROM EMP INNER JOIN DEPT
      3  ON EMP.DEPTNO = DEPT.DEPTNO;
```

ENAME	LOC
SMITH	DALLAS
ALLEN	CHICAGO
WARD	CHICAGO
JONES	DALLAS
MARTIN	CHICAGO
BLAKE	CHICAGO
CLARK	NEW YORK
SCOTT	DALLAS
KING	NEW YORK
TURNER	CHICAGO
ADAMS	DALLAS
JAMES	CHICAGO
FORD	DALLAS
MILLER	NEW YORK

14 rows selected.

```
SQL> SELECT ENAME , DNAME , SAL
      2  FROM EMP INNER JOIN DEPT
      3  ON EMP.DEPTNO = DEPT.DEPTNO
      4  WHERE DNAME = 'ACCOUNTING';
```

ENAME	DNAME	SAL
CLARK	ACCOUNTING	2450
KING	ACCOUNTING	5000
MILLER	ACCOUNTING	1300

```
SQL> SELECT ENAME , DNAME , SAL*12 "ANNUAL SALARY"
      2  FROM EMP INNER JOIN DEPT
      3  ON EMP.DEPTNO = DEPT.DEPTNO
      4  WHERE SAL > 2340;
```

ENAME	DNAME	ANNUAL SALARY
JONES	RESEARCH	35700
BLAKE	SALES	34200
CLARK	ACCOUNTING	29400
SCOTT	RESEARCH	36000
KING	ACCOUNTING	60000
FORD	RESEARCH	36000

6 rows selected.

File Edit Search Options Help

```
SQL> SELECT ENAME , DNAME
      2 FROM EMP INNER JOIN DEPT
      3 ON EMP.DEPTNO = DEPT.DEPTNO
      4 WHERE DNAME LIKE '%A%';
```

ENAME	DNAME
-----	-----
SMITH	RESEARCH
ALLEN	SALES
WARD	SALES
JONES	RESEARCH
MARTIN	SALES
BLAKE	SALES
CLARK	ACCOUNTING
SCOTT	RESEARCH
KING	ACCOUNTING
TURNER	SALES
ADAMS	RESEARCH
JAMES	SALES
FORD	RESEARCH
MILLER	ACCOUNTING

14 rows selected.

```
SQL> SELECT ENAME , DNAME
      2 FROM EMP INNER JOIN DEPT
      3 ON EMP.DEPTNO = DEPT.DEPTNO
      4 WHERE JOB = 'SALESMAN';
```

ENAME	DNAME
-----	-----
ALLEN	SALES
WARD	SALES
MARTIN	SALES
TURNER	SALES

```
SQL>
SQL> SELECT ENAME , DNAME , JOB
      2 FROM EMP INNER JOIN DEPT
      3 ON EMP.DEPTNO = DEPT.DEPTNO
      4 WHERE JOB LIKE 'S%' AND DNAME LIKE 'S%';
```

ENAME	DNAME	JOB
-----	-----	-----
ALLEN	SALES	SALESMAN
WARD	SALES	SALESMAN
MARTIN	SALES	SALESMAN
TURNER	SALES	SALESMAN

File Edit Search Options Help

```
SQL> SELECT ENAME , DNAME , MGR
2 FROM EMP INNER JOIN DEPT
3 ON EMP.DEPTNO = DEPT.DEPTNO
4 WHERE MGR = 7839;
```

ENAME	DNAME	MGR
JONES	RESEARCH	7839
BLAKE	SALES	7839
CLARK	ACCOUNTING	7839

```
SQL> SELECT ENAME , DNAME , HIREDATE
2 FROM EMP INNER JOIN DEPT
3 ON EMP.DEPTNO = DEPT.DEPTNO
4 WHERE HIREDATE > '31-DEC-1983' AND DNAME IN ('ACCOUNTING','RESEARCH');
```

ENAME	DNAME	HIREDATE
SCOTT	RESEARCH	19-APR-87
ADAMS	RESEARCH	23-MAY-87

```
SQL> SELECT ENAME , DNAME
2 FROM EMP INNER JOIN DEPT
3 ON EMP.DEPTNO = DEPT.DEPTNO
4 WHERE COMM IS NOT NULL AND EMP.DEPTNO IN (10,30);
```

ENAME	DNAME
ALLEN	SALES
WARD	SALES
MARTIN	SALES
TURNER	SALES

```
SQL> SELECT DNAME , EMPNO
2 FROM EMP INNER JOIN DEPT
3 ON EMP.DEPTNO = DEPT.DEPTNO
4 WHERE EMPNO IN (7839,7902) AND LOC = 'NEW YORK';
```

DNAME	EMPNO
ACCOUNTING	7839

SQL> |