

### **ASSIGNMENT ON SELF JOIN :**

1.WAQTD NAME OF THE EMPLOYEE AND HIS MANAGER'S NAME IF EMPLOYEE IS WORKING AS CLERK

2.WAQTD NAME OF THE EMPLOYEE AND MANAGER'S DESIGNATION IF MANAGER WORKS IN DEPT 10 OR 20

3.WAQTD NAME OF THE EMP AND MANAGERS SALARY IF EMPLOYEE AND MANAGER BOTH EARN MORE THAN 2300

4.WAQTD EMP NAME AND MANAGER'S HIREDATE IF EMPLOYEE WAS HIRED BEFORE 1982

5.WAQTD EMP NAME AND MANAGER'S COMM IF EMPLOYEE WORKS AS SALESMAN AND MANAGER WORKS IN DEPT 30

6.WAQTD EMP NAME AND MANAGER NAME AND THEIR SALARIES IF EMPLOYEE EARNS MORE THAN MANAGER

7.WAQTD EMP NAME AND HIREDATE , MANAGER NAME AND HIREDATE IF MANAGER WAS HIRED BEFORE EMPLOYEE

8.WAQTD EMP NAME AND MANAGER NAME IF BOTH ARE WORKING IN SAME JOB

9.WAQTD EMP NAME AND MANAGER NAME IF MANAGER IS WORKING AS ACTUAL MANAGER

10.WAQTD EMP NAME AND MANAGER NAME ALONG WITH THEIR ANNUAL SALARIES IF EMPLOYEE WORKS IN DEPT 10 , 20 AND MANAGER'S SAL IS GREATER THAN EMPLOYEES SALARY .

11.WAQTD EMPLOYEE'S NAME AND MANAGER'S DESIGNATION FOR ALL THE EMPLOYEES

12.WAQTD EMPLOYEE'S NAME AND MANAGER'S SALARY FOR ALL THE EMPLOYEES IF MANAGER'S SALARY ENDS WITH 50

File Edit Search Options Help

```
SQL> SELECT E1.ENAME , E2.ENAME MNAME
  2  FROM EMP E1 JOIN EMP E2
  3  ON E1.MGR = E2.EMPNO
  4  WHERE E1.JOB = 'CLERK';
```

| ENAME  | MNAME |
|--------|-------|
| SMITH  | FORD  |
| ADAMS  | SCOTT |
| JAMES  | BLAKE |
| MILLER | CLARK |

```
SQL> SELECT E1.ENAME , E2.JOB "MGR JOB"
  2  FROM EMP E1 JOIN EMP E2
  3  ON E1.MGR = E2.EMPNO
  4  WHERE E2.DEPTNO IN (10,20);
```

| ENAME  | MGR JOB   |
|--------|-----------|
| SMITH  | ANALYST   |
| JONES  | PRESIDENT |
| BLAKE  | PRESIDENT |
| CLARK  | PRESIDENT |
| SCOTT  | MANAGER   |
| ADAMS  | ANALYST   |
| FORD   | MANAGER   |
| MILLER | MANAGER   |

8 rows selected.

```
SQL> SELECT E1.ENAME , E2.SAL "MGR SAL"
  2  FROM EMP E1 JOIN EMP E2
  3  ON E1.MGR = E2.EMPNO
  4  WHERE E1.SAL > 2300 AND E2.SAL >2300;
```

| ENAME | MGR SAL |
|-------|---------|
| JONES | 5000    |
| BLAKE | 5000    |
| CLARK | 5000    |
| SCOTT | 2975    |
| FORD  | 2975    |

SQL> |

File Edit Search Options Help

```
SQL> SELECT E1.ENAME , E2.HIREDATE "MGR HIREDATE"
  2  FROM EMP E1 JOIN EMP E2
  3  ON E1.MGR = E2.EMPNO
  4  WHERE E1.HIREDATE < '31-DEC-1982';
```

| ENAME  | MGR HIRED |
|--------|-----------|
| SMITH  | 03-DEC-81 |
| ALLEN  | 01-MAY-81 |
| WARD   | 01-MAY-81 |
| JONES  | 17-NOV-81 |
| MARTIN | 01-MAY-81 |
| BLAKE  | 17-NOV-81 |
| CLARK  | 17-NOV-81 |
| TURNER | 01-MAY-81 |
| JAMES  | 01-MAY-81 |
| FORD   | 02-APR-81 |
| MILLER | 09-JUN-81 |

11 rows selected.

```
SQL> SELECT E1.ENAME , E2.COMM "MGR COMM"
  2  FROM EMP E1 JOIN EMP E2
  3  ON E1.MGR = E2.EMPNO
  4  WHERE E1.JOB = 'SALESMAN' AND E2.DEPTNO = 30;
```

| ENAME  | MGR COMM |
|--------|----------|
| ALLEN  |          |
| WARD   |          |
| MARTIN |          |
| TURNER |          |

```
SQL> SELECT E1.ENAME , E1.SAL ESAL , E2.ENAME "MGR NAME" , E2.SAL "MGR SAL"
  2  FROM EMP E1 JOIN EMP E2
  3  ON E1.MGR = E2.EMPNO
  4  WHERE E1.SAL > E2.SAL;
```

| ENAME | ESAL | MGR NAME | MGR SAL |
|-------|------|----------|---------|
| SCOTT | 3000 | JONES    | 2975    |
| FORD  | 3000 | JONES    | 2975    |

SQL> |

File Edit Search Options Help

```
SQL> SELECT E1.ENAME , E1.HIREDATE EHIREDATE , E2.ENAME "MGR NAME" , E2.HIREDATE "MGR HIREDATE"
  2  FROM EMP E1 JOIN EMP E2
  3  ON E1.MGR = E2.EMPNO
  4  WHERE E1.HIREDATE > E2.HIREDATE;
```

| ENAME  | EHIREDATE | MGR NAME | MGR HIRED |
|--------|-----------|----------|-----------|
| MARTIN | 28-SEP-81 | BLAKE    | 01-MAY-81 |
| SCOTT  | 19-APR-87 | JONES    | 02-APR-81 |
| TURNER | 08-SEP-81 | BLAKE    | 01-MAY-81 |
| ADAMS  | 23-MAY-87 | SCOTT    | 19-APR-87 |
| JAMES  | 03-DEC-81 | BLAKE    | 01-MAY-81 |
| FORD   | 03-DEC-81 | JONES    | 02-APR-81 |
| MILLER | 23-JAN-82 | CLARK    | 09-JUN-81 |

7 rows selected.

```
SQL> SELECT E1.ENAME , E2.ENAME "MGR NAME"
  2  FROM EMP E1 JOIN EMP E2
  3  ON E1.MGR = E2.EMPNO
  4  WHERE E1.JOB = E2.JOB;
```

no rows selected

```
SQL> SELECT E1.ENAME , E2.ENAME "MGR NAME"
  2  FROM EMP E1 JOIN EMP E2
  3  ON E1.MGR = E2.EMPNO
  4  WHERE E2.JOB = 'MANAGER';
```

| ENAME  | MGR NAME |
|--------|----------|
| ALLEN  | BLAKE    |
| WARD   | BLAKE    |
| MARTIN | BLAKE    |
| SCOTT  | JONES    |
| TURNER | BLAKE    |
| JAMES  | BLAKE    |
| FORD   | JONES    |
| MILLER | CLARK    |

8 rows selected.

File Edit Search Options Help

```
SQL> SELECT E1.ENAME , E2.ENAME "MGR NAME" , E2.SAL*12 "MGR ANNUAL SALARY"
  2 FROM EMP E1 JOIN EMP E2
  3 ON E1.MGR = E2.EMPNO
  4 WHERE E1.DEPTNO IN (10,20) AND E2.SAL > E1.SAL;
```

| ENAME  | MGR NAME | MGR ANNUAL SALARY |
|--------|----------|-------------------|
| SMITH  | FORD     | 36000             |
| JONES  | KING     | 60000             |
| CLARK  | KING     | 60000             |
| ADAMS  | SCOTT    | 36000             |
| MILLER | CLARK    | 29400             |

```
SQL> SELECT E1.ENAME , E2.JOB "MGR JOB"
  2 FROM EMP E1 JOIN EMP E2
  3 ON E1.MGR = E2.EMPNO;
```

| ENAME  | MGR JOB   |
|--------|-----------|
| SMITH  | ANALYST   |
| ALLEN  | MANAGER   |
| WARD   | MANAGER   |
| JONES  | PRESIDENT |
| MARTIN | MANAGER   |
| BLAKE  | PRESIDENT |
| CLARK  | PRESIDENT |
| SCOTT  | MANAGER   |
| TURNER | MANAGER   |
| ADAMS  | ANALYST   |
| JAMES  | MANAGER   |
| FORD   | MANAGER   |
| MILLER | MANAGER   |

13 rows selected.

```
SQL> SELECT E1.ENAME , E2.SAL "MGR SAL"
  2 FROM EMP E1 JOIN EMP E2
  3 ON E1.MGR = E2.EMPNO
  4 WHERE E2.SAL LIKE '%50';
```

| ENAME  | MGR SAL |
|--------|---------|
| ALLEN  | 2850    |
| WARD   | 2850    |
| MARTIN | 2850    |
| TURNER | 2850    |
| JAMES  | 2850    |
| MILLER | 2450    |

6 rows selected.