

- 1.WAQTD NUMBER OF EMPLOYEES GETTING SALARY LESS THAN 2000 IN DEPTNO 10
- 2.WAQTD TOTAL SALARY NEEDED TO PAY EMPLOYEES WORKING AS CLERK
- 3.WAQTD AVERAGE SALARY NEEDED TO PAY ALL EMPLOYEES
- 4.WAQTD NUMBER OF EMPLOYEES HAVING 'A' AS THEIR FIRST CHARACTER
- 5.WAQTD NUMBER OF EMPLOYEES WORKING AS CLERK OR MANAGER
- 6.WAQTD TOTAL SALARY NEEDED TO PAY EMPLOYEES HIRED IN FEB
- 7.WAQTD NUMBER OF EMPLOYEES REPORTING TO 7839 (MGR)
- 8.WAQTD NUMBER OF EMPLOYEES GETTING COMISSION IN DEPTNO 30
- 9.WAQTD AVG SAL , TOTAL SAL , NUMBER OF EMPS AND MAXIMUM SALARY GIVEN TO EMPLOYEES WORKING AS PERSIDENT
- 10.WAQTD NUMBER OF EMPLOYEES HAVING 'A' IN THEIR NAMES
- 11.WAQTD NUMBER OF EMPS AND TOTAL SALARY NEEDED TO PAY THE EMPLOYEES WHO HAVE 2 CONSICUTIVE L's IN THEIR NAMES
- 12.WAQTD NUMBER OF DEPARTMENTS PRESENT IN EMPLOYEE TABLE
- 13.WAQTD NUMBER OF EMPLOYEES HAVING CHARACTER 'Z' IN THEIR NAMES
- 14.WAQTD NUMBER OF EMPLOYEES HAVING 'S' IN THEIR NAMES .
- 15.WAQTD TOTAL SALARY GIVEN TO EMPLOYEES WORKING AS CLERK IN DEPT 30
- 16.WAQTD MAXIMUM SALARY GIVEN TO THE EMPLOYEES WORKING AS ANALYST
- 17.WAQTD NUMBER OF DISTINCT SALARIES PRESENT IN EMPLOYEE TABLE
- 18.WAQTD NUMBER OF JOBS PRESENT IN EMPLOYEE TABLE
- 19.WATQD AVG SALARY GIVEN TO THE CLERK
- 20.WAQTD MINIMUM SALARY GIVEN TO THE EMPLOYEES WHO WORK IN DEPT 10 AS MANAGER OR A CLERK

File Edit Search Options Help

```
SQL> SELECT COUNT(ENAME)
  2   FROM EMP
  3  WHERE SAL < 2000 AND DEPTNO IN 10;
```

COUNT(ENAME)

1

```
SQL> SELECT SUM(SAL)
  2   FROM EMP
  3  WHERE JOB = 'CLERK';
```

SUM(SAL)

4150

```
SQL> SELECT AVG(SAL)
  2   FROM EMP;
```

AVG(SAL)

2073.21429

```
SQL> SELECT COUNT(ENAME)
  2   FROM EMP
  3  WHERE ENAME LIKE 'A%';
```

COUNT(ENAME)

2

```
SQL> SELECT COUNT(ENAME)
  2   FROM EMP
  3  WHERE JOB IN ('MANAGER','CLERK');
```

COUNT(ENAME)

7

```
SQL> SELECT SUM(SAL)
  2   FROM EMP
  3  WHERE HIREDATE LIKE '%FEB%';
```

SUM(SAL)

2850

SQL> |

File Edit Search Options Help

```
SQL> SELECT COUNT(ENAME)
  2   FROM EMP
  3   WHERE MGR IN 7839;
```

COUNT(ENAME)

3

```
SQL> SELECT COUNT(ENAME)
  2   FROM EMP
  3   WHERE COMM IS NOT NULL AND DEPTNO IN 30;
```

COUNT(ENAME)

4

```
SQL> SELECT AVG(SAL) , SUM(SAL) , COUNT(ENAME) , MAX(SAL)
  2   FROM EMP
  3   WHERE JOB IN 'PRESIDENT';
```

AVG(SAL)	SUM(SAL)	COUNT(ENAME)	MAX(SAL)
5000	5000	1	5000

```
SQL> SELECT COUNT(ENAME)
  2   FROM EMP
  3   WHERE ENAME LIKE '%A%';
```

COUNT(ENAME)

7

```
SQL> SELECT COUNT(ENAME) , SUM (SAL)
  2   FROM EMP
  3   WHERE ENAME LIKE '%LL%';
```

COUNT(ENAME)	SUM(SAL)
2	2900

```
SQL> SELECT COUNT (DISTINCT DEPTNO)
  2   FROM EMP;
```

COUNT(DISTINCTDEPTNO)

3

SQL> |

File Edit Search Options Help

```
SQL> SELECT COUNT (ENAME)
  2   FROM EMP
  3   WHERE ENAME LIKE '%Z%';
```

COUNT(ENAME)

0

```
SQL> SELECT COUNT (ENAME)
  2   FROM EMP
  3   WHERE ENAME LIKE '%$%';
```

COUNT(ENAME)

0

```
SQL> SELECT SUM(SAL)
  2   FROM EMP
  3   WHERE JOB IN 'CLERK' AND DEPTNO IN 30;
```

SUM(SAL)

950

```
SQL> SELECT MAX(SAL)
  2   FROM EMP
  3   WHERE JOB IN 'ANALYST';
```

MAX(SAL)

3000

```
SQL> SELECT COUNT (DISTINCT SAL)
  2   FROM EMP;
```

COUNT(DISTINCTSAL)

12

```
SQL> SELECT COUNT (DISTINCT JOB)
  2   FROM EMP;
```

COUNT(DISTINCTJOB)

5

SQL> |



File Edit Search Options Help

```
SQL> SELECT AVG(SAL)
  2  FROM EMP
  3  WHERE JOB IN 'CLERK';
```

AVG(SAL)

1037.5

```
SQL> SELECT MIN(SAL)
  2  FROM EMP
  3  WHERE DEPTNO IN 10 AND JOB IN ('MANAGER','CLERK');
```

MIN(SAL)

1300

SQL>