

ASSIGNMENT ON CASE 2 :

- 21.WAQTD DNAME OF THE EMPLOYEES WHOS NAME IS SMITH
- 22.WAQTD DNAME AND LOC OF THE EMPLOYEE WHOS ENAME IS KING
- 23.WAQTD LOC OF THE EMP WHOS EMPLOYEE NUMBER IS 7902
- 24.WAQTD DNAME AND LOC ALONG WITH DEPTNO OF THE EMPLOYEE WHOS NAME ENDS WITH 'R' .
- 25.WAQTD DNAME OF THE EMPLOYEE WHOS DESIGNATION IS PRESIDENT
- 26.WAQTD NAMES OF THE EMPLOYEES WORKING IN ACCOUNTING DEPARTMENT
- 27.WAQTD ENAME AND SALARIES OF THE EMPLOYEES WHO ARE WORKING IN THE LOCATION CHICAGO
- 28.WAQTD DETAILS OF THE EMPLOYEES WORKING IN SALES
- 29.WAQTD DETAILS OF THE EMP ALONG WITH ANNUAL SALARY IF EMPLOYEES ARE WORKING IN NEW YORK
- 30.WAQTD NAMES OF EMPLOYEES WORKING IN OPERATIONS DEPARTMENT

ASSIGNMENT ON CASE 1 & 2

- 31.WAQTD NAMES OF THE EMPLOYEES EARNING MORE THAN SCOTT IN ACCOUNTING DEPT
- 32.WAQTD DETAILS OF THE EMPLOYEES WORKING AS MANAGER IN THE LOCATION CHICAGO
- 33.WAQTD NAME AND SAL OF THE EMPLOYEES EARNING MORE THAN KING IN THE DEPT ACCOUNTING
- 34.WAQTD DETAILS OF THE EMPLOYEES WORKING AS SALESMAN IN THE DEPARTEMENT SALES
- 35.WAQTD NAME , SAL , JOB , HIREDATE OF THE EMPLOYEES WORKING IN OPERATIONS DEPARTMENT AND HIRED BEFORE KING
- 36.DISPLAY ALL THE EMPLOYEES WHOSE DEPARTMET NAMES ENDING 'S'.
- 37.WAQTD DNAME OF THE EMPLOYEES WHOS NAMES HAS CHARACTER 'A' IN IT .
- 38.WAQTD DNAME AND LOC OF THE EMPLOYEES WHOS SALARY IS RUPEES 8000 .
- 39.WAQTD DNAME OF THE EMPLOYEES WHO EARN COMISSION
- 40.WAQTD LOC OF THE EMPLOYEES IF THEY EARN COMISSION IN DEPT 40

File Edit Search Options Help

```
SQL> SELECT DNAME
  2 FROM DEPT
  3 WHERE DEPTNO = (SELECT DEPTNO
  4                  FROM EMP
  5                  WHERE ENAME = 'SMITH');
```

DNAME

RESEARCH

```
SQL> SELECT DNAME , LOC
  2 FROM DEPT
  3 WHERE DEPTNO = (SELECT DEPTNO
  4                  FROM EMP
  5                  WHERE ENAME = 'KING');
```

DNAME	LOC
ACCOUNTING	NEW YORK

```
SQL> SELECT LOC
  2 FROM DEPT
  3 WHERE DEPTNO = (SELECT DEPTNO
  4                  FROM EMP
  5                  WHERE EMPNO = 7902);
```

LOC

DALLAS

```
SQL> SELECT DNAME , LOC , DEPTNO
  2 FROM DEPT
  3 WHERE DEPTNO IN (SELECT DEPTNO
  4                  FROM EMP
  5                  WHERE ENAME LIKE '%R');
```

DNAME	LOC	DEPTNO
ACCOUNTING	NEW YORK	10
SALES	CHICAGO	30

```
SQL> SELECT DNAME
  2 FROM DEPT
  3 WHERE DEPTNO = (SELECT DEPTNO
  4                  FROM EMP
  5                  WHERE JOB = 'PRESIDENT');
```

DNAME

ACCOUNTING

```
SQL> SELECT ENAME
  2 FROM EMP
  3 WHERE DEPTNO = (SELECT DEPTNO
  4                  FROM DEPT
  5                  WHERE DNAME = 'ACCOUNTING');
```

ENAME

CLARK
KING
MILLER

```
SQL> SELECT ENAME , SAL
  2 FROM EMP
  3 WHERE DEPTNO IN (SELECT DEPTNO
  4                  FROM DEPT
  5                  WHERE LOC = 'CHICAGO');
```

ENAME	SAL
-----	-----
ALLEN	1600
WARD	1250
MARTIN	1250
BLAKE	2850
TURNER	1500
JAMES	950

6 rows selected.

```
SQL> SELECT *
  2 FROM EMP
  3 WHERE DEPTNO = (SELECT DEPTNO
  4                  FROM DEPT
  5                  WHERE DNAME = 'SALES');
```

EMPNO	ENAME	JOB	MGR	HIREDATE	SAL	COMM	DEPTNO
-----	-----	-----	-----	-----	-----	-----	-----
7499	ALLEN	SALESMAN	7698	20-FEB-81	1600	300	30
7521	WARD	SALESMAN	7698	22-FEB-81	1250	500	30
7654	MARTIN	SALESMAN	7698	28-SEP-81	1250	1400	30
7698	BLAKE	MANAGER	7839	01-MAY-81	2850		30
7844	TURNER	SALESMAN	7698	08-SEP-81	1500	0	30
7900	JAMES	CLERK	7698	03-DEC-81	950		30

6 rows selected.

SQL> |

File Edit Search Options Help

```
SQL> SELECT EMP.*, SAL*12 "ANNUAL SALARY"
 2 FROM EMP
 3 WHERE DEPTNO = (SELECT DEPTNO
 4                  FROM DEPT
 5                  WHERE LOC = 'NEW YORK');
```

EMPNO	ENAME	JOB	MGR	HIREDATE	SAL	COMM	DEPTNO	ANNUAL SALARY
7782	CLARK	MANAGER	7839	09-JUN-81	2450		10	29400
7839	KING	PRESIDENT		17-NOV-81	5000		10	60000
7934	MILLER	CLERK	7782	23-JAN-82	1300		10	15600

```
SQL> SELECT ENAME
 2 FROM EMP
 3 WHERE DEPTNO = (SELECT DEPTNO
 4                  FROM DEPT
 5                  WHERE DNAME = 'OPERATIONS');
```

no rows selected

```
SQL> SELECT ENAME
 2 FROM EMP
 3 WHERE SAL > (SELECT SAL
 4               FROM EMP
 5               WHERE ENAME = 'SCOTT') AND DEPTNO = (SELECT DEPTNO
 6                                                       FROM DEPT
 7                                                       WHERE DNAME = 'ACCOUNTING');
```

ENAME

KING

```
SQL> SELECT *
 2 FROM EMP
 3 WHERE JOB = 'MANAGER' AND DEPTNO = (SELECT DEPTNO
 4                                     FROM DEPT
 5                                     WHERE LOC = 'CHICAGO');
```

EMPNO	ENAME	JOB	MGR	HIREDATE	SAL	COMM	DEPTNO
7698	BLAKE	MANAGER	7839	01-MAY-81	2850		30

SQL>

File Edit Search Options Help

```
SQL> SELECT ENAME , SAL
  2 FROM EMP
  3 WHERE SAL > (SELECT SAL
  4             FROM EMP
  5             WHERE ENAME = 'KING') AND DEPTNO = (SELECT DEPTNO
  6             FROM DEPT
  7             WHERE DNAME = 'ACCOUNTING');
```

no rows selected

```
SQL> SELECT *
  2 FROM EMP
  3 WHERE JOB = 'SALESMAN' AND DEPTNO = (SELECT DEPTNO
  4             FROM DEPT
  5             WHERE DNAME = 'SALES');
```

EMPNO	ENAME	JOB	MGR	HIREDATE	SAL	COMM	DEPTNO
7499	ALLEN	SALESMAN	7698	20-FEB-81	1600	300	30
7521	WARD	SALESMAN	7698	22-FEB-81	1250	500	30
7654	MARTIN	SALESMAN	7698	28-SEP-81	1250	1400	30
7844	TURNER	SALESMAN	7698	08-SEP-81	1500	0	30

```
SQL> SELECT ENAME , SAL , JOB , HIREDATE
  2 FROM EMP
  3 WHERE DEPTNO = (SELECT DEPTNO
  4             FROM DEPT
  5             WHERE DNAME = 'OPERATIONS') AND HIREDATE < (SELECT HIREDATE
  6             FROM EMP
  7             WHERE ENAME = 'KING');
```

no rows selected

```
SQL> SELECT ENAME
  2 FROM EMP
  3 WHERE DEPTNO IN (SELECT DEPTNO
  4             FROM DEPT
  5             WHERE DNAME LIKE '%S');
```

ENAME

ALLEN
WARD
MARTIN
BLAKE
TURNER
JAMES

6 rows selected.

File Edit Search Options Help

```
SQL> SELECT DNAME
  2   FROM DEPT
  3   WHERE DEPTNO IN (SELECT DEPTNO
  4                      FROM EMP
  5                      WHERE ENAME LIKE '%A%');
```

DNAME

ACCOUNTING
RESEARCH
SALES

```
SQL> SELECT DNAME , LOC
  2   FROM DEPT
  3   WHERE DEPTNO = (SELECT DEPTNO
  4                      FROM EMP
  5                      WHERE SAL = 800);
```

DNAME	LOC
RESEARCH	DALLAS

```
SQL> SELECT DNAME
  2   FROM DEPT
  3   WHERE DEPTNO IN (SELECT DEPTNO
  4                      FROM EMP
  5                      WHERE COMM IS NOT NULL);
```

DNAME

SALES

```
SQL> SELECT LOC
  2   FROM DEPT
  3   WHERE DEPTNO IN (SELECT DEPTNO
  4                      FROM EMP
  5                      WHERE COMM IS NOT NULL) AND DEPTNO = 40;
```

no rows selected

SQL> |