

PRODUCT REQUIREMENTS DOCUMENT

Internship Project Platform

Version 1.0 | Confidential | Internship Edition

Document Information

Field	Details
Document Title	Product Requirements Document — Internship Platform
Version	1.0
Status	Draft
Total Modules	6
Target Audience	Development Team, QA, Stakeholders
Last Updated	05 April 2026

1. Introduction

This Product Requirements Document (PRD) defines the functional and technical requirements for a web platform developed as part of an internship project. The platform is structured into six independent but interrelated modules, each targeting a distinct aspect of user experience, security, engagement, and monetization.

Each module has been designed with specific business rules, constraints, and edge cases that must be implemented precisely as specified. This document serves as the single source of truth for all stakeholders — developers, QA engineers, and project reviewers.

2. Project Scope

2.1 In Scope

- Forgot Password functionality with rate limiting and password generation

- Subscription-based question posting with Stripe/Razorpay payment integration
- Public social space with friend-count-based posting restrictions
- Multi-language support with OTP-based verification on language switch
- Login history tracking and browser/device-based authentication rules
- Rewards and points system with transfer functionality

2.2 Out of Scope

- Native mobile application development
- Third-party CRM or analytics integrations
- Content moderation AI or automated flagging systems

3. Module 1 — Forgot Password

3.1 Overview

This module provides users with a self-service password reset mechanism accessible via a dedicated page and route. To prevent abuse, the feature is rate-limited to one use per user per calendar day. A secure auto-generated password is provided to the user upon successful verification.

3.2 Functional Requirements

3.2.1 Dedicated Route & Page

- A standalone page must exist at a dedicated route (e.g., /forgot-password).
- The page must be accessible to unauthenticated users only.
- Users must be able to initiate reset using either their registered email address or registered phone number.

3.2.2 Rate Limiting (Once Per Day)

- The system must record the timestamp of each successful forgot-password request per user.
- If the same user attempts to request a password reset more than once within the same calendar day (00:00 to 23:59), the system must block the request and display the warning:
 - "You can use this option only one time per day."
- The rate limit must reset at midnight (00:00) of the next calendar day.

3.2.3 Password Generator

- Upon successful identity verification, the system must auto-generate a new password for the user.
- Generated passwords must contain only uppercase and lowercase English letters (A-Z, a-z).
- No numbers (0-9), special characters, or spaces are permitted in the generated password.
- Recommended generated password length: 10 to 16 characters.
- The generated password must be sent to the user's registered email or SMS, then set as the user's temporary password.
- Users should be prompted to change this password upon their next login.

3.3 Business Rules Summary

Rule	Specification
Access	Unauthenticated users only
Identity Options	Registered email OR phone number
Daily Limit	1 request per user per calendar day
Over-limit Message	"You can use this option only one time per day."
Password Characters	Uppercase + lowercase letters only (no numbers, no special chars)
Password Length	10–16 characters (recommended)
Reset Cycle	Limit resets at midnight each day

4. Module 2 — Subscription Plans & Payment Gateway

4.1 Overview

This module introduces a tiered subscription system that controls how many questions a user can post per day. Payments are processed through Stripe or Razorpay. The system enforces a strict time window for payments, sends automated invoices upon success, and restricts question posting based on the user's active plan.

4.2 Subscription Tiers

Plan	Price (Monthly)	Questions Per Day	Notes
Free	₹0	1	Default plan for all new users

Plan	Price (Monthly)	Questions Per Day	Notes
Bronze	₹100	5	Entry-level paid tier
Silver	₹300	10	Mid-tier plan
Gold	₹1,000	Unlimited	Premium — no daily cap

4.3 Functional Requirements

4.3.1 Payment Gateway Integration

- The platform must integrate with either Stripe or Razorpay for payment processing.
- Users must be able to select a plan, view pricing, and initiate checkout from a dedicated subscription page.
- Payments must be processed securely with PCI-compliant flows provided by the gateway SDK.

4.3.2 Payment Time Restriction

- Payments may only be initiated and completed between 10:00 AM and 11:00 AM IST.
- Outside this window, the checkout button must be disabled or hidden, and users must see a message such as:
 - "Payments are only accepted between 10:00 AM and 11:00 AM IST. Please try again during this window."
- The server must validate the time of payment confirmation — client-side time alone is insufficient; server-side IST timestamp must be checked.

4.3.3 Post-Payment Email

- Upon successful payment confirmation from the gateway webhook, the system must automatically send an email to the user.
- The email must contain: invoice number, plan name, amount paid, billing date, next renewal date, and user account details.
- The email must be sent within 2 minutes of payment confirmation.

4.3.4 Question Posting Enforcement

- Each time a user attempts to post a question, the system must check their active subscription and daily post count.
- If the daily limit is reached, the system must display an appropriate upgrade prompt.
- The question count resets daily at midnight IST.

4.4 Business Rules Summary

Rule	Specification
Payment Window	10:00 AM – 11:00 AM IST only
Invoice Delivery	Automated email within 2 minutes of payment
Plan Activation	Immediate upon webhook confirmation
Question Count Reset	Daily at midnight IST
Over-limit Action	Block post + show upgrade prompt

5. Module 3 — Public Social Space

5.1 Overview

This module introduces a social feed where users can share photos and videos and interact through likes, comments, and shares. Post frequency is directly tied to the user's friend count, creating an incentive system that rewards community building.

5.2 Core Social Features

- Users can upload photos and videos to the public feed.
- All authenticated users can like, comment on, and share any post.
- Posts appear in a chronological or algorithmic public feed.

5.3 Friend-Count-Based Posting Limits

Friends Count	Allowed Posts Per Day
0 friends	Not allowed to post
1 friend	1 post per day
2 friends	2 posts per day
3–10 friends	Posts per day = number of friends (capped at 10)
More than 10 friends	Unlimited posts per day

5.4 Functional Requirements

- The system must check the user's current friend count before allowing a post to be published.
- Users with zero friends must see the message: "Add at least one friend to start posting on the public page."

- Post counts must reset daily at midnight.
- Friend count is evaluated at the time of each post attempt, not at day start.
- Likes, comments, and shares do not count against the posting limit.

5.5 Business Rules Summary

Rule	Specification
Zero friends	Posting blocked entirely
1–10 friends	Posts per day = friend count
10+ friends	Unlimited posts
Count Reset	Daily at midnight
Interactions (like/comment/share)	Unrestricted for all authenticated users

6. Module 4 — Multi-Language Support

6.1 Overview

This module enables users to experience the entire platform in one of six supported languages. Language switching is secured with OTP verification, with the verification channel determined by the chosen language. All page content, labels, messages, and system notifications must be consistently translated.

6.2 Supported Languages

Language	OTP Channel	Notes
English	Mobile OTP	Default language
Spanish	Mobile OTP	—
Hindi	Mobile OTP	—
Portuguese	Mobile OTP	—
Chinese	Mobile OTP	—
French	Email OTP	Special case — email verification required

6.3 Functional Requirements

6.3.1 Language Selection

- A language selector must be present on all pages (e.g., header dropdown or settings page).
- The user's language preference must be persisted in their account profile.
- All UI strings, error messages, notifications, and system emails must be rendered in the selected language.

6.3.2 OTP Verification on Language Change

- When a user changes their language preference, OTP verification is mandatory before the change is applied.
- If the target language is French: the system sends an OTP to the user's registered email address.
- For all other supported languages: the system sends an OTP to the user's registered mobile number.
- The OTP must expire within 5 minutes.
- If verification fails or times out, the language change must be cancelled and the previous language retained.

6.4 Business Rules Summary

Rule	Specification
OTP for French	Sent to registered email
OTP for all other languages	Sent to registered mobile number
OTP Expiry	5 minutes
Failed OTP	Language change cancelled; original language retained
Persistence	Language preference saved to user profile

7. Module 5 — Login History & Device-Based Authentication

7.1 Overview

This module captures granular login metadata for transparency and security, displays it as a login history in the user's profile, and applies differentiated authentication rules depending on the user's browser and device type. Mobile logins are additionally restricted to a specific time window.

7.2 Login Data to Capture

Data Point	Description
Browser Type	e.g., Chrome, Firefox, Edge, Safari
Operating System	e.g., Windows 11, macOS, Android, iOS
Device Type	Desktop, Laptop, or Mobile
IP Address	Public IP of the client at login time
Login Timestamp	Date and time of login (IST)
Login Status	Success or Failed

7.3 Authentication Rules by Browser

Browser	Authentication Requirement
Google Chrome	OTP via email required before access is granted
Microsoft Edge / IE	No additional authentication — direct access granted
All other browsers	Standard username/password authentication only

7.4 Mobile Login Time Restriction

- Users accessing the platform from a mobile device may only log in between 10:00 AM and 1:00 PM IST.
- Outside this window, the login attempt must be rejected with the message:
 - "Mobile access is only available between 10:00 AM and 1:00 PM. Please try again during this window."
- Device type (mobile) must be determined server-side using User-Agent parsing, not client-reported data alone.

7.5 Login History Display

- A dedicated section within the user's profile must display a log of all login events.
- Each record must show: browser, OS, device type, IP address, and timestamp.
- The most recent login must appear first (reverse chronological order).
- Users must not be able to edit or delete their login history.

7.6 Business Rules Summary

Rule	Specification
Chrome login	Email OTP required
Microsoft browser login	No additional auth
Mobile login window	10:00 AM – 1:00 PM IST only
History access	Read-only; user cannot modify
Data captured per login	Browser, OS, device, IP, timestamp, status

8. Module 6 — Rewards & Points System

8.1 Overview

This module introduces a gamified point system to incentivize quality contributions. Users earn points for answering questions and receiving upvotes, can transfer points to peers, and lose points when answers are removed or downvoted. Points are displayed prominently on user profiles.

8.2 Point Earning Rules

Action	Points Awarded
Answer a question	+5 points
Answer receives 5 upvotes	+5 additional points (bonus)
Answer is removed/deleted	Points deducted (reverse of award)
Answer receives a downvote/downgrade	Points deducted

8.3 Point Transfer Rules

- Users can search for any other user by profile name or username and initiate a point transfer.
- The sender must enter the number of points to transfer and confirm by clicking the transfer button.
- Point transfer is only permitted if the sender has more than 10 points.
- Users with 10 points or fewer must see the message: "You need more than 10 points to transfer points."
- The transferred amount is deducted from the sender's balance and added to the recipient's balance atomically.
- Users cannot transfer points to themselves.

8.4 Profile Display

- Current point balance must be displayed on the user's public profile.
- A transaction history (earn/deduct/transfer events) should be visible to the user in their account settings.

8.5 Business Rules Summary

Rule	Specification
Answer reward	+5 points
5-upvote bonus	+5 additional points
Downvote/removal penalty	Points reversed/deducted
Transfer eligibility	Sender must have > 10 points
Transfer blocked message	"You need more than 10 points to transfer points."
Self-transfer	Not allowed
Atomicity	Transfer is all-or-nothing (no partial credits)

9. Non-Functional Requirements

Category	Requirement
Performance	All pages must load within 3 seconds on a standard broadband connection
Security	All sensitive data (passwords, OTPs, payment info) must be encrypted in transit (HTTPS/TLS)
Availability	Target uptime of 99.5% excluding scheduled maintenance
Scalability	System must support up to 10,000 concurrent users without degradation
Localization	All 6 languages must be fully supported including RTL-compatible layouts if needed
Compliance	Payment flows must comply with PCI DSS; user data with applicable data protection laws
Accessibility	Core flows must meet WCAG 2.1 AA standards

10. Risks & Mitigations

Risk	Mitigation
Payment gateway downtime during 10–11 AM window	Implement retry logic and fallback error messaging
OTP delivery failures (email/SMS)	Provide resend OTP option with a 30-second cooldown
Rate limit bypass via account creation	Link rate limits to IP + device fingerprint, not just account
Points manipulation via upvote bots	Implement upvote velocity checks and abuse detection
User-Agent spoofing to bypass device restrictions	Combine UA with screen size, touch capability for device detection
Translation quality across 6 languages	Use professional translations; provide fallback to English on missing keys

11. Glossary

Term	Definition
OTP	One-Time Password — a time-limited code sent via email or SMS for verification
IST	Indian Standard Time (UTC +5:30)
Webhook	An HTTP callback from the payment gateway confirming a payment event
Rate Limiting	Restricting the number of times an action can be performed within a time window
DXA	Document eXtended Attributes — a unit of measurement used in DOCX formatting (1440 DXA = 1 inch)
PCI DSS	Payment Card Industry Data Security Standard
WCAG	Web Content Accessibility Guidelines

12. Document Approval

This PRD requires review and sign-off from the following stakeholders before development commences:

Role	Name	Signature	Date
Intern / Author		_____	
Internship Mentor		_____	
Technical Lead		_____	
QA Lead		_____	