

ERP System – Bug List

List of issues to be fixed by the development team

1. In Company Control Management, in the sync Dashboard page, Refresh dashboard option is not working.
2. In COA # GENERATION, when we are opening INBOUND MATERIAL(S) widget, upon clicking on “select & test” of any data the screen is taking us to FG COA page. Also, that data is not even getting reflected in the SOA (which is the next step) or not even in the main screen of COA # GENERATION page.
3. There’s this same problem happening with SA page as well. Data is neither getting reflected to COA GENERATION page (which is the next step) nor in the main page of SA itself.
4. Please check the whole flow of QA/QC module as I can see that the data is not getting reflected to IP COA as well after getting approved from COA GENERATION.
5. Also, after verifying the Good’s Received, the data must move to BILL GENERATION but it isn’t happening that way.
6. In Purchase Request Form, when we are creating new entry, the drop-down box shown in the image below is not aligned and same is the case with the drop-down for Material “Category & Critical Item?” options as well.


The screenshot displays the 'Low Stock - Purchase Request Form' modal in the Biogenix ERP system. The form is titled 'Low Stock - Purchase Request Form' and includes a close button. Below the title, there is a note: 'This form is to be filled whenever any item goes out of stock at the store. Please provide complete and accurate details so that the restocking process can begin immediately. Avoid WhatsApp/verbals – this form is your official communication tool.' The form contains several fields: 'Person Reporting' (filled with 'atharv@biogenix.in'), 'Date of Report' (filled with '17/09/2026'), 'Material Lines' (filled with 'Standard Inventory'), 'Material Category' (filled with 'Accessories (Hematology)'), and 'Product' (filled with '0.1 mL QPCR 8 Strip LSR2051 120/Pkt'). There is also a search bar for the product field. The background shows the ERP dashboard with a sidebar menu and a table of items.

EXP	DOD	STATUS	ACTION
		Order Placed	
		Pending	
		Pending	
		Pending	


POINTERS 7 TO 9 MAY HAVE OCCURED BECAUSE THE COA AND SA HAVE NOT BEEN COMPLETED FOR “ASSAY CUPS 602.....”. I AM NOT COMPLETELY SURE ABOUT THIS, SO KINDLY CHECK AND VERIFY IT ONCE.

7. In Order Management, inside the New Order widget look at the entry named “Assay Cups 602.....” carrying client name as Amazon Seller. The stock shows as “In stock” but upon opening, the page shows that the product is out of stock. In the inventory, the product is having enough stock.

I am attaching 2 images which will make it easy for you.



CLIENT	PRODUCT(S)	QUANTITY	DELIVERY ADDRESS	ORDER VALUE	STOCK	ACTION
VINICIUS JR	Dropper 10 µL	506,506 Units	MADRID	₹0	Low/Out of Stock	
AMAZON SELLER	Assay Cups 602-000417-1...	5,400,000 Units	UTTAR PRADESH	₹0	In Stock	
11AFH AIR FORCE STATION HINDANGHAZIABAD	Pre-Trigger Solution IE000...	9,999,999,999 Units	NEAR MOHANNAGAR CHO...	₹0	Low/Out of Stock	
A V ENTERPRISES LUCKNOW	ACA IGM HIGHTOP	909,090 Units	3/71 Vveik Khand,Captain ...	₹50,000	Low/Out of Stock	
A A MEDICAL SOLUTION KANPUR	100 ul-200 ul TIPS (TERSO...	500 Units	416/5, SHASHTRI NAGAR K...	₹0	Low/Out of Stock	
11AFH AIR FORCE STATION HINDANGHAZIABAD	100 ul-200 ul TIPS (TERSO...	1 Units	NEAR MOHANNAGAR CHO...	₹0	Low/Out of Stock	



Assay Cups 602-000417-10 (Bag)

SKU: BGX/AC.CLI/A/2026/000001

Quantity: 540000 Pieces (pcs)

Status: STOCK UNAVAILABLE

Buttons: Procure, Produce

Delivery Address: UTTAR PRADESH

State / Code: UTTAR PRADESH

Available Stock: 0 pcs

Insufficient stock available for the current order. Please initiate procurement or production.

Assay Cups 602-000417- Stock unavailable

Ordered: 5400000 pcs


Reserved / available: 0 pcs

Shortfall: 5400000 pcs

Minimum stock retained: 0 pcs

Fulfillment Notes: Add internal notes regarding logistics or warehouse handling...

8. In Order Management, inside the New Order widget, when I am selecting a particular entry through checkbox and then clicking on “send to dispatch”, the pop-up screen of confirmation is showing at the back of the New Incoming Orders List page.



9. In Goods Dispatched, I am trying to open the same entry for the client named Amazon Seller. Upon clicking the VIEW option this remark is showing although the inventory shows the item to be in stock.

