

## Class 12

### Chapter 10 - Vector Algebra

The following problem is question 17 from exercise 10.5

1. Let  $\mathbf{a}$  and  $\mathbf{b}$  be two unit vectors and  $\theta$  is the angle between them. Then  $\mathbf{a} + \mathbf{b}$  is a unit vector if

a)  $\theta = \frac{\pi}{4}$

b)  $\theta = \frac{\pi}{3}$

c)  $\theta = \frac{\pi}{2}$

d)  $\theta = \frac{2\pi}{3}$

**Solution:**

The input parameters for this problem are given in Table 2 Given,

Symbol	Value	Description
O	0 0	First point
A	1 0	Second point
B	$\frac{-1}{2}$ $\frac{\sqrt{3}}{2}$	Third point
C	-1 0	Fourth point

Table 2: Input vectors

$$\|\mathbf{a}\| = \|\mathbf{b}\| = 1 \quad (1)$$

$$\|\mathbf{a} + \mathbf{b}\| = 1 \quad (2)$$

Squaring both sides of (2) , we get

$$\|\mathbf{a} + \mathbf{b}\|^2 = 1^2 \quad (3)$$

$$\Rightarrow \|\mathbf{a}\|^2 + \|\mathbf{b}\|^2 + 2\mathbf{a}^\top \mathbf{b} = 1 \quad (4)$$

Substituting (1) in (4), we get

$$\Rightarrow 1 + 1 + 2(\|\mathbf{a}\|\|\mathbf{b}\| \cos \theta) = 1 \quad (5)$$

$$\Rightarrow 2 + 2(\|\mathbf{a}\|\|\mathbf{b}\| \cos \theta) = 1 \quad (6)$$

$$\Rightarrow 2(\|\mathbf{a}\|\|\mathbf{b}\| \cos \theta) = -1 \quad (7)$$

$$\Rightarrow (\|\mathbf{a}\|\|\mathbf{b}\| \cos \theta) = \frac{-1}{2} \quad (8)$$

Substituting (1) in (8), we get

$$\Rightarrow \cos \theta = \frac{-1}{2} \quad (9)$$

$$\Rightarrow \theta = \frac{2\pi}{3} \quad (10)$$




Figure 1: **OA** and **CO** is **a** and **OB** is **b** and **CB** is **a+b**