al create Collectur ("S+uderd"). 2 "OK": 1) . alt. Student. wsert (-lid": 1, "roll": 1, none: "Sur "'ge": 21, "Emil": swape smal om " y);

De wite pesult ({ " ho nevled": 1)

db . Student . west ({ - id: 2, "varie": samad" | Folia:

"age": 21, "emal". samad@yahoo.com"); dt student update ((id 9, roll no: 10 b)

Lemal: "Samad@gmalCon!"))

Lupsert: ture); of Student update (1. d:1 pale in: 119 L \$set: \$ Name: "Yash" } (upsert : the }) db. Student. fund (). export + impart -> mapoliqued - de student - collectorstudent out Student. per -> mongo unport -- de student student cur

use datation 1 de cust Collecter (austoner!) 2 dt. austoner. msect (laust_vd:1, Acc-bd. 1)

Acc_tyle: "z"] db. custoner-import (Laust-idiz, Acc-bad: 3000 Act-type: "A") de. audant. fund (LACC-bay -. (\$4:12005) La CC-type : "2"5) 4 db. austoner. aggregate ([? show? - id: "\$ aust - id"

mn - hel: (\$mn: "\$ Aα - bel")

mac-rel: (\$mac: "\$ Aα - hel") nongocciport - d Databar -c Customs

-) cust-ud, ACC-bal, ACC-type

-- type = crsv D custom cos dr. autorer deop? mangompet - d Dalatar - c customas --type. on -- file custom, on