

COMPUTER SCIENCE & ENGINEERING

Date	June 2024	Maximum Marks	50
Course Code	CS241AT	Duration	90 Min
Sem-IV	Test-1	Staff: HKK/ASP/SMS/SGR/MNV	

DISCRETE MATHEMATICAL STRUCTURES AND COMBINATORICS (Common to CSE, ISE & AIML)

		Marks	BT	CO
1a.	Determine if the expansion of $(x^2 - \frac{2}{x})^{18}$ will contain a term containing x^{10} .	5	4	2
1b.	If a person places 6 letters into 6 addressed envelopes, what is the probability that exactly two of them are placed correctly.	5	3	2
2a.	Find the number of non negative integer solutions of i. $x_1 + x_2 + x_3 + x_4 + x_5 = 40$ ii. $x_1 + x_2 + x_3 + x_4 + x_5 \leq 40$ iii. $x_1 + x_2 + x_3 + x_4 + x_5 = 40$ with $x_1 \geq 1, x_2 \geq 2, x_3 \geq 3, x_4 \geq 4, x_5 \geq 5$ iv. $x_1 + x_2 + x_3 + x_4 + x_5 = 40$ with $x_1 < 20$	6	3	2
2b.	Simplify using the laws of logic: $\neg[\neg\{(p \vee q) \wedge r\} \vee \neg q]$	4	3	1
3a.	Write the recurrence relation to solve the Tower of Hanoi problem. Also solve that recurrence relation using the generating function.	6	4	4
3b.	Draw the circuit diagram to represent the following statement: $[p \vee (p \wedge q) \vee (p \wedge q \wedge \neg r)] \wedge [p \wedge r \wedge t] \vee t]$	4	2	3
4a.	If a person invests ₹ 25,000 at at 9% annual interest, find the amount he will get at the end of 5 years if • interest compounded half yearly • interest compounded monthly Write the recurrence relation and solve.	6	3	4
4b.	Determine the truth values of p, q, r, s, t when $[p \wedge (q \wedge r)] \rightarrow (s \vee t)$ is false.	4	2	1
5a.	Show the validity of the argument: $(\neg p \wedge \neg q) \rightarrow (r \wedge s)$ $r \rightarrow t$ $\neg t$ ----- $\therefore p$	6	3	3
5b.	Find the number of ways in which 5 people A, B, C, D, and E can be seated at a round table, such that • C and D always sit together • C and D never sit together	4	1	1

BT-Blooms Taxonomy, CO-Course Outcomes, M-Marks

Marks Distribution	Particulars	CO1	CO2	CO3	CO4	CO5	L1	L2	L3	L4	L5
	Max Marks	12	16	10	12	-	4	8	27	11	-

COMPUTER SCIENCE & ENGINEERING

Date	July 2024	Maximum Marks	60
Course Code	CS241AT	Duration	120 Min
Sem-IV	Test-II	Staff: HKK/ASP/SMS/SGR/MNV	

DISCRETE MATHEMATICAL STRUCTURES AND COMBINATORICS (Common to CSE, ISE & AIML)

		Marks	BT	CO
PART-A				
1.1	Let $A = \{1, 2, 3, 4\}$. How many relations on A which are antisymmetric? How many relations on A which are neither reflexive nor irreflexive?	2	1	2
1.2	Let R be the relation on the set $A = \{1, 2, 3, 4, 5\}$ containing the ordered pairs $R = \{(1, 3), (2, 4), (3, 1), (3, 5), (4, 3), (5, 1), (5, 2), (5, 4)\}$. Find R^4 .	2	2	1
1.3	For the POSET $(A,)$ where $A = \{2, 4, 6, 9, 12, 18, 27, 36, 48, 60, 72\}$ find the upper bounds, lower bounds, LUB and GLB of $\{2, 6, 9, 18\}$.	2	2	2
1.4	How many ways can one distribute 4 distinct objects among 3 identical containers?	1	1	
1.5	If $A = \{1, 2, 3, 4, 5\}$ and there are 6720 injective functions $f: A \rightarrow B$, what is $ B $?	1	1	
1.6	Let $P(x, y)$ denote the sentence: x divides y . What are the truth values of $\forall x \exists y P(x, y)$, $\forall x \forall y P(x, y)$, where the domain of x, y is the set $\{1, 2, 4, 6, 12\}$?	1	1	
1.7	Express the negation of the below statement so that all negation symbols immediately precede predicates. $\forall x \exists y (P(x, y) \rightarrow Q(x, y))$	1	1	
PART-B				
2a.	For the following statement state the <i>converse</i> , <i>inverse</i> , and <i>contrapositive</i> . Also determine the truth value for the given statement, as well as the truth value for its <i>converse</i> , <i>inverse</i> , and <i>contrapositive</i> . "For all real numbers x , if $x^2 + 4x - 21 > 0$, then $x > 3$ or $x < -7$."	05		3



2b.	Test the validity of the following argument: <i>Some rational numbers are powers of 7.</i> <i>All integers are rational numbers.</i> <i>Some integers are power of 7.</i>	05	4	3
3a.	Let $A = \{1, 2, 3, 4\}$ and $R = \{(1, 2), (2, 3), (3, 4), (2, 1)\}$. Write the matrix for R . Find the R^∞ by computing matrices for R^2, R^3, \dots	04	2	2
3b.	Suppose A is a set, R is an equivalence relation on A , and a and b are elements of A . Prove the following. i. If aRb , then $[a] = [b]$. ii. $[a] = [b]$ or $[a] \cap [b] = \emptyset$. iii. Distinct equivalence classes of R form a partition of A .	06	4	1
4a.	Define POSET. Show that the set $A = \{1, 2, 3, 6, 12, 15, 24, 36, 48\}$ under the divisibility ($ $) operation forms a POSET. Draw the Hasse diagram for $(A,)$	05	2	
4b.	Let $U = \{1, 2, 3, 4, 5, 6, 7\}$, with $A = P(U)$ (power set of U), and R be the subset relation on A . For $B = \{\{1\}, \{2\}, \{2, 3\}\} \subseteq A$, determine each of the following. a) The number of upper bounds of B that contains 4 elements. b) The number of upper bounds that exists for B . c) The lub of B d) The number of lower bounds that exists for B . e) The glb of B .	05	3	
5a.	i. Let $f(x) = x^3$ and $g(x) = x - 1$ for all real numbers x . Find $g \circ f$ and $f \circ g$. Verify whether $g \circ f$ equals $f \circ g$. ii. Let $f, g: R \rightarrow R$, where $g(x) = 1 - x + x^2$ and $f(x) = ax + b$. If $(g \circ f)(x) = 9x^2 - 9x + 3$, determine a and b .	04	3	
5b.	If $f: A \rightarrow B$ and $g: B \rightarrow C$ are invertible functions, then $g \circ f: A \rightarrow C$ is an invertible function and $(g \circ f)^{-1} = f^{-1} \circ g^{-1}$. Prove this.	06	4	
6a.	Let $f: A \rightarrow B$, $g: B \rightarrow C$ and $h: C \rightarrow D$. Prove the following. i. If f and g are one-to-one, then $g \circ f$ is one-to-one. ii. If f and g are onto, then $g \circ f$ is onto. iii. $(h \circ g) \circ f = h \circ (g \circ f)$.	06	4	
6b.	Let $A = \{1, 2, 3, 4, 5\}$ and $B = \{6, 7, 8, 9, 10, 11, 12\}$. i. How many functions $f: A \rightarrow B$ are there? ii. How many functions are one-to-one? iii. How many functions $f: A \rightarrow B$ are such that $f^{-1}(\{6, 7, 8\}) = \{1, 2\}$?	04	3	



BT-Blooms Taxonomy, CO-Course Outcomes, M-Marks

Marks Distribution	Particulars	CO1	CO2	CO3	CO4	CO5	L1	L2	L3	L4	L5
		12	31	17			6	13	18	23	

Course Code	CS241AT	Duration	120 Min
Sem-IV	Improvement Test	Staff: HKK/ASP/SMS/SGR/MNV	

DISCRETE MATHEMATICAL STRUCTURES AND COMBINATORICS
(Common to CSE, ISE & AIML)

	PART-A	Marks	BT	C																									
1.1	Let G be the set of real numbers not containing -1 and $*$ be the binary operation defined by $a*b=a+b+ab$. What is the inverse of any number $a \in G$.	1	1	1																									
1.2	If the binary operation $*$ is associative, then complete the following table. <table border="1" style="margin: 10px auto;"> <tr><td>*</td><td>a</td><td>b</td><td>c</td><td>d</td></tr> <tr><td>a</td><td>a</td><td>b</td><td>c</td><td>d</td></tr> <tr><td>b</td><td>b</td><td>a</td><td>c</td><td>d</td></tr> <tr><td>c</td><td>c</td><td>d</td><td>c</td><td>d</td></tr> <tr><td>d</td><td></td><td></td><td>c</td><td>d</td></tr> </table>	*	a	b	c	d	a	a	b	c	d	b	b	a	c	d	c	c	d	c	d	d			c	d	1	1	1
*	a	b	c	d																									
a	a	b	c	d																									
b	b	a	c	d																									
c	c	d	c	d																									
d			c	d																									
1.3	Let $G = (\mathbb{Z}_{12}, +)$ and $H = \{[0], [4], [8]\}$. What is the partition of G induced by the subgroup H .	1	3	2																									
1.4	A binary symmetric channel has probability $p=0.05$. What is the probability of sending the code word 110101101 and making at most 2 errors in the transmission?	1	2	1																									
1.5	Let $E: \mathbb{Z}_2^3 \rightarrow \mathbb{Z}_2^9$ be the encoding function for (9, 3) triple repetition code and $D: \mathbb{Z}_2^9 \rightarrow \mathbb{Z}_2^3$ is the corresponding decoding function. Find three different received words r for which $D(r) = 000$.	1	2																										
1.6	Let G be the Peterson graph. Find $\chi(G)$.	1	2																										
1.7	What is the value of $\chi'(G)$ where G is $K_{3,2}$?	1	2																										
1.8	If 5 colors are available, how many proper colorings are possible to color the graph $K_{3,3}$.	1	3																										
1.9	Find the centroid of the tree shown below. 	1	2																										
1.10	Find the center of the graph shown below. 	1	2																										

PART-B				
2a.	In a group $(G, *)$, prove that $(a * b)^{-1} = b^{-1} * a^{-1}$ for all $a, b \in G$.	05	3	2
2b.	Show that $(\mathbb{Z}_{12}, +)$ is a cyclic group and find all its generators.	05	4	3
3a.	Let G be a group and let a be any fixed element of G . Show that the function $f: G \rightarrow G$ defined by $f(x) = axa^{-1}$, for $x \in G$, is an isomorphism.	05	3	2
3b.	Let $E: W \rightarrow C$ be an encoding function with the set of messages $W \subseteq \mathbb{Z}_2^m$ and the set of code words $E(W) = C \subseteq \mathbb{Z}_2^n$, where $m < n$. For $k \in \mathbb{Z}^+$, we can detect transmission errors of weight $\leq k$ iff the minimum distance between code words is at least $k+1$. Prove this.	05	2	3
4a.	Define the encoding function $E: \mathbb{Z}_2^3 \rightarrow \mathbb{Z}_2^6$ by means of the parity check matrix $H = \begin{bmatrix} 1 & 0 & 1 & 1 & 0 & 0 \\ 1 & 1 & 0 & 0 & 1 & 0 \\ 1 & 0 & 1 & 0 & 0 & 1 \end{bmatrix}$ <ul style="list-style-type: none">i. Determine all code words.ii. What is the error detection and correction capability?iii. Decode the received words 000011, 111100.	06	2	2
4b.	<ul style="list-style-type: none">i. If $x \in \mathbb{Z}_2^{10}$, determine $S(x, 1)$, $S(x, 2)$, $S(x, 3)$.ii. For $n, k \in \mathbb{Z}^+$ with $1 \leq k \leq n$, if $x \in \mathbb{Z}_2^n$, what is $S(x, k)$?	04	3	2
5a.	Find $P(G, \lambda)$ for the graph shown below. 	06	3	4
5b.	Give an example of a connected graph that has <ul style="list-style-type: none">i. Neither an Euler circuit nor a Hamilton cycle.ii. An Euler circuit but no Hamilton cycle.iii. No Euler circuit but has Hamilton cycle.iv. Both Euler circuit and a Hamilton cycle.	04	1	1
6a.	Prove that in every tree $ V = E + 1$.	05	2	3
6b.	By applying the decomposition theorem, find the number of spanning trees for the graph shown below.  <div style="text-align: right;">DAA-III DMSC-III</div>	05	3	4

BT-Blooms Taxonomy, CO-Course Outcomes, M-Marks

Marks Distribution	Particulars	CO1	CO2	CO3	CO4	CO5	L1	L2	L3	L4	L5	L6
	Max Marks	7	26	16	11	-	6	22	27	5	-	

DISCRETE MATHEMATICAL STRUCTURES AND COMBINATORICS

Time: 03 Hours

Maximum Marks: 100

Instructions to candidates:

1. Answer all questions from Part A. Part A questions should be answered in first three pages of the answer book only.
2. Answer FIVE full questions from Part B. In Part B question number 2 is compulsory. Answer any one full question from 3 and 4, 5 and 6, 7 and 8, 9 and 10.
3. Use of statistical tables and formula handbook permitted.

PART-A



M BT CO

1	1.1	Finds the number of ways that the alphabets A, B, C, D, E, F, G are arranged such that A is not first position, B is not in second position, G is not in seventh position.	02	2	2
	1.2	Solve the recurrence relation $a_n = 4a_{n-1} - 4a_{n-2}, n \geq 2$ subject to the initial conditions $a_1 = 1, a_2 = 3$.	02	2	2
	1.3	Simply using law of logic: $[(p \vee q) \wedge (p \vee \sim q)] \vee q \Leftrightarrow p \vee q$	02	1	1
	1.4	Write down the converse, inverse of the following compound proposition. "A person is successful in life if he puts sincere efforts"	02	2	2
	1.5	Let $f: z \rightarrow z$ and $g: z \rightarrow z$, given by $f(x) = x - 1$ $g(x) = 2x$ find $f \circ g$ and $g \circ f$.	02	2	2
	1.6	If $R = \{(1,1), (1,2), (2,1), (2,2), (3,4), (4,3), (3,3), (4,4)\}$ is defined on the set $A = \{1,2,3,4\}$ determine the partition induced.	02	2	2
	1.7	Let $G = \{q \in \theta \mid q \neq -1\}$. Identify the identify element of $\{G, 0\}$ where $xoy = x + y + xy$ for all $x, y \in G$.	02	2	2
	1.8	What is the hamming distance between the codes '11001011' and '10000111'.	02	1	1
	1.9	Let G be a simple graph of order n . If the size of G is 56 and size of \bar{G} is 80, what is n ?	02	2	2
	1.10	Given $V = \{(1,2,3,4,5,6)\}$ and $E = \{12, 13, 23, 35, 61, 66\}$ draw undirected and directed graph $G = (V, E)$. Also write down the order and size of G .	02	2	2

PART-B

2	a	Find the number of proper divisors of 38808.	04	2	2
	b	A person inverse some amount at the rate of 11% annual compound interest. Determine the period for principal amount to get doubled.	04	2	3
	c	Find a generating function for the recurrence relation $a_{n+2} - 6a_{n+1} + 9a_n = 0$ for $n \geq 0, a_0 = 5, a_1 = 12$.	04	2	2
	d	In how many ways can 10 identical dimes be distributed among 5 children if i) There are no restrictions ii) Each child gets at least one dime.	04		

3	a	Let p, q and r be the propositions $P: I$ Study; $q: I$ will fail in the examination $r: I$ watch TV in the evening Express each of these proposition as an English sentence (i) $p \rightarrow nq$ (ii) $q \rightarrow r$ (iii) $(p \rightarrow \sim r) \cup (q \rightarrow \sim r)$ (iv) $\sim p \rightarrow (q \cup r)$ b Prove that $[(\sim p \vee q) \wedge \{p \wedge (p \wedge q)\}] \Leftrightarrow p \wedge q$ using laws of logic. c Write the following proposition in the symbolic form and find its negation. "If all triangles are right angles then no triangle is equiangular"	04 06 06	1 2 3	1 2 2
OR					
4	a	For the following statement, state the converse inverse and contrapositive. The universe consist of all integers "If m divides n and n divides p , then m divides p "	04	2	2
	b	Prove the validity of the following argument $p \rightarrow (q \wedge g)$ $r \rightarrow s$ $\sim(g \wedge s)$ $\therefore \sim p$	06	2	2
	c	Define open statement and find whether the following variable is valid. No engineering students of 1st or 2nd sem studies logic. Anil is an engineering student who studies logic. \therefore Anil is not in second semester.	06	3	3
5	a	If $f: A \rightarrow B, g: B \rightarrow C, h: C \rightarrow D$ then show that $(h \circ g) \circ f = h \circ (g \circ f)$.	04	2	2
	b	If $A = \{1, 2, 3, 4\}$ and R, S are relations on A defined by $R = \{(1, 2)(1, 3)(2, 4)(4, 4)\}$ $S = \{(1, 1)(1, 2)(1, 3)(1, 4)(2, 3)(2, 4)\}$. Find $R \circ S, S \circ R, R^2$ and S^2 .	05	2	2
	c	Draw the Hasse diagram for all positive integer divisors of 72. Also write R .	07	3	3
OR					
6	a	Find the lower and upper bounds of the subsets $\{a, b, c\}; \{i, h\}$ and $\{a, c, d, f\}$ in the poset with Hasse diagram shown in Fig 6a. Also find the glb and lub of $\{b, d, g\}$.			
		<p>Fig 6a</p>			
	b	Let $f: R \rightarrow R$ be define by $f(x) = \begin{cases} 3x - 5 & \text{if } x > 0 \\ -3x + 1 & \text{if } x \leq 0 \end{cases}$. Find $f^{-1}(1)$ and $f^{-1}(3)$.	08	3	2
	c	If R is a relation on $A = \{1, 2, 3, 4\}$ define by xRy if x divides y . Prove that (A, R) is a poset.	04	3	3
7	a	If \circ is an operation on Z define by $x \circ y = x + y + 1$. Prove that (G, \circ) is an Abelian group.			
	b	Prove that i) Identity element in a group is unique ii) Inverse of each element in a group is unique	05 04	3 2	3 2

c	<p>The encoding function $E = \mathbb{Z}_2^2 \rightarrow \mathbb{Z}_2^5$ is given by the generator matrix</p> $G = \begin{bmatrix} 1 & 0 & 1 & 1 & 1 \\ 0 & 1 & 1 & 1 & 0 \end{bmatrix}$ <p>i) Find associated parity check matrix H ii) Determine all code words iii) Find decoded word for received msq [1 1 1 0 1] iv) What is error detection and correction capability.</p>	07	4	4
<p style="text-align: center;">OR</p>				
a	If $\alpha = \begin{pmatrix} 1 & 2 & 3 & 4 & 5 \\ 2 & 4 & 3 & 5 & 1 \end{pmatrix}$ and $\beta = \begin{pmatrix} 1 & 2 & 3 & 4 & 5 \\ 4 & 2 & 5 & 3 & 1 \end{pmatrix}$ Find $\alpha \cdot \beta$ and α^{-1} .	04	2	2
b	<p>Define the encoding function $E: \mathbb{Z}_2^3 \rightarrow \mathbb{Z}_2^6$ by means of the parity - check matrix</p> $H = \begin{bmatrix} 1 & 0 & 1 & 1 & 0 & 0 \\ 1 & 1 & 0 & 0 & 1 & 0 \\ 1 & 0 & 1 & 0 & 0 & 1 \end{bmatrix}$ <p>Determine all code words.</p>	05	3	3
c	State and prove Lagrange's theorem. Find the right cosets of $H = \{1, -1\}$ in multiplicative group of fourth root of unity.	07	2	3
a	<p>Define Isomorphic and show that G_1 is isomorphic to G_2.</p> <div></div>	08	3	3
b	Explain the Konigsberg - Bridge problem.	08	4	4
<p style="text-align: center;">OR</p>				
a	If a tree has four vertices of degree 2, one vertex of degree 3, two of degree 4 and one of degree 5, how many pendant vertices does it have?	08	2	2
b	<p>Prove the following for the graph $G = (V, E)$</p> <p>i) $\sum_{v \in V} \deg(V) = 2 E$ ii) The number of vertices of odd degree must be even.</p>	08	2	2