

OOP

TUTORIAL ASSIGNMENT 1

SUBMITTED BY:
SURAKSHA DHUNGANA

CERTIFICATE OF COMPLETION

Suraksha Dhungana

has successfully completed the online course:
Git Training

This professional has demonstrated initiative and a
commitment to deepening their skills and advancing
their career. Well done!

16th May 2026
Certificate code :10231943



Krishna Kumar
CEO, Simplilearn



OOP

Date:

Tutorial Assignment

Java Programming


A. Hello World Program

→ To print: Hello, Java World!

Code:

```
public class Main {  
    public static void main (String [] args) {  
        System.out.println ("Hello, Java World!")  
    }  
}
```

Output: Hello, Java World!



B. Variables & Data Types

A program demonstrating: int, double, boolean, char, string

Code

```
public class main {  
    public static void main (String[] args) {
```

```
        // INT
```

```
        int number = 10;
```

```
        System.out.println ("Int value: " + number);
```

```
        // DOUBLE
```

```
        double decimal = 10.5;
```

```
        System.out.println ("Double value: " + decimal);
```

```
        // BOOLEAN
```

```
        boolean isJavaFun = true;
```

```
        System.out.println ("Boolean value: " + isJavaFun);
```

```
        // STRING
```

```
        String name = "Mango";
```

```
        System.out.println ("String value: " + name);
```

```
        // CHAR
```

```
        char letter = 'A';
```

```
        System.out.println ("Char value: " + letter);
```

```
    }
```

```
}
```


Run project x


```
C:\Users\Acer\.jdk\openjdk-26.0.1\bin\java.exe "-javaagent:C:\Program Files\JetBrains\IntelliJ IDEA 2026.1.1\lib\idea_rt.jar=58305" -Dfile.encoding=UTF-8 -Dsun.stdout.encoding=UTF-8
Int value: 10
Double value: 10.5
Boolean value: true
Char value: A
String value: Mango

Process finished with exit code 0
```

C. Operators Program

Code

```
> public class Main {  
    public static void main (String[] args) {  
        int a = 10;  
        int b = 5;  
  
        // Arithmetic Operators  
        System.out.println ("Arithmetic operators: ");  
        System.out.println ("a + b = " + (a + b));  
        System.out.println ("a - b = " + (a - b));  
        System.out.println ("a * b = " + (a * b));  
        System.out.println ("a / b = " + (a / b));  
        System.out.println ("a % b = " + (a % b));  
  
        // Relational Operators  
        System.out.println ("In Relational Operators: ");  
        System.out.println ("a > b : " + (a > b));  
        System.out.println ("a < b : " + (a < b));  
        System.out.println ("a == b : " + (a == b));  
        System.out.println ("a != b : " + (a != b));  
  
        // boolean Logical Operators  
        boolean x = true;  
        boolean y = false;  
  
        System.out.println ("In logical operators: ");  
        System.out.println ("x & y : " + (x & y));  
        System.out.println ("x || y : " + (x || y));  
        System.out.println ("!x : " + (!x));  
    }  
}
```



The screenshot shows the 'Run' console of an IDE. The command executed is `C:\Users\Acer\.jdk\openjdk-26.0.1\bin\java.exe "-javaagent:C:\Program Files\JetBrains\IntelliJ IDEA 2026.1.1\lib\idea_rt.jar=63093"`. The output is organized into three sections: Arithmetic Operators, Relational Operators, and Logical Operators. The arithmetic section shows `a + b = 15`, `a - b = 5`, `a * b = 50`, `a / b = 2`, and `a % b = 0`. The relational section shows `a > b : true`, `a < b : false`, `a == b : false`, and `a != b : true`. The logical section shows `x && y : false`, `x || y : true`, and `!x : false`. The console concludes with `Process finished with exit code 0`. The IDE's status bar at the bottom shows the project path `project1 > src > Main` and the system tray with a temperature of 75°F and 'Partly sunny' weather.

```
Run Main x
C:\Users\Acer\.jdk\openjdk-26.0.1\bin\java.exe "-javaagent:C:\Program Files\JetBrains\IntelliJ IDEA 2026.1.1\lib\idea_rt.jar=63093"
Arithmetic Operators:
a + b = 15
a - b = 5
a * b = 50
a / b = 2
a % b = 0

Relational Operators:
a > b : true
a < b : false
a == b : false
a != b : true

Logical Operators:
x && y : false
x || y : true
!x : false

Process finished with exit code 0
project1 > src > Main
75°F
Partly sunny
```



Date:

D. User Input Program (Using Scanner to add 2 numbers)

→ Java code

```
import java.util.Scanner;

public class Main {
    public static void main (String[] args) {
        Scanner input = new Scanner (System.in);
        // Taking input from user
        System.out.print ("Enter first number: ");
        int num1 = input.nextInt();
        System.out.print ("Enter second number: ");
        int num2 = input.nextInt();
        // calculating sum
        int sum = num1 + num2;
        // printing result
        System.out.println ("Sum = " + sum);
        input.close();
    }
}
```



```
Run Main
C:\Users\Acer\.jdk\openjdk-26.0.1\bin\java.exe "-javaagent:C:\Program Files\JetBrains\IntelliJ IDEA 2026.1.1\lib\idea_rt.jar=58762" -Dfile.encoding=UTF-8 -Dsun.stdout.encoding=UTF-8
Enter first number: 8
Enter second number: 4
Sum = 12
Process finished with exit code 0
```