Cucumber Report

Start : Jan 08, 4:01:36.246 PM

End : Jan 08, 4:01:49.279 PM

Duration : 13.033 s

Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 1 FAILED - 9 SKIPPED - 0	PASSED - 79 FAILED - 0 SKIPPED - 0

1

10

79

40 50 60
30 Pass % 70
20 80
10 90
0 0 % 100

40 50 60
30 Pass % 70
20 80
10 90
0 10 % 100

40 50 60
30 Pass % 70
20 80
10 90
0 100 % 100

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Linked List	*13.033 s*	*10*	*1*	*9*	*0*	*79*	*79*	*0*	*0*

#	Feature Name	Scenario Name
1	*Linked List*	*User opens Linkedlist page*
2		*user opens Introduction Page*
3		*user opens Creating Linked List Page*
4		*user opens Types of Linked List Page*
5		*user opens Implementation of Linked List in Python Page*
6		*user opens Traversal Page*
7		*user opens Insertion Page*
8		*user opens Deletion Page*
9		*user opens Practice Question Page*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@linkedlist	10	1	9	0	1	0	1	0
@linkedlisttest1	1	0	1	0	1	0	1	0
@linkedlisttest2	1	0	1	0	1	0	1	0
@linkedlisttest3	1	0	1	0	1	0	1	0
@linkedlisttest4	1	0	1	0	1	0	1	0
@linkedlisttest5	1	0	1	0	1	0	1	0
@linkedlisttest6	1	0	1	0	1	0	1	0
@linkedlisttest7	1	0	1	0	1	0	1	0
@linkedlisttest8	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Linked List	10	1	9	0	13.033 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Linked List	user logging in successfully	6	6	0	0	2.997 s
2		User opens Linkedlist page	4	4	0	0	0.376 s
3		user opens Introduction Page	9	9	0	0	2.301 s
4		user opens Creating Linked List Page	9	9	0	0	0.989 s
5		user opens Types of Linked List Page	9	9	0	0	1.143 s
6		user opens Implementation of Linked List in Python Page	9	9	0	0	1.044 s
7		user opens Traversal Page	9	9	0	0	1.158 s
8		user opens Insertion Page	9	9	0	0	1.069 s
9		user opens Deletion Page	9	9	0	0	1.122 s
10		user opens Practice Question Page	6	6	0	0	0.585 s

Linked List

FAILED	DURATION - 13.033 s	Scenarios Total - 10 Pass - 1 Fail - 9 Skip - 0		Steps Total - 79 Pass - 79 Fail - 0 Skip - 0	
/ 4:01:36.246 PM // 4:01:49.279 PM /					

user logging in successfully

PASSED	DURATION - 2.997 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 4:01:36.251 PM // 4:01:39.248 PM /				
Linked List				
@linkedlist				

#	Step / Hook Details	Status	Duration
1	Given user launch the browser	PASSED	0.886 s
2	When user open the link of dsportal and click get started	PASSED	0.896 s
3	Then user navigates to Homepage and click signin button	PASSED	0.221 s
4	Then user navigates to Loginpage	PASSED	0.001 s
5	Then user enters username as "phoenixteam" and password as "phoenix123/" and click login button	PASSED	0.608 s
6	Then user is succesfully redirected to Homepage	PASSED	0.002 s

User opens Linkedlist page

FAILED	*DURATION - 0.376 s*

/ 4:01:39.370 PM // 4:01:39.746 PM /

Linked List

@linkedlist

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user launch the browser	PASSED	0.001 s
2	When user is logged in to Homepage	PASSED	0.002 s
3	Then user clicks get started button of Linked List	PASSED	0.335 s
4	Then user navigates to Linked List page	PASSED	0.001 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.021 s

	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.130, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\pdube\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52324}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52324/devtoo..., se:cdpVersion: 120.0.6099.130, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600)
	  at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:410)
	  at utilities.Helper.tearDown(Helper.java:43)
	  at stepdefinition.Hooks.tearDown(Hooks.java:66)		

user opens Introduction Page

FAILED	*DURATION - 2.301 s*
/ 4:01:39.772 PM // 4:01:42.073 PM /	
Linked List	
@linkedlist @linkedlisttest1	

Steps
Total - 9
Pass - 9
Fail - 0
Skip - 0

9

| #	Step / Hook Details	Status	Duration
1	Given user launch the browser	PASSED	0.001 s
2	Given user is in the Linkedlist page and logged in	PASSED	0.001 s
3	When user clicks Introduction button	PASSED	0.318 s
4	Then The user should be directed to Introduction of Linked List Page	PASSED	0.001 s
5	When user clicks Try here button1	PASSED	0.681 s
6	Then user gets navigated to Textarea to run Python code1	PASSED	0.968 s
7	When user clicks run to execute the program1	PASSED	0.086 s
8	Then It shows Ouptput1	PASSED	0.031 s
9	Then user navigates to Linked List Page from Introduction page	PASSED	0.182 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.003 s

	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.130, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\pdube\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52324}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52324/devtoo..., se:cdpVersion: 120.0.6099.130, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600)
	  at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:410)
	  at utilities.Helper.tearDown(Helper.java:43)
	  at stepdefinition.Hooks.tearDown(Hooks.java:66)		

user opens Creating Linked List Page

FAILED	DURATION - 0.989 s
/ 4:01:42.087 PM // 4:01:43.076 PM /	
Linked List	
@linkedlist @linkedlisttest2	

Steps
Total - 9
Pass - 9
Fail - 0
Skip - 0

9

#	Step / Hook Details	Status	Duration
1	Given user launch the browser	PASSED	0.000 s
2	Given user is in the Linkedlist page and logged in	PASSED	0.000 s
3	When user clicks Creating Linked List button	PASSED	0.227 s
4	Then The user should be directed to Creating Linked List of Linked List Page	PASSED	0.008 s
5	When user clicks Try here button2	PASSED	0.258 s
6	Then user gets navigated to Textarea to run Python code2	PASSED	0.190 s
7	When user clicks run to execute the program2	PASSED	0.089 s
8	Then It shows Ouptput2	PASSED	0.034 s
9	Then user navigates to Linked List Page from Creating Linked List page	PASSED	0.138 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s

	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.130, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\pdube\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52324}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52324/devtoo..., se:cdpVersion: 120.0.6099.130, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600)
	  at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:410)
	  at utilities.Helper.tearDown(Helper.java:43)		

#	Step / Hook Details	Status	Duration
	at stepdefinition.Hooks.tearDown(Hooks.java:66)		

user opens Types of Linked List Page

FAILED	DURATION - 1.143 s
/ 4:01:43.094 PM // 4:01:44.237 PM /	
Linked List	
@linkedlist @linkedlisttest3	

Steps
Total - 9
Pass - 9
Fail - 0
Skip - 0

9

#	Step / Hook Details	Status	Duration
1	Given user launch the browser	PASSED	0.001 s
2	Given user is in the Linkedlist page and logged in	PASSED	0.001 s
3	When user clicks Types of Linked List button	PASSED	0.311 s
4	Then The user should be directed to Types of Linked List of Linked List Page	PASSED	0.001 s
5	When user clicks Try here button3	PASSED	0.284 s
6	Then user gets navigated to Textarea to run Python code3	PASSED	0.205 s
7	When user clicks run to execute the program3	PASSED	0.083 s
8	Then It shows Ouptput3	PASSED	0.035 s
9	Then user navigates to Linked List Page from Types of Linked List page	PASSED	0.194 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.004 s

	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.130, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\pdube\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52324}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52324/devtoo..., se:cdpVersion: 120.0.6099.130, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:410) at utilities.Helper.tearDown(Helper.java:43) at stepdefinition.Hooks.tearDown(Hooks.java:66)		

user opens Implementation of Linked List in Python Page

FAILED	DURATION - 1.044 s		Steps
/ 4:01:44.248 PM // 4:01:45.292 PM /			Total - 9
			Pass - 9
Linked List			Fail - 0
			Skip - 0
@linkedlist @linkedlisttest4			

#	Step / Hook Details	Status	Duration
1	Given user launch the browser	PASSED	0.001 s
2	Given user is in the Linkedlist page and logged in	PASSED	0.000 s
3	When user clicks Implementation of Linked List in Python button	PASSED	0.249 s
4	Then The user should be directed to Implementation of Linked List in Python of Linked List Page	PASSED	0.002 s
5	When user clicks Try here button4	PASSED	0.290 s
6	Then user gets navigated to Textarea to run Python code4	PASSED	0.204 s
7	When user clicks run to execute the program4	PASSED	0.085 s
8	Then It shows Ouptput4	PASSED	0.033 s
9	Then user navigates to Linked List Page from Implementation of Linked List in Python page	PASSED	0.149 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.004 s
	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.130, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\pdube\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52324}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52324/devtoo..., se:cdpVersion: 120.0.6099.130, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600)		
	at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:410)		
	at utilities.Helper.tearDown(Helper.java:43)		
	at stepdefinition.Hooks.tearDown(Hooks.java:66)		

user opens Traversal Page

FAILED	DURATION - 1.158 s
/ 4:01:45.314 PM // 4:01:46.472 PM /	
Linked List	
@linkedlist @linkedlisttest5	

Steps
Total - 9
Pass - 9
Fail - 0
Skip - 0

9

#	Step / Hook Details	Status	Duration
1	Given user launch the browser	PASSED	0.002 s
2	Given user is in the Linkedlist page and logged in	PASSED	0.002 s
3	When user clicks Traversal button	PASSED	0.301 s
4	Then The user should be directed to Traversal of Linked List Page	PASSED	0.001 s
5	When user clicks Try here button5	PASSED	0.279 s
6	Then user gets navigated to Textarea to run Python code5	PASSED	0.206 s
7	When user clicks run to execute the program5	PASSED	0.080 s
8	Then It shows Ouptput5	PASSED	0.039 s
9	Then user navigates to Linked List Page from Traversal page	PASSED	0.219 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.130, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\pdube\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52324}, networkConnectionEnabled: false, pageLoadStrategy:		

| #	Step / Hook Details	Status	Duration

	normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52324/devtoo..., se:cdpVersion: 120.0.6099.130, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600)
	    at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:410)
	    at utilities.Helper.tearDown(Helper.java:43)
	    at stepdefinition.Hooks.tearDown(Hooks.java:66)		

user opens Insertion Page

FAILED	DURATION - 1.069 s
/ 4:01:46.484 PM // 4:01:47.553 PM /	
Linked List	
@linkedlist @linkedlisttest6	

Steps
Total - 9
Pass - 9
Fail - 0
Skip - 0

9

#	Step / Hook Details	Status	Duration
1	Given user launch the browser	PASSED	0.001 s
2	Given user is in the Linkedlist page and logged in	PASSED	0.001 s
3	When user clicks Insertion button	PASSED	0.277 s
4	Then The user should be directed to Insertion of Linked List Page	PASSED	0.000 s
5	When user clicks Try here button6	PASSED	0.282 s
6	Then user gets navigated to Textarea to run Python code6	PASSED	0.193 s
7	When user clicks run to execute the program6	PASSED	0.072 s
8	Then It shows Ouptput6	PASSED	0.028 s
9	Then user navigates to Linked List Page from Insertion page	PASSED	0.189 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.16.1', revision:		

| #	Step / Hook Details	Status	Duration

	'9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.130, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\pdube\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52324}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52324/devtoo..., se:cdpVersion: 120.0.6099.130, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600)
	   at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:410)
	   at utilities.Helper.tearDown(Helper.java:43)
	   at stepdefinition.Hooks.tearDown(Hooks.java:66)		

user opens Deletion Page

FAILED	DURATION - 1.122 s
/ 4:01:47.563 PM // 4:01:48.685 PM /	
Linked List	
@linkedlist @linkedlisttest7	

Steps
Total - 9
Pass - 9
Fail - 0
Skip - 0

9

#	Step / Hook Details	Status	Duration
1	Given user launch the browser	PASSED	0.001 s
2	Given user is in the Linkedlist page and logged in	PASSED	0.000 s
3	When user clicks Deletion button	PASSED	0.274 s
4	Then The user should be directed to Deletion of Linked List Page	PASSED	0.000 s
5	When user clicks Try here button7	PASSED	0.289 s
6	Then user gets navigated to Textarea to run Python code7	PASSED	0.191 s
7	When user clicks run to execute the program7	PASSED	0.077 s
8	Then It shows Ouptput7	PASSED	0.028 s

#	Step / Hook Details	Status	Duration
9	Then user navigates to Linked List Page from Deletion page	PASSED	0.241 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.003 s
	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.130, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\pdube\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52324}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52324/devtoo..., se:cdpVersion: 120.0.6099.130, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:410) at utilities.Helper.tearDown(Helper.java:43) at stepdefinition.Hooks.tearDown(Hooks.java:66)		

user opens Practice Question Page

FAILED	DURATION - 0.585 s
/ 4:01:48.694 PM // 4:01:49.279 PM /	
Linked List	
@linkedlist @linkedlisttest8	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user launch the browser	PASSED	0.000 s
2	Given user is in the Linkedlist page and logged in	PASSED	0.000 s
3	When user clicks Introduction button again and directed to it	PASSED	0.218 s
4	Then user clicks Practice Question button	PASSED	0.203 s
5	Then The user should be directed to Practice Question page of Linked List Page	PASSED	0.000 s

#	Step / Hook Details	Status	Duration
6	Then user navigates to Home Page from Practice Question page by clicking NumpyNinja button	PASSED	0.144 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.004 s

	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.130, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\pdube\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52324}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52324/devtoo..., se:cdpVersion: 120.0.6099.130, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600)
	    at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:410)
	    at utilities.Helper.tearDown(Helper.java:43)
	    at stepdefinition.Hooks.tearDown(Hooks.java:66)		