

Cucumber Report

Jan 8, 2024, 3:55:40 PM

Start : Jan 08, 3:55:24.177 PM

End : Jan 08, 3:55:38.645 PM

Duration : 14.468 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 1
FAILED - 9
SKIPPED - 0


PASSED - 79
FAILED - 0
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Linked List</u>	14.468 s	10	1	9	0	79	79	0	0

#	Feature Name	Scenario Name
1	<u>Linked List</u>	<u>User opens Linkedlist page</u>
2		<u>user opens Introduction Page</u>
3		<u>user opens Creating Linked List Page</u>
4		<u>user opens Types of Linked List Page</u>
5		<u>user opens Implementation of Linked List in Python Page</u>
6		<u>user opens Traversal Page</u>
7		<u>user opens Insertion Page</u>
8		<u>user opens Deletion Page</u>
9		<u>user opens Practice Question Page</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@linkedlist	10	1	9	0	1	0	1	0
@linkedlisttest1	1	0	1	0	1	0	1	0
@linkedlisttest2	1	0	1	0	1	0	1	0
@linkedlisttest3	1	0	1	0	1	0	1	0
@linkedlisttest4	1	0	1	0	1	0	1	0
@linkedlisttest5	1	0	1	0	1	0	1	0
@linkedlisttest6	1	0	1	0	1	0	1	0
@linkedlisttest7	1	0	1	0	1	0	1	0
@linkedlisttest8	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Linked List</u>	10	1	9	0	14.468 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Linked List</u>	<u>user logging in successfully</u>	6	6	0	0	3.496 s
2		<u>User opens LinkedList page</u>	4	4	0	0	0.525 s
3		<u>user opens Introduction Page</u>	9	9	0	0	2.893 s
4		<u>user opens Creating Linked List Page</u>	9	9	0	0	1.137 s
5		<u>user opens Types of Linked List Page</u>	9	9	0	0	1.161 s
6		<u>user opens Implementation of Linked List in Python Page</u>	9	9	0	0	1.106 s
7		<u>user opens Traversal Page</u>	9	9	0	0	0.990 s
8		<u>user opens Insertion Page</u>	9	9	0	0	1.130 s
9		<u>user opens Deletion Page</u>	9	9	0	0	1.148 s
10		<u>user opens Practice Question Page</u>	6	6	0	0	0.614 s

Linked List



<div>FAILED</div> <div>DURATION - 14.468 s</div>		<div>Scenarios</div> <div>Total - 10</div> <div>Pass - 1</div> <div>Fail - 9</div> <div>Skip - 0</div>		<div></div>		<div>Steps</div> <div>Total - 79</div> <div>Pass - 79</div> <div>Fail - 0</div> <div>Skip - 0</div>		<div></div>	
/ 3:55:24.177 PM // 3:55:38.645 PM /									

user logging in successfully

<div>PASSED</div> <div>DURATION - 3.496 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 3:55:24.182 PM // 3:55:27.678 PM /				
Linked List				
@linkedlist				

#	Step / Hook Details	Status	Duration
1	Given user launch the browser	PASSED	1.033 s
2	When user open the link of dsportal and click get started	PASSED	1.124 s
3	Then user navigates to Homepage and click signin button	PASSED	0.210 s
4	Then user navigates to Loginpage	PASSED	0.001 s
5	Then user enters username as "phoenixteam" and password as "phoenix123/" and click login button	PASSED	0.702 s
6	Then user is succesfully redirected to Homepage	PASSED	0.001 s

User opens Linkedlist page

FAILED	DURATION - 0.525 s		<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 3:55:27.820 PM // 3:55:28.345 PM /				
Linked List				
@linkedlist				



#	Step / Hook Details	Status	Duration
1	Given user launch the browser	PASSED	0.001 s
2	When user is logged in to Homepage	PASSED	0.001 s
3	Then user clicks get started button of Linked List	PASSED	0.483 s
4	Then user navigates to Linked List page	PASSED	0.001 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.022 s
	<p>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.130, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\pdube\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52116}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:52116/devtoo..., se.cdpVersion: 120.0.6099.130, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:410) at utilities.Helper.tearDown(Helper.java:43) at stepdefinition.Hooks.tearDown(Hooks.java:48)</p>		

user opens Introduction Page

FAILED	DURATION - 2.893 s		Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 3:55:28.378 PM // 3:55:31.271 PM /				
Linked List				
@linkedlist @linkedlisttest1				

#	Step / Hook Details	Status	Duration
1	Given user launch the browser	PASSED	0.002 s
2	Given user is in the Linkedlist page and logged in	PASSED	0.002 s
3	When user clicks Introduction button	PASSED	0.456 s
4	Then The user should be directed to Introduction of Linked List Page	PASSED	0.001 s
5	When user clicks Try here button1	PASSED	1.026 s
6	Then user gets navigated to Textarea to run Python code1	PASSED	0.992 s
7	When user clicks run to execute the program1	PASSED	0.096 s
8	Then It shows Oupptut1	PASSED	0.035 s
9	Then user navigates to Linked List Page from Introduction page	PASSED	0.252 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.130, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\pdube\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52116}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52116/devtoo..., se:cdpVersion: 120.0.6099.130, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:410) at utilities.Helper.tearDown(Helper.java:43) at stepdefinition.Hooks.tearDown(Hooks.java:48)	FAILED	0.003 s



user opens Creating Linked List Page

FAILED	DURATION - 1.137 s		Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 3:55:31.285 PM // 3:55:32.422 PM /				
Linked List				
@linkedlist @linkedlisttest2				

#	Step / Hook Details	Status	Duration
1	Given user launch the browser	PASSED	0.001 s
2	Given user is in the Linkedlist page and logged in	PASSED	0.001 s
3	When user clicks Creating Linked List button	PASSED	0.305 s
4	Then The user should be directed to Creating Linked List of Linked List Page	PASSED	0.007 s
5	When user clicks Try here button2	PASSED	0.281 s
6	Then user gets navigated to Textarea to run Python code2	PASSED	0.189 s
7	When user clicks run to execute the program2	PASSED	0.085 s
8	Then It shows Oupput2	PASSED	0.030 s
9	Then user navigates to Linked List Page from Creating Linked List page	PASSED	0.207 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.130, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\pdube\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52116}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52116/devtoo..., se:cdpVersion: 120.0.6099.130, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:410) at utilities.Helper.tearDown(Helper.java:43)	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	at stepdefinition.Hooks.tearDown(Hooks.java:48)		



user opens Types of Linked List Page

<div>FAILED</div> <div>DURATION - 1.161 s</div>		<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 9</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 3:55:32.437 PM // 3:55:33.598 PM /				
Linked List				
@linkedlist @linkedlisttest3				

#	Step / Hook Details	Status	Duration
1	Given user launch the browser	PASSED	0.001 s
2	Given user is in the Linkedlist page and logged in	PASSED	0.001 s
3	When user clicks Types of Linked List button	PASSED	0.360 s
4	Then The user should be directed to Types of Linked List of Linked List Page	PASSED	0.001 s
5	When user clicks Try here button3	PASSED	0.247 s
6	Then user gets navigated to Textarea to run Python code3	PASSED	0.184 s
7	When user clicks run to execute the program3	PASSED	0.072 s
8	Then It shows Ouputput3	PASSED	0.025 s
9	Then user navigates to Linked List Page from Types of Linked List page	PASSED	0.239 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.006 s
	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.130, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\pdube\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52116}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52116/devtoo..., se:cdpVersion: 120.0.6099.130, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:410) at utilities.Helper.tearDown(Helper.java:43) at stepdefinition.Hooks.tearDown(Hooks.java:48)		



user opens Implementation of Linked List in Python Page

FAILED	DURATION - 1.106 s		<div>Steps</div> <div>Total - 9</div> <div>Pass - 9</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 3:55:33.612 PM // 3:55:34.718 PM /				
Linked List				
@linkedlist @linkedlisttest4				

#	Step / Hook Details	Status	Duration
1	Given user launch the browser	PASSED	0.000 s
2	Given user is in the Linkedlist page and logged in	PASSED	0.001 s
3	When user clicks Implementation of Linked List in Python button	PASSED	0.266 s
4	Then The user should be directed to Implementation of Linked List in Python of Linked List Page	PASSED	0.001 s
5	When user clicks Try here button4	PASSED	0.286 s
6	Then user gets navigated to Textarea to run Python code4	PASSED	0.193 s
7	When user clicks run to execute the program4	PASSED	0.069 s
8	Then It shows Ouputput4	PASSED	0.033 s
9	Then user navigates to Linked List Page from Implementation of Linked List in Python page	PASSED	0.229 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.130, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\pdube\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52116}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52116/devtoo..., se:cdpVersion: 120.0.6099.130, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:410) at utilities.Helper.tearDown(Helper.java:43) at stepdefinition.Hooks.tearDown(Hooks.java:48) </pre>		

user opens Traversal Page

<div>FAILED</div> <div>DURATION - 0.990 s</div>		<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 9</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 3:55:34.728 PM // 3:55:35.718 PM /				
Linked List				
@linkedList @linkedListtest5				

#	Step / Hook Details	Status	Duration
1	Given user launch the browser	PASSED	0.000 s
2	Given user is in the LinkedList page and logged in	PASSED	0.001 s
3	When user clicks Traversal button	PASSED	0.284 s
4	Then The user should be directed to Traversal of Linked List Page	PASSED	0.002 s
5	When user clicks Try here button5	PASSED	0.268 s
6	Then user gets navigated to Textarea to run Python code5	PASSED	0.159 s
7	When user clicks run to execute the program5	PASSED	0.066 s
8	Then It shows Oupput5	PASSED	0.030 s
9	Then user navigates to Linked List Page from Traversal page	PASSED	0.154 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.130, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\pdube\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52116}, networkConnectionEnabled: false, pageLoadStrategy:		

#	Step / Hook Details	Status	Duration
	<p>normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52116/devtoo..., se:cdpVersion: 120.0.6099.130, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:410) at utilities.Helper.tearDown(Helper.java:43) at stepdefinition.Hooks.tearDown(Hooks.java:48)</p>		



user opens Insertion Page

<div>FAILED</div> <div>DURATION - 1.130 s</div>		<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 9</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 3:55:35.730 PM // 3:55:36.860 PM /</div>				
<div>Linked List</div>				
<div>@linkedList @linkedListtest6</div>				

#	Step / Hook Details	Status	Duration
1	Given user launch the browser	PASSED	0.000 s
2	Given user is in the LinkedList page and logged in	PASSED	0.002 s
3	When user clicks Insertion button	PASSED	0.273 s
4	Then The user should be directed to Insertion of Linked List Page	PASSED	0.001 s
5	When user clicks Try here button6	PASSED	0.292 s
6	Then user gets navigated to Textarea to run Python code6	PASSED	0.213 s
7	When user clicks run to execute the program6	PASSED	0.086 s
8	Then It shows Ouput6	PASSED	0.029 s
9	Then user navigates to Linked List Page from Insertion page	PASSED	0.213 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.16.1', revision:		

#	Step / Hook Details	Status	Duration
	<p>'9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.130, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\pdube\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52116}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52116/devtoo..., se:cdpVersion: 120.0.6099.130, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:410) at utilities.Helper.tearDown(Helper.java:43) at stepdefinition.Hooks.tearDown(Hooks.java:48)</p>		



user opens Deletion Page

<div>FAILED</div> <div>DURATION - 1.148 s</div>			<div>Steps</div> <div>Total - 9</div> <div>Pass - 9</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 3:55:36.872 PM // 3:55:38.020 PM /				
Linked List				
@linkedList @linkedListtest7				

#	Step / Hook Details	Status	Duration
1	Given user launch the browser	PASSED	0.001 s
2	Given user is in the LinkedList page and logged in	PASSED	0.001 s
3	When user clicks Deletion button	PASSED	0.297 s
4	Then The user should be directed to Deletion of Linked List Page	PASSED	0.001 s
5	When user clicks Try here button7	PASSED	0.307 s
6	Then user gets navigated to Textarea to run Python code7	PASSED	0.199 s
7	When user clicks run to execute the program7	PASSED	0.088 s
8	Then It shows Ouptput7	PASSED	0.029 s

#	Step / Hook Details	Status	Duration
9	Then user navigates to Linked List Page from Deletion page	PASSED	0.205 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	<p>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.130, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\pdube\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52116}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52116/devtoo..., se:cdpVersion: 120.0.6099.130, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:410) at utilities.Helper.tearDown(Helper.java:43) at stepdefinition.Hooks.tearDown(Hooks.java:48)</p>		

user opens Practice Question Page

FAILED	DURATION - 0.614 s		
/ 3:55:38.031 PM // 3:55:38.645 PM /			
Linked List			
@linkedlist @linkedlisttest8			
		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given user launch the browser	PASSED	0.001 s
2	Given user is in the Linkedlist page and logged in	PASSED	0.001 s
3	When user clicks Introduction button again and directed to it	PASSED	0.205 s
4	Then user clicks Practice Question button	PASSED	0.237 s
5	Then The user should be directed to Practice Question page of Linked List Page	PASSED	0.001 s

#	Step / Hook Details	Status	Duration
6	Then user navigates to Home Page from Practice Question page by clicking NumpyNinja button	PASSED	0.154 s
	<p>AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.130, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\pdube\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52116}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52116/devtoo..., se:cdpVersion: 120.0.6099.130, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:410)</p> <p>at utilities.Helper.tearDown(Helper.java:43)</p> <p>at stepdefinition.Hooks.tearDown(Hooks.java:48)</p>	FAILED	0.003 s