


1. Code Reviewer:



Component Output

Inspect the output of the component below.

Outputs

Logs

```
**Code Review Summary**

**Parameter** | **Description** | **Score (out of 20)**
-----|-----|-----

**Code Readability** | Naming conventions are clear, but the code lacks comments or documentation. The structure is straightforward, but some methods could be extracted into separate classes for better organization. | 16

**Code Efficiency** | The code is simple and doesn't contain any obvious inefficiencies. However, it could benefit from some minor optimizations, such as using a more efficient way to switch between frames. | 18

**Error Handling** | The code doesn't handle potential exceptions, such as division-by-zero errors or frame switching failures. It's essential to add proper try-catch blocks and logging to handle these scenarios. | 10

**Maintainability** | The class is minimal and not modularized for future extensions. It would be beneficial to break down the code into separate classes or methods to improve maintainability and reusability. | 14

**Best Practices & Standards** | The code follows some best practices, such as using meaningful variable names and proper imports. However, it lacks input validation, unit tests, and proper logging. | 13

**Overall Score:** 71 / 100

**Improvement Areas:**

1. **Add input validation**: Implement checks for potential errors, such as division-by-zero errors or invalid frame indices.
2. **Include JavaDoc comments**: Add comments to explain the purpose and behavior of public methods.
3. **Implement basic unit tests**: Write tests to validate the functionality of the code, including frame switching and button clicking.
4. **Improve logging**: Add logging statements to track important events, such as frame switching and button clicking.
```

Close

2. Input Schema

Input Schema

×

Endpoint Name

TestCaseGenerator

Expose API

Select which component fields to expose as inputs in this flow's API schema.

	Groq API Base	Base URL path for API requests, leave blank if not using a proxy or service emulator.	https://api.groq.com
	Max Output Tokens	The maximum number of tokens to generate.	Integer number + -
	Temperature	Run inference with this temperature. Must be in the closed interval [0.0, 1.0].	0.08 Precise Creative
	N	Number of chat completions to generate for each prompt. Note that the API may not return the full n completions if duplicates	0 + -

</> API access

Input Schema (1)

×


API access requires an API key. You can [create an API key](#) in settings.

Python

JavaScript

cURL

```
1 import requests
2 import os
3 import uuid
4
5 api_key = 'YOUR_API_KEY_HERE'
6 url = "http://localhost:7860/api/v1/run/TestCaseGenerator" # The complete API endpoint URL for this flow
7
8 # Request payload configuration
9 payload = {
10     "output_type": "chat",
11     "input_type": "chat",
12     "input_value": "hello world!",
13     "tweaks": {
14         "GroqModel-xEWeC": {
15             "max_tokens": 0,
16             "temperature": 0.08
17         }
18     }
19 }
```



Testcase Generator json:

```
{
  "session_id": "52bc9f2f-baf5-48d4-ab1f-30efe131beda",
  "outputs": [
    {
      "inputs": {
        "input_value": "Generate Test Case for Fund Manager"
      },
      "outputs": [
        {
          "results": {
            "message": {
              "text_key": "text",
              "data": {
                "timestamp": "2026-05-07 18:20:57 UTC",
                "sender": "Machine",
                "sender_name": "AI",
                "session_id": "52bc9f2f-baf5-48d4-ab1f-30efe131beda",
                "context_id": "",
```

"text": "Test Case ID: TC_FM_001 \nTitle: Verify successful creation of a new mutual fund portfolio \nPreconditions: User is logged in; user has KYC completed; sufficient cash balance available \nSteps: \n1. Navigate to “Fund Manager” section. \n2. Click “Create New Portfolio”. \n3. Enter a unique portfolio name. \n4. Select fund type (e.g., Equity, Debt). \n5. Set allocation percentages that sum to 100%. \n6. Click “Save”. \nExpected Result: Portfolio is created, displayed in the portfolio list, and a confirmation message “Portfolio created successfully” is shown. \n\nTest Case ID: TC_FM_002 \nTitle: Validate error when allocation percentages do not sum to 100% \nPreconditions: User is logged in; on “Create New Portfolio” screen \nSteps: \n1. Enter portfolio name. \n2. Select fund type. \n3. Set allocation percentages (e.g., 60% Equity, 30% Debt). \n4. Click “Save”. \nExpected Result: System displays validation error “Total allocation must equal 100%” and prevents portfolio creation. \n\nTest Case ID: TC_FM_003 \nTitle: Verify investment transaction within daily investment limit with OTP authentication \nPreconditions: User has an existing portfolio; daily investment limit is \$50,000; user’s cash balance is \$60,000; OTP device is registered \nSteps: \n1. Open the desired portfolio. \n2. Click “Invest”. \n3. Enter investment amount of \$45,000. \n4. Submit the request. \n5. Receive OTP on registered device and enter it. \n6. Confirm the investment. \nExpected Result: Investment is processed, cash balance reduces by \$45,000, portfolio holdings update accordingly, and a success message is displayed. \n\nTest Case ID: TC_FM_004 \nTitle: Validate handling of investment exceeding daily limit \nPreconditions: User has an existing portfolio; daily investment limit is \$50,000; user’s cash balance is \$100,000 \nSteps: \n1. Open the portfolio. \n2. Click “Invest”. \n3. Enter investment amount of \$55,000. \n4. Submit the request. \nExpected Result: System blocks the transaction and shows error “Investment amount exceeds daily limit of \$50,000”. \n\nTest Case ID: TC_FM_005 \nTitle: Verify graceful failure when backend service is unavailable during fund withdrawal \nPreconditions: User has an existing portfolio with \$10,000 invested; backend fund service is simulated as down (e.g., network timeout) \nSteps: \n1. Open the portfolio. \n2. Click “Withdraw”. \n3. Enter withdrawal amount of \$5,000. \n4. Submit the request. \n5. System attempts to process withdrawal. \nExpected Result: System displays error “Unable to process withdrawal at this time. Please try again later.” and no funds are deducted from the portfolio.",

```
"files": [],  
"error": false,  
"edit": false,  
"properties": {  
  "text_color": null,  
  "background_color": null,  
  "edited": false,  
  "source": {  
    "id": "GroqModel-xEWec",  
    "display_name": "Groq",  
    "source": "openai/gpt-oss-120b"  
  },  
  "icon": null,
```

```

    "allow_markdown": false,

    "positive_feedback": null,

    "state": "complete",

    "targets": [],

    "usage": {

        "input_tokens": 580,

        "output_tokens": 794,

        "total_tokens": 1374

    },

    "build_duration": null

},

"category": "message",

"content_blocks": [],

"id": "ca8a48ca-9aea-43f6-9292-9467f50b5304",

"flow_id": "52bc9f2f-baf5-48d4-ab1f-30efe131beda",

"duration": null

},

"default_value": "",

```

"text": "Test Case ID: TC_FM_001 \nTitle: Verify successful creation of a new mutual fund portfolio \nPreconditions: User is logged in; user has KYC completed; sufficient cash balance available \nSteps: \n1. Navigate to “Fund Manager” section. \n2. Click “Create New Portfolio”. \n3. Enter a unique portfolio name. \n4. Select fund type (e.g., Equity, Debt). \n5. Set allocation percentages that sum to 100%. \n6. Click “Save”. \nExpected Result: Portfolio is created, displayed in the portfolio list, and a confirmation message “Portfolio created successfully” is shown. \n\nTest Case ID: TC_FM_002 \nTitle: Validate error when allocation percentages do not sum to 100% \nPreconditions: User is logged in; on “Create New Portfolio” screen \nSteps: \n1. Enter portfolio name. \n2. Select fund type. \n3. Set allocation percentages (e.g., 60% Equity, 30% Debt). \n4. Click “Save”. \nExpected Result: System displays validation error “Total allocation must equal 100%” and prevents portfolio creation. \n\nTest Case ID: TC_FM_003 \nTitle: Verify investment transaction within daily investment limit with OTP authentication \nPreconditions: User has an existing portfolio; daily investment limit is \$50,000; user’s cash balance is \$60,000; OTP device is registered \nSteps: \n1. Open the desired portfolio. \n2. Click “Invest”. \n3. Enter investment amount of \$45,000. \n4. Submit the request. \n5. Receive OTP on registered device and enter it. \n6. Confirm the investment. \nExpected Result: Investment is processed, cash balance reduces by \$45,000, portfolio holdings update accordingly, and a success message is displayed. \n\nTest Case ID: TC_FM_004 \nTitle: Validate handling of investment exceeding daily limit \nPreconditions: User has an existing portfolio; daily investment limit is \$50,000; user’s cash balance is \$100,000 \nSteps: \n1. Open the portfolio. \n2. Click “Invest”. \n3. Enter investment amount of \$55,000. \n4. Submit the

request. \nExpected Result: System blocks the transaction and shows error “Investment amount exceeds daily limit of \$50,000”. \n\nTest Case ID: TC_FM_005 \nTitle: Verify graceful failure when backend service is unavailable during fund withdrawal \nPreconditions: User has an existing portfolio with \$10,000 invested; backend fund service is simulated as down (e.g., network timeout) \nSteps: \n1. Open the portfolio. \n2. Click “Withdraw”. \n3. Enter withdrawal amount of \$5,000. \n4. Submit the request. \n5. System attempts to process withdrawal. \nExpected Result: System displays error “Unable to process withdrawal at this time. Please try again later.” and no funds are deducted from the portfolio.",

```
"sender": "Machine",
"sender_name": "AI",
"files": [],
"session_id": "52bc9f2f-baf5-48d4-ab1f-30efe131beda",
"context_id": "",
"timestamp": "2026-05-07T18:20:57+00:00",
"flow_id": "52bc9f2f-baf5-48d4-ab1f-30efe131beda",
"error": false,
"edit": false,
"properties": {
  "text_color": null,
  "background_color": null,
  "edited": false,
  "source": {
    "id": "GroqModel-xEWec",
    "display_name": "Groq",
    "source": "openai/gpt-oss-120b"
  },
  "icon": null,
  "allow_markdown": false,
  "positive_feedback": null,
  "state": "complete",
  "targets": [],
  "usage": {
    "input_tokens": 580,
```

```

        "output_tokens": 794,
        "total_tokens": 1374
    },
    "build_duration": null
},
"category": "message",
"content_blocks": [],
"duration": null
}
},
"artifacts": {
    "message": "Test Case ID: TC_FM_001 \n\nTitle: Verify successful creation of a new mutual fund portfolio \n\nPreconditions: User is logged in; user has KYC completed; sufficient cash balance available \n\nSteps: \n\n1. Navigate to “Fund Manager” section. \n\n2. Click “Create New Portfolio”. \n\n3. Enter a unique portfolio name. \n\n4. Select fund type (e.g., Equity, Debt). \n\n5. Set allocation percentages that sum to 100%. \n\n6. Click “Save”. \n\nExpected Result: Portfolio is created, displayed in the portfolio list, and a confirmation message “Portfolio created successfully” is shown. \n\nTest Case ID: TC_FM_002 \n\nTitle: Validate error when allocation percentages do not sum to 100% \n\nPreconditions: User is logged in; on “Create New Portfolio” screen \n\nSteps: \n\n1. Enter portfolio name. \n\n2. Select fund type. \n\n3. Set allocation percentages (e.g., 60% Equity, 30% Debt). \n\n4. Click “Save”. \n\nExpected Result: System displays validation error “Total allocation must equal 100%” and prevents portfolio creation. \n\nTest Case ID: TC_FM_003 \n\nTitle: Verify investment transaction within daily investment limit with OTP authentication \n\nPreconditions: User has an existing portfolio; daily investment limit is $50,000; user’s cash balance is $60,000; OTP device is registered \n\nSteps: \n\n1. Open the desired portfolio. \n\n2. Click “Invest”. \n\n3. Enter investment amount of $45,000. \n\n4. Submit the request. \n\n5. Receive OTP on registered device and enter it. \n\n6. Confirm the investment. \n\nExpected Result: Investment is processed, cash balance reduces by $45,000, portfolio holdings update accordingly, and a success message is displayed. \n\nTest Case ID: TC_FM_004 \n\nTitle: Validate handling of investment exceeding daily limit \n\nPreconditions: User has an existing portfolio; daily investment limit is $50,000; user’s cash balance is $100,000 \n\nSteps: \n\n1. Open the portfolio. \n\n2. Click “Invest”. \n\n3. Enter investment amount of $55,000. \n\n4. Submit the request. \n\nExpected Result: System blocks the transaction and shows error “Investment amount exceeds daily limit of $50,000”. \n\nTest Case ID: TC_FM_005 \n\nTitle: Verify graceful failure when backend service is unavailable during fund withdrawal \n\nPreconditions: User has an existing portfolio with $10,000 invested; backend fund service is simulated as down (e.g., network timeout) \n\nSteps: \n\n1. Open the portfolio. \n\n2. Click “Withdraw”. \n\n3. Enter withdrawal amount of $5,000. \n\n4. Submit the request. \n\n5. System attempts to process withdrawal. \n\nExpected Result: System displays error “Unable to process withdrawal at this time. Please try again later.” and no funds are deducted from the portfolio.",
    "sender": "Machine",

```

```

"sender_name": "AI",

"files": [],

"type": "object"
},

"outputs": {

  "message": {

    "message": "Test Case ID: TC_FM_001 \nTitle: Verify successful creation of a new mutual fund portfolio \nPreconditions: User is logged in; user has KYC completed; sufficient cash balance available \nSteps: \n1. Navigate to “Fund Manager” section. \n2. Click “Create New Portfolio”. \n3. Enter a unique portfolio name. \n4. Select fund type (e.g., Equity, Debt). \n5. Set allocation percentages that sum to 100%. \n6. Click “Save”. \nExpected Result: Portfolio is created, displayed in the portfolio list, and a confirmation message “Portfolio created successfully” is shown. \n\nTest Case ID: TC_FM_002 \nTitle: Validate error when allocation percentages do not sum to 100% \nPreconditions: User is logged in; on “Create New Portfolio” screen \nSteps: \n1. Enter portfolio name. \n2. Select fund type. \n3. Set allocation percentages (e.g., 60% Equity, 30% Debt). \n4. Click “Save”. \nExpected Result: System displays validation error “Total allocation must equal 100%” and prevents portfolio creation. \n\nTest Case ID: TC_FM_003 \nTitle: Verify investment transaction within daily investment limit with OTP authentication \nPreconditions: User has an existing portfolio; daily investment limit is $50,000; user’s cash balance is $60,000; OTP device is registered \nSteps: \n1. Open the desired portfolio. \n2. Click “Invest”. \n3. Enter investment amount of $45,000. \n4. Submit the request. \n5. Receive OTP on registered device and enter it. \n6. Confirm the investment. \nExpected Result: Investment is processed, cash balance reduces by $45,000, portfolio holdings update accordingly, and a success message is displayed. \n\nTest Case ID: TC_FM_004 \nTitle: Validate handling of investment exceeding daily limit \nPreconditions: User has an existing portfolio; daily investment limit is $50,000; user’s cash balance is $100,000 \nSteps: \n1. Open the portfolio. \n2. Click “Invest”. \n3. Enter investment amount of $55,000. \n4. Submit the request. \nExpected Result: System blocks the transaction and shows error “Investment amount exceeds daily limit of $50,000”. \n\nTest Case ID: TC_FM_005 \nTitle: Verify graceful failure when backend service is unavailable during fund withdrawal \nPreconditions: User has an existing portfolio with $10,000 invested; backend fund service is simulated as down (e.g., network timeout) \nSteps: \n1. Open the portfolio. \n2. Click “Withdraw”. \n3. Enter withdrawal amount of $5,000. \n4. Submit the request. \n5. System attempts to process withdrawal. \nExpected Result: System displays error “Unable to process withdrawal at this time. Please try again later.” and no funds are deducted from the portfolio.",

    "type": "text"

  }

},

"logs": {

  "message": []

},

"messages": [

```



```
{
```

```
  "message": "Test Case ID: TC_FM_001 \n\nTitle: Verify successful creation of a new\nmutual fund portfolio \n\nPreconditions: User is logged in; user has KYC completed; sufficient cash\nbalance available \n\nSteps: \n\n1. Navigate to “Fund Manager” section. \n\n2. Click “Create New\nPortfolio”. \n\n3. Enter a unique portfolio name. \n\n4. Select fund type (e.g., Equity, Debt). \n\n5.\nSet allocation percentages that sum to 100%. \n\n6. Click “Save”. \n\nExpected Result: Portfolio is\ncreated, displayed in the portfolio list, and a confirmation message “Portfolio created successfully” is\nshown. \n\nTest Case ID: TC_FM_002 \n\nTitle: Validate error when allocation percentages do not\nsum to 100% \n\nPreconditions: User is logged in; on “Create New Portfolio” screen \n\nSteps:\n\n1. Enter portfolio name. \n\n2. Select fund type. \n\n3. Set allocation percentages (e.g., 60%\nEquity, 30% Debt). \n\n4. Click “Save”. \n\nExpected Result: System displays validation error “Total\nallocation must equal 100%” and prevents portfolio creation. \n\nTest Case ID: TC_FM_003\n\nTitle: Verify investment transaction within daily investment limit with OTP authentication\n\nPreconditions: User has an existing portfolio; daily investment limit is $50,000; user’s cash\nbalance is $60,000; OTP device is registered \n\nSteps: \n\n1. Open the desired portfolio. \n\n2.\nClick “Invest”. \n\n3. Enter investment amount of $45,000. \n\n4. Submit the request. \n\n5.\nReceive OTP on registered device and enter it. \n\n6. Confirm the investment. \n\nExpected Result:\nInvestment is processed, cash balance reduces by $45,000, portfolio holdings update accordingly,\nand a success message is displayed. \n\nTest Case ID: TC_FM_004 \n\nTitle: Validate handling of\ninvestment exceeding daily limit \n\nPreconditions: User has an existing portfolio; daily investment\nlimit is $50,000; user’s cash balance is $100,000 \n\nSteps: \n\n1. Open the portfolio. \n\n2. Click\n“Invest”. \n\n3. Enter investment amount of $55,000. \n\n4. Submit the request. \n\nExpected\nResult: System blocks the transaction and shows error “Investment amount exceeds daily limit of\n$50,000”. \n\nTest Case ID: TC_FM_005 \n\nTitle: Verify graceful failure when backend service is\nunavailable during fund withdrawal \n\nPreconditions: User has an existing portfolio with $10,000\ninvested; backend fund service is simulated as down (e.g., network timeout) \n\nSteps: \n\n1. Open\nthe portfolio. \n\n2. Click “Withdraw”. \n\n3. Enter withdrawal amount of $5,000. \n\n4. Submit\nthe request. \n\n5. System attempts to process withdrawal. \n\nExpected Result: System displays\nerror “Unable to process withdrawal at this time. Please try again later.” and no funds are deducted\nfrom the portfolio.",
```

```
    "sender": "Machine",\n\n    "sender_name": "AI",\n\n    "session_id": "52bc9f2f-baf5-48d4-ab1f-30efe131beda",\n\n    "stream_url": null,\n\n    "component_id": "ChatOutput-s3U5t",\n\n    "files": [],\n\n    "type": "text"
```

```
  }
```

```
],
```

```
"timedelta": null,
```

```
"duration": null,
```

```
    "component_display_name": "Chat Output",
    "component_id": "ChatOutput-s3U5t",
    "used_frozen_result": false
  }
]
}
]
```