

OMNI-RANK · Test Scenarios

OMNI-RANK

Test Scenarios — feature-by-feature



QA pack with steps, sample data and expected results

Document version 1.0

Contents

1. How to use this document
2. Environment preconditions
3. Sample data appendix
4. Onboarding
5. Projects
6. Monthly Workflow
7. AI Research
8. AI Keyword Research
9. Rank Tracker
10. AI Visibility
11. Revenue Attribution
12. Competitor Monitor
13. Technical SEO Audit
14. Schema Markup
15. Content Brief & Score
16. Content Studio
17. Programmatic SEO
18. Link Building
19. Reports
20. White-label Branding
21. Settings
22. Billing & Plans
23. End-to-end smoke test

How to use this document

Each feature has a table with:

- **#** — scenario id (e.g. `RANK-03`).
- **Scenario** — short title.
- **Preconditions** — what must be true before starting.
- **Steps** — numbered actions in the UI.
- **Data inputs** — exact strings or files to use (see the appendix for re-used sets).
- **Expected result** — pass criteria.
- **Priority** — `Critical` / `High` / `Medium` / `Low` .

Priorities map to release gates:

- **Critical** — blocks release.
- **High** — must pass before promoting to staging.
- **Medium** — must pass before promoting to production.
- **Low** — nice to have; tracked but not blocking.

Environment preconditions

Before running any scenario:

1. Backend env vars set (`SUPABASE_URL` , `SUPABASE_SERVICE_KEY` , `ANTHROPIC_API_KEY` , `DATAFORSEO_LOGIN` , `DATAFORSEO_PASSWORD` , `OMNI_API_KEY`). Razorpay vars required for Billing tests only.
2. Supabase migrations applied (`supabase/migrations/*.sql`).
3. Backend running on `http://localhost:8000` .
4. Frontend running on `http://localhost:3000` with `NEXT_PUBLIC_API_URL=http://localhost:8000` .
5. Browser logged in with API key matching `OMNI_API_KEY` .

Sample data appendix

Reused across scenarios. Substitute `SAMPLE-*` tokens below for the corresponding value.

Token	Value
<code>SAMPLE-DOMAIN</code>	<code>govindarestaurant.org</code>
<code>SAMPLE-URL</code>	<code>https://govindarestaurant.org/menu</code>
<code>SAMPLE-KEYWORD</code>	<code>pure veg restaurant chennai</code>
<code>SAMPLE-SEED</code>	<code>vegetarian restaurant</code>
<code>SAMPLE-NICHE</code>	<code>Restaurant</code>
<code>SAMPLE-REGION</code>	<code>India</code>
<code>SAMPLE-LANGUAGE</code>	<code>en-IN</code>
<code>SAMPLE-EMAIL</code>	<code>qa+omni@example.com</code>
<code>SAMPLE-API-KEY</code>	matches <code>OMNI_API_KEY</code> env var
<code>SAMPLE-CSV</code>	see Programmatic section below
<code>SAMPLE-MD-DRAFT</code>	see Content Studio section below

Onboarding

#	Scenario	Preconditions	Steps	Data inputs	Expected result	Priority
ONB-01	First-run onboarding	Fresh browser, no localStorage	1. Visit <code>/onboarding</code> . 2. Fill website, city, business type, keywords. 3. Click <code>Continue</code> .	Website: <code>SAMPLE-DOMAIN</code> . City: <code>Chennai</code> . Type: <code>Restaurant</code> . Keywords: <code>pure veg, thali, mini meals</code>	Redirected to <code>/dashboard</code> . Business profile chip appears in header.	Critical
ONB-02	Skip onboarding	Fresh browser	1. Visit <code>/onboarding</code> . 2. Click <code>Skip for now</code> .	—	Lands on <code>/dashboard</code> with empty state cards.	Medium
ONB-03	Returning user bypass	localStorage has <code>businessProfile</code>	Visit <code>/onboarding</code> directly.	—	Auto-redirects to <code>/dashboard</code> .	High

Projects

#	Scenario	Preconditions	Steps	Data inputs	Expected result	Priority
PRJ-01	Create project (happy path)	Logged in	1. / dashboard/projects . 2. + New Project . 3. Fill form. 4. Create Project .	Name: Govindas Chennai . URL: https://govindarestaurant.org . Niche: Restaurant . Keywords: pure veg chennai, thali, mini meals	Toast Project created . New card appears in grid with accent strip.	Critical
PRJ-02	Create with invalid URL	Logged in	1. Open form. 2. URL = not-a-url . 3. Submit.	URL: not-a-url	Native HTML validation blocks submit. No POST sent.	High
PRJ-03	Set active project	At least 2 projects exist	1. Click Set active on a non-active card.	—	Card gets ★ Active pill + glow. Header chip updates. Toast confirms.	Critical
PRJ-04	Delete project	At least 1 project	1. Hover card. 2. Click trash icon. 3. Confirm.	—	Card removed from grid. Toast Project deleted . If it was active, header chip clears.	High
PRJ-05	Cancel delete	At least 1 project	1. Click trash. 2. Cancel the browser confirm.	—	Card stays. No API call.	Medium

#	Scenario	Preconditions	Steps	Data inputs	Expected result	Priority
PRJ-06	Active card auto-fills tools	Active project set	1. Navigate to <code>/dashboard/research</code> .	—	Website + keyword fields pre-populated from active project.	High
PRJ-07	Empty state	No projects exist	Visit <code>/dashboard/projects</code> .	—	Shows empty-state card with <code>Create project</code> + <code>Run onboarding</code> buttons.	Medium

Monthly Workflow

#	Scenario	Preconditions	Steps	Data inputs	Expected result	Priority
WF-01	Schedule renders current week	Project selected	1. <code>/ dashboard/ workflow</code> . 2. Pick project.	—	Hero card shows current ISO week (W1/W2/W3/W4) with its accent colour and tasks list.	High
WF-02	Trigger run	Project selected	1. Click <code>Run now</code> .	—	Toast <code>Workflow queued</code> . New row appears at top of run history within ~5s.	Critical
WF-03	Failure shown	A sub-task is expected to fail (e.g. DataForSEO disabled)	1. Trigger run. 2. Wait for completion. 3. Expand row.	—	Failing sub-task shows red X + error string.	High
WF-04	History limit	More than 10 runs exist	1. Reload page.	—	Only 10 most-recent runs shown.	Low
WF-05	No project selected	No project	1. Visit page without selecting.	—	Empty-state instructs the user to pick a project.	Medium

AI Research

#	Scenario	Preconditions	Steps	Data inputs	Expected result	Priority
RES-01	Run a research job	Active project, Claude key set	1. <code>/dashboard/research</code> . 2. Verify URL + keyword auto-filled. 3. Pick region + language. 4. <code>Start research</code> .	URL: <code>SAMPLE-URL</code> . Keyword: <code>SAMPLE-KEYWORD</code> . Region: <code>India</code> . Language: <code>en-IN</code>	Logs panel streams updates. Within ~90s, status flips to <code>completed</code> . Score, competitors, and recommendations render.	Critical
RES-02	Missing Claude key	<code>ANTHROPIC_API_KEY</code> unset	1. Submit form.	Same as RES-01	Job returns status <code>failed</code> with helpful error message in logs.	High
RES-03	Cancel mid-run	Job started	1. Start a job. 2. Reload the page. 3. Return to research.	—	Logs reconnect via <code>job_id</code> . No duplicate jobs.	Medium
RES-04	Recommendations severity colours	Job completed	1. Inspect recommendation list.	—	Each item carries a Critical / High / Medium tag with matching colour.	Medium

AI Keyword Research

#	Scenario	Preconditions	Steps	Data inputs	Expected result	Priority
KW-01	Seed → opportunities	Claude + DataForSEO configured	1. <code>/dashboard/keywords</code> . 2. Fill form. 3. <code>Find opportunities</code> .	Seed: <code>SAMPLE-SEED</code> . Domain: <code>SAMPLE-DOMAIN</code> . Industry: <code>Restaurant</code> . Region: <code>India</code>	Table renders within ~60s with ≥ 5 rows. Each row shows intent badge + priority bar.	Critical
KW-02	Empty seed	—	1. Leave seed blank. 2. Submit.	Seed: ``	Form validation blocks submit.	High
KW-03	Sort by priority	Results table visible	1. Click priority column header.	—	Rows re-order descending; the same column header shows arrow.	Medium
KW-04	Quick-fill chip	Active project has keywords	1. Click a chip.	—	Seed input populates with the chip value.	Low

Rank Tracker

#	Scenario	Preconditions	Steps	Data inputs	Expected result	Priority
RANK-01	Add a keyword	Active project	1. / dashboard/rank-tracker . 2. + Add keyword . 3. Fill form. 4. Submit.	Keyword: SAMPLE-KEYWORD . Region: India . Primary: yes	New row in table. Position is — until first check.	Critical
RANK-02	Run rank check	At least 1 keyword tracked	1. Click Check Rankings . 2. Wait ~2 min. 3. Refresh table.	—	Position fills in with a number. Δ column populates after the second check.	Critical
RANK-03	Sparkline renders	Keyword has ≥ 2 history rows	1. Inspect sparkline column.	—	SVG line with green/red/grey colour reflecting trend direction.	High
RANK-04	Delete keyword	Keyword exists	1. Click delete icon. 2. Confirm.	—	Row removed. Aggregate KPIs recompute.	Medium
RANK-05	Top-10 KPI	≥ 1 keyword ranks ≤ 10	1. Inspect KPI card.	—	Top-10 count reflects the dataset.	Medium
RANK-06	Best mover KPI	≥ 1 keyword improved by ≥ 5 positions	1. Inspect KPI card.	—	Card shows the keyword with the biggest improvement.	Low

AI Visibility

#	Scenario	Preconditions	Steps	Data inputs	Expected result	Priority
GEO-01	Run a visibility sweep	LLM keys configured	1. / dashboard/ ai-visibility . 2. Fill form. 3. Run GEO check .	Domain: SAMPLE-DOMAIN . Keywords: pure veg chennai\nthali near me\nmini meals chennai . Engines: all 3. AI Mode: on	Score cards populate. Per-keyword matrix shows check / mention / absent per engine.	Critical
GEO-02	One engine selected	LLM keys configured	1. Uncheck Perplexity + Gemini. 2. Submit.	Engines: ChatGPT only	Other engine columns hidden (or marked –).	Medium
GEO-03	50+ keywords	—	1. Paste 60 keywords. 2. Submit.	60 lines of keywords	Form caps at 50 with a warning.	Medium
GEO-04	Domain not cited anywhere	Use a brand-new domain not yet indexed	1. Submit.	Domain: notarealdomain123.test	Citation rate 0% . Each row shows absent .	Low

Revenue Attribution

#	Scenario	Preconditions	Steps	Data inputs	Expected result	Priority
ATT-01	Both connected (happy path)	GA4 + GSC connected for active project	1. / <code>dashboard/attribution</code> . 2. Pick <code>30d</code> . 3. <code>Run report</code> .	Range: 30d	KPI strip + pages + queries tables populate. Revenue numbers are non-negative.	Critical
ATT-02	Missing GA4	Only GSC connected	1. Open page.	—	Warning banner + button linking to Settings → Connect GA4. Run disabled.	High
ATT-03	Missing GSC	Only GA4 connected	1. Open page.	—	Warning banner pointing to Settings → Connect GSC. Run disabled.	High
ATT-04	Range toggle persists	Connected	1. Pick <code>90d</code> . 2. Reload.	—	Range selection persists for the session.	Low

Competitor Monitor

#	Scenario	Preconditions	Steps	Data inputs	Expected result	Priority
CMP-01	Empty state	Project has had no AI Research yet	1. / dashboard/competitors . 2. Pick project.	—	Empty-state explains competitors are discovered via AI Research.	Medium
CMP-02	First scan	Research has populated competitors	1. Click Scan Competitors . 2. Wait ~2 min. 3. Refresh.	—	Cards appear with entities + content snapshot. KPI strip populates.	Critical
CMP-03	Expand card	Cards present	1. Click a card.	—	Entities, snapshot, and backlink profile slide in.	High
CMP-04	External link	Cards present	1. Click the ↗ icon next to domain.	—	Opens the source URL in a new tab.	Low

Technical SEO Audit

#	Scenario	Preconditions	Steps	Data inputs	Expected result	Priority
AUD-01	Single-page audit	PageSpeed key configured	1. <code>/dashboard/audit</code> . 2. Tab <code>Single-page</code> . 3. Submit.	URL: <code>SAMPLE-URL</code>	Lighthouse score cards render within ~30s. Issues list appears.	Critical
AUD-02	Full-site crawl start	DataForSEO configured	1. Tab <code>Full-site crawl</code> . 2. Submit.	Domain: <code>SAMPLE-DOMAIN</code> . Max pages: 50	Status shows <code>crawling</code> with task id.	Critical
AUD-03	Full-site crawl finishes	AUD-02 ran	1. Wait. 2. Poll completes.	—	Status flips to <code>finished</code> . On-page score, broken links, duplicates, sample pages render.	High
AUD-04	Crawl with invalid domain	DataForSEO configured	1. Submit.	Domain: <code>not_a_domain</code>	Status flips to <code>failed</code> with reason.	Medium
AUD-05	Issue severity colours	Issues present	1. Inspect badges.	—	Critical = red, High = orange, Medium = amber.	Low

Schema Markup

#	Scenario	Preconditions	Steps	Data inputs	Expected result	Priority
SCH-01	Detect + generate	LLM key configured	1. <code>/dashboard/schema</code> . 2. Fill form. 3. <code>Analyze</code> .	URL: <code>SAMPLE-URL</code> . Type: <code>Restaurant</code> . Name: <code>Govindas Restaurant</code>	Detected types render. Missing types listed. Generated JSON-LD cards appear.	Critical
SCH-02	Copy generated stub	SCH-01 produced output	1. Click <code>Copy</code> on a stub.	—	Clipboard contains valid JSON-LD. Toast confirms.	High
SCH-03	URL fetch fails	—	1. Submit unreachable URL.	URL: <code>https://offline.invalid</code>	Error toast / inline message; no markup generated.	Medium

Content Brief & Score

#	Scenario	Preconditions	Steps	Data inputs	Expected result	Priority
BRF-01	Generate brief	Claude + SERP API configured	1. / dashboard/ brief . 2. Fill form. 3. Generate brief .	Keyword: SAMPLE - KEYWORD . Domain: SAMPLE - DOMAIN	Within ~60s: target words, H2 list, entities chips, FAQs, meta suggestions. Top-5 competitors table.	Critical
BRF-02	Score a URL	Brief generated	1. Paste a URL. 2. Score .	URL: SAMPLE - URL	Score /100 + per-axis breakdown + recommendations checklist.	Critical
BRF-03	Score pasted markdown	Brief generated	1. Paste markdown. 2. Score .	Use SAMPLE - MD - DRAFT below	Score renders the same way as URL scoring.	High
BRF-04	Copy brief as markdown	Brief generated	1. Click Copy as Markdown .	—	Clipboard contains a well-formed markdown brief.	Medium

SAMPLE-MD-DRAFT (paste into the markdown box for BRF-03):

```
# Pure Veg Restaurant in Chennai
Govindas serves pure-veg thalis and mini meals across Chennai.
## Menu highlights
- North Indian thali
- South Indian mini meals
- Daily specials
## Visit us
T Nagar branch open 11am-10pm.
```

Content Studio

#	Scenario	Preconditions	Steps	Data inputs	Expected result	Priority
CON-01	Create draft	Active project	1. <code>/ dashboard/content</code> . 2. <code>+ New Draft</code> . 3. Fill form. 4. Create.	Title: <code>Pure Veg Thali Guide</code> . Keyword: <code>SAMPLE - KEYWORD</code>	New draft appears in table with <code>draft</code> status.	Critical
CON-02	Save markdown	Draft open	1. Type markdown. 2. <code>Save</code> .	<code>SAMPLE - MD - DRAFT</code>	Word count updates live. Toast <code>Saved</code> . PATCH issued.	Critical
CON-03	AI Rewrite	Draft has body, Claude key set	1. Click <code>AI Rewrite</code> . 2. Wait.	—	Markdown rewritten. New word count differs. Diff visible.	High
CON-04	Status workflow	Draft open	1. Change status to <code>review</code> . 2. Then <code>approved</code> . 3. Then <code>published</code> .	—	Each change is persisted. Status badge colour matches the value.	High
CON-05	Empty draft AI rewrite	Empty body	1. <code>AI Rewrite</code> .	—	Form blocks request with <code>Add content first</code> toast.	Medium

Programmatic SEO

#	Scenario	Preconditions	Steps	Data inputs	Expected result	Priority
PRG-01	Generate pages	Claude / Gemini configured	1. <code>/dashboard/programmatic</code> . 2. Paste template. 3. Paste CSV. 4. Max pages = 50. 5. <code>Generate</code> .	Use <code>SAMPLE-CSV</code> below	Stats: rows = 4, generated = 4, skipped = 0. Page previews render with merged values.	Critical
PRG-02	Unknown variable in template	—	1. Use template with <code>{{nonexistent}}</code> . 2. Submit.	Template: includes <code>{{nonexistent}}</code>	Warning surfaces; per-row warnings list the unknown variable.	High
PRG-03	CSV without headers	—	1. Paste data without a header row. 2. Submit.	Headerless CSV	Backend rejects with <code>header row required</code> .	Medium
PRG-04	Cap at max pages	—	1. Paste a 5000-row CSV. 2. Max pages = 10.	Big CSV	Only 10 pages generated. <code>Skipped</code> = 4990.	Medium
PRG-05	Export JSON	Generation succeeded	1. Click <code>Export JSON</code> .	—	Download starts. JSON parses; one record per page.	Low

`SAMPLE-CSV` (paste into the CSV textarea for PRG-01):

```
city,dish,price
Chennai,Thali,180
Bangalore,Thali,200
Hyderabad,Mini Meals,160
Mumbai,Mini Meals,210
```

Template body suggestion:

```
# Best {{dish}} in {{city}}
Govindas Restaurant serves {{dish}} starting at ₹{{price}} in {{city}}.
```

Slug template: `best-{{dish}}-in-{{city}}` . Title: `Best {{dish}} in {{city}} – Govindas` .

Link Building

#	Scenario	Preconditions	Steps	Data inputs	Expected result	Priority
LNK-01	Add prospect	Active project	1. / dashboard/ links . 2. Tab Outreach Pipeline . 3. Fill form. 4. Add prospect .	Domain: chennaifoodblog.com . URL: https:// chennaifoodblog.com/best-veg-2026 . Contact: Anita R . Email: anita@chennaifoodblog.com . DR: 42	Row appears in table with new status.	Critical
LNK-02	Status workflow	LNK-01 done	1. Change row status to contacted . 2. Then replied . 3. Then agreed . 4. Then placed .	—	Each PATCH persists. Status pill colour matches.	High
LNK-03	Draft email	Prospect with email exists	1. Click Draft Email .	Defaults: Sender Name: Suresh . Site: SAMPLE-DOMAIN . Value prop: share a vegetarian directory . Template: guest_post	Email card renders with non-empty Subject + Body. Copy button works.	Critical
LNK-04	Filter by status	Multiple prospects	1. Pick agreed from filter.	—	Only agreed rows visible.	Medium

#	Scenario	Preconditions	Steps	Data inputs	Expected result	Priority
LNK-05	Live backlinks	DataForSEO configured	1. Tab Live Backlinks . 2. Submit.	Domain: SAMPLE-DOMAIN	KPI strip + anchors + referring domains populate.	High
LNK-06	Track from referring domain	Backlinks loaded	1. Click + track on a referring domain row.	—	Prospect added with that domain prefilled.	Medium
LNK-07	Delete prospect	Row exists	1. Click trash icon. 2. Confirm.	—	Row removed.	Medium

Reports

#	Scenario	Preconditions	Steps	Data inputs	Expected result	Priority
RPT-01	Generate a report	Active project, Claude configured	1. / dashboard/reports . 2. Generate Report .	—	New row appears within ~60s. Click renders iframe with HTML.	Critical
RPT-02	Download PDF	RPT-01 ran	1. Open a report. 2. Download PDF .	—	PDF downloads. Opens in OS viewer without error.	High
RPT-03	Branding applied	Branding enabled for project	1. Generate report. 2. Inspect cover.	—	Agency name + logo + palette match Branding config.	High
RPT-04	No reports	Fresh project	1. Visit page.	—	Empty-state CTA Generate Report .	Low

White-label Branding

#	Scenario	Preconditions	Steps	Data inputs	Expected result	Priority
BRA-01	Save branding	Active project	1. / dashboard/ branding . 2. Enable. 3. Fill fields. 4. Save branding .	Agency: Acme Digital . Logo: https:// cdn.acme.com/ logo.png . Palette: defaults	Toast Branding saved . Validation block clean.	Critical
BRA-02	Generate preview	Branding saved	1. Click Generate preview .	—	Iframe renders sample report using saved settings.	Critical
BRA-03	Validation warning	Insecure logo URL	1. Logo: http:// acme.com/ logo.png . 2. Save.	Logo: HTTP not HTTPS	Save succeeds but validation_warnings lists the insecure URL.	High
BRA-04	Colour picker	Branding open	1. Pick a hex via picker.	Primary: #A3E635	Hex field updates. Preview reflects new colour.	Medium
BRA-05	Disable branding	Was enabled	1. Uncheck Enable. 2. Save.	—	New reports stop using custom branding (verify via Reports).	High

Settings

#	Scenario	Preconditions	Steps	Data inputs	Expected result	Priority
SET-01	Update API key	—	1. / dashboard/settings . 2. Type new key. 3. Save .	API key: SAMPLE-API-KEY	Stored in localStorage. Subsequent calls use it.	Critical
SET-02	Connect GA4	Google account with GA4 property	1. Connect GA4 . 2. Complete OAuth.	—	Card shows Connected + property id.	Critical
SET-03	Connect GSC	Google account with GSC site	1. Connect GSC . 2. Complete OAuth.	—	Card shows Connected + site URL.	Critical
SET-04	Disconnect	GA4 connected	1. Disconnect .	—	Card returns to Not connected . Attribution widget shows — .	High
SET-05	Attribution widget live	Both connected	1. Reload.	—	Widget pulls last-7-day organic sessions / revenue / clicks.	High
SET-06	Wrong scope OAuth	Google account without GA4 access	1. Connect. 2. Choose limited account.	—	Backend stores no usable token; error toast.	Medium

Billing & Plans

#	Scenario	Preconditions	Steps	Data inputs	Expected result	Priority
BIL-01	Usage bars render	At least 1 project + keywords	1. / <code>dashboard/billing</code> .	—	3 progress bars (Projects, Keywords, AI reports) with <code>used / limit</code> text.	High
BIL-02	Upgrade to Growth	Razorpay configured	1. Click <code>Upgrade to Growth</code> .	Plan: <code>growth</code> . Email: <code>SAMPLE-EMAIL</code>	New tab opens with Razorpay checkout. Toast <code>Redirecting to Razorpay...</code> .	Critical
BIL-03	Missing Razorpay creds	<code>RAZORPAY_KEY_ID</code> unset	1. Click <code>Upgrade</code> .	—	Error toast surfaces backend <code>detail</code> .	High
BIL-04	Near-limit warning	Project count near limit	1. Inspect bar.	—	Bar text turns amber when $\geq$ 80% of limit.	Medium
BIL-05	Current plan badge	Plan = starter	1. Inspect cards.	—	Starter card shows <code>Current</code> pill; its button is disabled.	Medium

End-to-end smoke test

This is the single must-pass walkthrough before any release.

#	Step	Expected
1	Onboard with <code>SAMPLE-DOMAIN</code> , Chennai, Restaurant, 3 keywords.	Lands on <code>/dashboard</code> .
2	Create project <code>Govindas Chennai</code> . Set active.	Project active.
3	Open AI Research, accept auto-fill, submit.	Score + competitors + recommendations within 90s.
4	Open Keywords. Use seed <code>SAMPLE-SEED</code> .	Opportunities table populates.
5	Open Rank Tracker. Add <code>SAMPLE-KEYWORD</code> . Trigger check.	Position recorded within 2 min.
6	Open AI Visibility. Submit 3 keywords across all engines.	Citation matrix populated.
7	Open Audit. Single-page on <code>SAMPLE-URL</code> .	Lighthouse scores rendered.
8	Open Schema. Generate JSON-LD for <code>Restaurant</code> .	Stubs generated.
9	Open Brief. Generate + score.	Score /100 visible.
10	Open Content. Create + AI rewrite a draft.	Body changed; word count differs.
11	Open Programmatic. Generate 4 pages via <code>SAMPLE-CSV</code> .	4 pages previewed.
12	Open Links. Add a prospect, draft an email.	Email card renders.
13	Open Reports. Generate, then download PDF.	PDF opens cleanly.
14	Open Branding. Enable + save + preview.	Iframe preview matches palette.

#	Step	Expected
15	Open Settings. Verify GA4 + GSC connected.	Both green.
16	Open Attribution. Pick 30d, run.	Tables populated.
17	Open Billing. Verify usage bars + try Growth upgrade.	Razorpay tab opens.

Any failure at any step blocks release.