

Variable

Filter...

DeliveryStatus

RiderID

TimeToDispatch

TimeInTransit

DeliveryLocationPincode

☐ Sort categories by frequency

Distribution

Fitted distribution None

Bin width 1

Smoothing 10

☐ Hide bars

Columns


Split by DeliveryStatus

☐ Stack columns

☐ Show probabilities

☒ Show cumulative distribution

☒ Apply Automatically



Variable

Filter...

- DeliveryStatus
- RiderID
- TimeToDispatch
- TimeInTransit

☐ Order by relevance to subgroups

Subgroups

Filter...

None

- DeliveryStatus
- RiderID


☐ Order by relevance to variable

Display

☒ Stretch bars

☒ Show box labels

☐ Sort by subgroup frequencies



Info

1000 instances (no missing data)
4 features
Target with 2 values
3 meta attributes

Variables

☒ Show variable labels (if present)

☒ Visualize numeric values

☒ Color by instance classes

Selection

☒ Select full rows

	DeliveryStatus	OrderID	Cluster	Silhouette	RiderID	
1	Late	ORD_0116	C3	0.516195	RID_006	
2	Late	ORD_0151	C2	0.560906	RID_008	
3	Late	ORD_0338	C3	0.501301	RID_003	
4	On-Time	ORD_0050	C1	0.553418	RID_005	
5	On-Time	ORD_0206	C2	0.511111	RID_002	
6	On-Time	ORD_0498	C3	0.544516	RID_002	
7	On-Time	ORD_0335	C2	0.570659	RID_007	
8	On-Time	ORD_0079	C3	0.497941	RID_010	
9	On-Time	ORD_0070	C3	0.54101	RID_010	
10	On-Time	ORD_0027	C3	0.525538	RID_010	
11	Late	ORD_0271	C3	0.525884	RID_006	
12	Late	ORD_0050	C2	0.588445	RID_004	
13	On-Time	ORD_0292	C1	0.59136	RID_005	
14	On-Time	ORD_0247	C1	0.536929	RID_001	
15	On-Time	ORD_0264	C1	0.587374	RID_007	
16	On-Time	ORD_0079	C3	0.574496	RID_008	
17	On-Time	ORD_0387	C2	0.559479	RID_009	
18	On-Time	ORD_0190	C1	0.584397	RID_008	


Filter...

- Data
- Transform
- Visualize
- Model
- Evaluate
- Unsupervised

Data Table

View the dataset in a spreadsheet.

[more...](#)



Source

☒ File: FSP\quickbazaar_delivery_operations.csv

☐ URL: http://deliveries data.CSV

 ...

 Reload

File Type

Automatically detect type

Info

1000 instances
5 features (no missing values)
Data has no target variable.
1 meta attribute

Columns (Double click to edit)

Name	Type	Role	Values
1 RiderID	 categorical	feature	RID_001, RID_002, RID_003, RID_004, RID_00...
2 TimeToDispatch	 numeric	feature	
3 TimeInTransit	 numeric	feature	
4 DeliveryLocatio...	 numeric	feature	
5 DeliveryStatus	 categorical	target	Late, On-Time
6 OrderID	 text	meta	




Reset

Apply

Browse documentation datasets

Variables

Filter...

-  RiderID
-  TimeToDispatch
-  TimeInTransit
-  DeliveryLocationPincode
-  DeliveryStatus
-  OrderID

Edit

Name: RiderID

Type:  Categorical☐ Unlink variable from its source variable

Values:

RID_001 → RID_001
RID_002 → RID_002
RID_003 → RID_003
RID_004 → RID_004
RID_005 → RID_005
RID_006 → RID_006
RID_007 → RID_007
RID_008 → RID_008
RID_009 → RID_009

↑ ↓ + - = M

Labels: Key Value

+ -

Output table name: quickbazaar_delivery_...

Reset All

Reset Selected

Apply

Ignored (3)

Filter

- C RiderID
- N DeliveryLocationPincode
- S OrderID

Features (3)

Filter

- N TimeToDispatch
- N TimeInTransit
- C DeliveryStatus

Target

Metas

Reset

☐ Ignore new variables by default



Send Automatically

