

Cucumber Report

29-Nov-2022, 11:14:22 pm

Start : Nov 29, 11:08:17.117 pm

End : Nov 29, 11:14:20.029 pm

Duration : 6 m 2.912 s

Features






PASSED - 0
FAILED - 1
SKIPPED - 0

Scenarios

PASSED - 0
FAILED - 1
SKIPPED - 0

Steps


PASSED - 14
FAILED - 1
SKIPPED - 2



Feature				Scenario				Step			
Name		Duration		T	P	F	S	T	P	F	S
<i>Renew Fleet feature</i>		6 m 2.912 s		1	0	1	0	17	14	1	2




#	Feature Name	T	P	F	S	Duration
1	<u>Renew Fleet feature</u>	1	0	1	0	6 m 2.912 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Renew Fleet feature</u>	<u>IRP Renew fleet</u>	17	14	1	2	6 m 2.908 s


Renew Fleet feature



IRP Renew fleet



#	Step / Hook Details	Status	Duration
1	Given User login as a Internal user Launch the application using URL and login with valid credentials	PASSED	13.117 s
	AFTER_STEP - com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(io.cucumber.java.Scenario) anyname	PASSED	0.441 s
			
2	When User will navigate to the IRPLink Expand the Services header on the left column of the screen and select IRP Click on Renew fleet from Fleet card menu.	PASSED	14.791 s
	AFTER_STEP - com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(io.cucumber.java.Scenario) anyname	PASSED	0.451 s

#	Step / Hook Details	Status	Duration
			
3	<p>Then User will provide all the Account Number Details to start with IRP Transaction</p> <p>Enter valid search data and click to proceed</p>	PASSED	5.195 s
	AFTER_STEP - com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(io.cucumber.java.Scenario) anyname 	PASSED	0.419 s
4	<p>Then User will navigate to account section and fill the data</p> <p>Enter valid all detail in account page with comments and click on proceed button</p> <p>Click on proceed from the verification page</p>	PASSED	21.522 s
	AFTER_STEP - com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(io.cucumber.java.Scenario) anyname 	PASSED	0.282 s
5	<p>Then User will navigate to Fleet section and fill the data and validate message "IRPACC00 : [I] Renewal account has been generated."</p> <p>Message in Fleet ScreenIRPACC00 : [I] Renewal account has been generated.</p> <p>Enter update all the mandatory and valid details in fleet page. Also update Fleet Expiration Date & Fleet Type & Commodity Class and click on proceed button after entering comments</p> <p>Click on proceed button from the verification page</p>	PASSED	40.816 s
	AFTER_STEP - com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(io.cucumber.java.Scenario) anyname 	PASSED	0.251 s

#	Step / Hook Details	Status	Duration
6	<p>Then User will navigate to Distance section and fill the data and validate message "IRPFLT01 : [I] Renewal fleet has been generated." "[I] MCE: IRP status successfully updated."</p> <p>Select Actual Distance radio button & Enter all the mandatory and valid details in distance page and click on proceed button after entering comments</p> <p>Message in Distance ScreenIRPFLT01 : [I] Renewal fleet has been generated.</p> <p>Message in Distance Screen[I] MCE: IRP status successfully updated.</p> <p>Click on proceed button from the verification page</p>	PASSED	59.430 s
	<p>AFTER_STEP - com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(io.cucumber.java.Scenario)</p> <p>anyname</p> 	PASSED	0.292 s
7	<p>Then User will navigate to Weight group section and fill the data ans validate message "IRPMLG13 : [I] Renewal Distance has been generated."</p> <p>Click on Add weight group button Add new Weight Group(s) & enter all the mandatory and valid details in the weight group page and click on proceed button</p> <p>Update an existing Weight Group & enter comments</p> <p>Message in Weight Group ScreenIRPMLG13 : [I] Renewal Distance has been generated.</p> <p>Click on proceed button from the verification page</p> <p>Click Done</p>	PASSED	28.630 s
	<p>AFTER_STEP - com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(io.cucumber.java.Scenario)</p> <p>anyname</p> 	PASSED	0.273 s
8	<p>Then User will navigate to Ammend vehicle and validate the message "IRPVEH375 : [I] Please search the VIN first to process a vehicle." "IRPVEH491 : [W] New Plate Required flag set for this vehicle to Yes." "IRPVEH004 : [I] Vehicle amended successfully."</p> <p>Complete Amend vehicle and edit Ownership Details Safety USDOT and TIN and change Weight Group such that New Plate is requested Also request TVR and enter comments Delete Vehicle(s) such that all Documents are collected and Comments entered</p> <p>Message in Amend Vehicle ScreenIRPVEH375 : [I] Please search the VIN first to process a vehicle.</p> <p>Message in Amend Vehicle Screennull</p> <p>Message in Amend Vehicle Screen IRPVEH004 : [I] Vehicle amended successfully.</p> <p>Message in Amend Vehicle Screennull</p> <p>Message in Amend Vehicle Screen IRPVEH004 : [I] Vehicle amended successfully.</p>	PASSED	56.928 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(io.cucumber.java.Scenario) anyname 	PASSED	0.221 s
9	Then User will Delete vehicle as per the requirement and validate the message "IRPVEH246 : [I] Vehicle(s) deleted successfully." Completed Delete Vehicle	PASSED	0.060 s
	AFTER_STEP - com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(io.cucumber.java.Scenario) anyname 	PASSED	0.204 s
10	And User will navigate to vehicle list to cancel the existing amended vehicle and amend it again "GEN1062 : [I] Cancellation completed successfully" Go to Vehicle List and update Amended Vehicle details	PASSED	21.176 s
	AFTER_STEP - com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(io.cucumber.java.Scenario) anyname 	PASSED	0.299 s
11	Then User will navigate to vehicle list to cancel the existing deleted vehicle and delete it again "GEN1062 : [I] Cancellation completed successfully"	PASSED	0.000 s
	AFTER_STEP - com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(io.cucumber.java.Scenario) anyname 	PASSED	0.248 s
12	Then User will navigate to billing to verify as well to adjust the cost & Waive Fees "IRPBILL09 : [E] Manual adj. reason is required."	PASSED	1 m 8.570 s

#	Step / Hook Details	Status	Duration
	<p>Click Done from the supplement selection page</p> <p>Check Installment Payment checkbox</p> <p>Manually Adjust & Waive Fees with comments & set Delivery Types as PDF</p> <p>Message in Billing ScreenIRPBILL09 : [E] Manual adj. reason is required.</p> <p>Click on proceed button</p>		
	<p>AFTER_STEP - com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(io.cucumber.java.Scenario)</p> <p>anyname</p>	PASSED	0.208 s
13	<p>And User will navigate to Payment Tab to input the data and validate message "GEN24 : [I] Invoice report generated successfully." "IRPREP28 : [I] Billing completed successfully." "GEN1239 : [I] TVR generated successfully."</p> <p>Verify the page & set Delivery Types as PDF Click on proceed button</p> <p>Message in Payment ScreenGEN24 : [I] Invoice report generated successfully.</p> <p>Message in Payment ScreenIRPREP28 : [I] Billing completed successfully.</p> <p>Message in Payment ScreenGEN1239 : [I] TVR generated successfully.</p> <p>Verify the page & Click Add to Cart button</p>	PASSED	16.994 s
	<p>AFTER_STEP - com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(io.cucumber.java.Scenario)</p> <p>anyname</p>	PASSED	0.291 s
14	<p>Then User will navigate to supplement continuance and validate the message "GENPAY01 : [E] This transaction already exists in the cart."</p> <p>Go to Supplement Continuance & try to continue above record</p> <p>Message in Fleet ScreenGENPAY01 : [E] This transaction already exists in the cart.</p>	PASSED	4.074 s
	<p>AFTER_STEP - com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(io.cucumber.java.Scenario)</p> <p>anyname</p>	PASSED	0.229 s

#	Step / Hook Details	Status	Duration
15	<p>Then User will navigate to payment tab and fill the requirement</p> <p>Click Cart icon Select record & proceed Click on pay now button</p> <pre>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <input class="btn-primary btn-w-m btn" id="btnPay" name="btnPay" onclick="javascript: formSubmit(event, 'Pay',document.forms[0]); " type="button" value="Pay"> is not clickable at point (686, 539). Other element would receive the click: <input class="filtered-text" data-regex="[^0-9]+" id="payerAccountNo" maxlength="9" name="payerAccountNo" type="text" value="" data-val-required="GEN01 : [E] Payer MCE Customer ID is required." data-val="true"> (Session info: chrome=107.0.5304.108) Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'LAPTOP-8ANFSSC4', ip: '192.168.0.115', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.3' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bbb15aad9045d1904e8b70ae6e741c16, clickElement {id=587903b2-bcc9-497e-b64d-bdd67640c3b2}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.108, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\HP\AppData\Local\T...}, goog:chromeOptions: {debuggerAddress: localhost:60771}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60771/devtoo..., se:cdpVersion: 107.0.5304.108, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (bbb15aad9045d1904e8b70ae6e741c16)] -> xpath: //input[@id='btnPay']] Session ID: bbb15aad9045d1904e8b70ae6e741c16 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78) at jdk.internal.reflect.GeneratedMethodAccessor73.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy32.click(Unknown Source) at com.celtic.automation.cmcs.util.ElementUtil.clickElement(ElementUtil.java:337) at com.celtic.automation.cmcs.pages.Payment.clickPayNow(Payment.java:132) at com.celtic.automation.cmcs.parallel.RWC001.user_will_navigate_to_payment_tab_and_fill_the_requirement(RWC001.java:1136) at ?.User will navigate to payment tab and fill the requirement(file:///C:/Users/HP/Downloads/celtic-main(3)/celtic-main/src/test/resources/</pre>	FAILED	4.470 s

#	Step / Hook Details	Status	Duration
	parallel/RWC001.feature:17) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(io.cucumber.java.Scenario)	PASSED	0.184 s
	anyname		
			
16	And user will validate message "Payment Receipt generated successfully" "Credentials generated successfully."	SKIPPED	0.000 s
17	Then user should land on the installement payment and verify the amount and then proceed "Payment completed successfully." "Payment Receipt generated successfully"	SKIPPED	0.008 s
	AFTER - com.celtic.automation.cmcs.apphooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.354 s
	IRP_Renew_fleet		
			