Cucumber Report

| Start : Dec 07, 1:31:25.062 pm	End : Dec 07, 1:33:36.142 pm	Duration : 2 m 11.080 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 1 FAILED - 1 SKIPPED - 16

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Renewal after Reinstatement	2 m 11.080 s	1	0	1	0	18	1	1	16

#	Feature Name	T	P	F	S	Duration
1	Renewal after Reinstatement	1	0	1	0	2 m 11.080 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Renewal after Reinstatement	Renew with Reinstate	18	1	1	16	2 m 11.077 s

Renewal after Reinstatement

FAILED	DURATION - 2 m 11.080 s		Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 18 Pass - 1 Fail - 1 Skip - 16	
/ 1:31:25.062 pm // 1:33:36.142 pm /				1		18

Renew with Reinstate

FAILED	DURATION - 2 m 11.077 s		Steps Total - 18 Pass - 1 Fail - 1 Skip - 16	
/ 1:31:25.065 pm // 1:33:36.142 pm /				18
Renewal after Reinstatement				

#	Step / Hook Details	Status	Duration
1	Given Login as Internal user	PASSED	38.639 s
	AFTER_STEP - com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(io.cucumber.java.Scenario)	PASSED	0.667 s
	anyname		
2	When User will navigate to IRP & Reinstate Fleet	FAILED	1 m 29.583 s
	Expand the Services header on the left column of the screen and select IRP		
	Click on Fleet Reinstatement from Fleet card menu.		
	Enter valid search data and click to proceed		
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=108.0.5359.94) Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'SAIMADHURI', ip: '192.168.1.33', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [fcb28403c2864594d5586a07ef0e1233, findElement {using=xpath, value=//a[@id='lnkGridSelectCustomerGrid']}] Capabilities		

#	Step / Hook Details	Status	Duration

	{acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.94, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\saima\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:54806}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54806/devtoo. .., se:cdpVersion: 108.0.5359.94, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: fcb28403c2864594d5586a07ef0e1233
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:387)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:379)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	  at jdk.proxy2/jdk.proxy2.$Proxy47.toString(Unknown Source)
	  at java.base/java.lang.String.valueOf(String.java:4213)
	  at java.base/java.lang.StringBuilder.append(StringBuilder.java:173)
	  at org.openqa.selenium.support.ui.ExpectedConditions$23.toString(ExpectedConditions.java:673)
	  at java.base/java.lang.String.valueOf(String.java:4213)
	  at java.base/java.lang.StringBuilder.append(StringBuilder.java:173)
	  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229)
	  at com.celtic.automation.cmcs.util.ElementUtil.clickElement(ElementUtil.java:329)
	  at com.celtic.automation.cmcs.pages.FleetPage.clickFirstHandimg(FleetPage.java:88)
	  at com.celtic.automation.cmcs.parallel.RWC002.navigateReinstateFleet(RWC002.java:138)
	  at ?.User will navigate to IRP & Reinstate Fleet(file:///D:/WorkingDirectory/celtic_framework_enhance-main/./src/test/resources/parallel/RWC002.feature:5)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(io.cucumber.java.Scenario)	FAILED	0.003 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=108.0.5359.94) Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'SAIMADHURI', ip: '192.168.1.33', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [fcb28403c2864594d5586a07ef0e1233, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.94, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\saima\AppData\Loca.		

#	Step / Hook Details	Status	Duration

	..}, goog:chromeOptions: {debuggerAddress: localhost:54806}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54806/devtoo..., se:cdpVersion: 108.0.5359.94, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: fcb28403c2864594d5586a07ef0e1233
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)
	    at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)
	    at com.celtic.automation.cmcs.util.GenericFunctions.getByteScreenshot(GenericFunctions.java:33)
	    at com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(ApplicationHooks.java:50)		

3	Then User will move to Distance page & validate the message "[I] MCE: IRP status successfully updated."	SKIPPED	0.001 s
4	Then User will navigate to billing Page & verify the information	SKIPPED	0.000 s
5	And User will validate the Success Information Message "IRPBILL01 : [I] Reinstatement process completed successfully."	SKIPPED	0.001 s
6	Then User will navigate to the Renewal Screen	SKIPPED	0.001 s
7	Then User will navigate to Account screen under IRP and provides all the required input to proceed	SKIPPED	0.000 s
8	Then user will navigate to Fleet to input the data and validate the message "IRPACC00 : [I] Renewal account has been generated."	SKIPPED	0.000 s
9	Then user will navigate to Distance to input the data and validate message "IRPFLT01 : [I] Renewal fleet has been generated." "[I] MCE: IRP status successfully updated."	SKIPPED	0.000 s
10	Then user will navigate to Weight Group to add weight group "IRPMLG13 : [I] Renewal Distance has been generated."	SKIPPED	0.000 s
11	And user will amend the existing weight group	SKIPPED	0.000 s
12	Then user will navigate to Vehicle screen and add the vehicles that was previously deleted in expired year and validate the message "IRPVEH375 : [I] Please search the VIN first to process a vehicle." "IRPVEH004 : [I] Vehicle amended successfully."	SKIPPED	0.000 s
13	And user will navigate to vehicle list to update the added vehicle details and validate message "IRPVEH004 : [I] Vehicle amended successfully."	SKIPPED	0.000 s
14	Then User will navigate to billing to verify as well to waive fees and adjust the cost fees "IRPBILL09 : [E] Manual adj. reason is required."	SKIPPED	0.003 s
15	Then User will navigate to Payment Tab to input the fields and validate message "GEN24 : [I] Invoice report generated	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	successfully." "IRPREP28 : [I] Billing completed successfully." "GEN1239 : [I] TVR generated successfully."		
16	Then User will navigate will collect all vehicle level documents from Vehicle Documents "Credentials generated successfully"	SKIPPED	0.001 s
17	Then user will navigate to Payment page for 2nd installment and validate message "Payment Receipt generated successfully" "Payment completed successfully."	SKIPPED	0.000 s
18	And User will navigate to all the inquiries and report with respect to the flow for validation.	SKIPPED	0.000 s
	AFTER - com.celtic.automation.cmcs.apphooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.005 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=108.0.5359.94) Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'SAIMADHURI', ip: '192.168.1.33', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [fcb28403c2864594d5586a07ef0e1233, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.94, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\saima\AppData\Loca. ..}, goog:chromeOptions: {debuggerAddress: localhost:54806}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54806/devtoo..., se:cdpVersion: 108.0.5359.94, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: fcb28403c2864594d5586a07ef0e1233
	     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)
	     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)
	     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)
	     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)
	     at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)
	     at com.celtic.automation.cmcs.apphooks.ApplicationHooks.tearDown(ApplicationHooks.java:70)		