


Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
Renewal after Reinstatement	1 m 36.094 s	1	0	1	0	18	1	1	16	

FEATURES SUMMARY -- 3 --




#	Feature Name	T	P	F	S	Duration	
1	Renewal after Reinstatement	1	0	1	0	1 m 36.094 s	

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Renewal after Reinstatement	Renew with Reinstate	18	1	1	16	1 m 36.091 s

## **Renewal after Reinstatement**



## **Renew with Reinstate**



#	Step / Hook Details	Status	Duration
1	Given Login as Internal user	PASSED	29.904 s
	AFTER_STEP - com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(io.cucumber.java.Scenario)	PASSED	0.338 s
	anyname		
	No. 10 Per la company of the company		
2	When User will navigate to IRP & Reinstate Fleet	FAILED	1 m 2.510 s
	Expand the Services header on the left column of the screen and select IRP		
	Click on Fleet Reinstatement from Fleet card menu.		
	Enter valid search data and click to proceed		
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for:  DefaultElementLocator 'By.xpath: //a[@id='InkGridSelectCustomerGrid']' (tried for 30 second(s) with 500 milliseconds interval)  at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87)  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)  at com.celtic.automation.cmcs.util.ElementUtil.clickElement(ElementUtil.java:328)		

#	Step / Hook Details	Status	Duration
	at com.celtic.automation.cmcs.pages.FleetPage.clickFirstHandimg(FleetPage.java:88)		
	at com.celtic.automation.cmcs.parallel.RWC002.navigateReinstateFleet(RWC002.java:139)		
	at ?.User will navigate to IRP & Reinstate Fleet(file:///D:/celtic_framework_enhance-main/src/test/resources/parallel/RWC002.feature:5)		
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:		
	{"method":"xpath","selector":"//a[@id='lnkGridSelectCustomerGrid']"} (Session info: chrome=108.0.5359.94) For documentation on this error,		
	please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'LAPTOP-		
	8ANFSSC4', ip: '192.168.0.115', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.3' Driver info: org.openqa.		
	selenium.chrome.ChromeDriver Command: [63460c7a5ae87a37796dcf815b57d315, findElement {using=xpath, value=//a[@id='lnkGridSelectCustomerGrid']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.94,		
	chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06, userDataDir: C:\Users\HP\AppData\Local\T}, goog:chromeOptions:		
	{debuggerAddress: localhost:57992}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(),		
	se:cdp: ws://localhost:57992/devtoo, se:cdpVersion: 108.0.5359.94, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0,		
	pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,		
	webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 63460c7a5ae87a37796dcf815b57d315		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:387)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:379)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy33.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)		
	at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)		
	at com.celtic.automation.cmcs.util.ElementUtil.clickElement(ElementUtil.java:328)		
	at com.celtic.automation.cmcs.pages.FleetPage.clickFirstHandimg(FleetPage.java:88)		

#	Step / Hook Details	Status	Duration
	at com.celtic.automation.cmcs.parallel.RWC002.navigateReinstateFleet(RWC002.java:139)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)		
	$at\ io. cucumber. core. runtime. Rethrowing Throwable Collector. execute And Throw (Rethrowing Throwable Collector. java: 23)$		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:794)		
	at org.testng.TestRunner.run(TestRunner.java:596)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)		

#	Step / Hook Details	Status	Duration
	at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(io.cucumber.java.Scenario)	PASSED	0.311 s
	anyname   I was a second and the sec	-	
3	Then User will move to Distance page & validate the message "[I] MCE: IRP status successfully updated."	SKIPPED	0.000 s
4	Then User will navigate to billing Page & verify the information	SKIPPED	0.002 s
5	And User will validate the Success Information Message "IRPBILL01 : [I] Reinstatement process completed successfully."	SKIPPED	0.001 s
6	Then User will navigate to the Renewal Screen	SKIPPED	0.001 s
7	Then User will navigate to Account screen under IRP and provides all the required input to proceed	SKIPPED	0.001 s
8	Then user will navigate to Fleet to input the data and validate the message "IRPACC00 : [I] Renewal account has been generated."	SKIPPED	0.000 s
9	Then user will navigate to Distance to input the data and validate message "IRPFLT01 : [I] Renewal fleet has been generated." "[I] MCE: IRP status successfully updated."	SKIPPED	0.000 s
10	Then user will navigate to Weight Group to add weight group "IRPMLG13 : [I] Renewal Distance has been generated."	SKIPPED	0.000 s
11	And user will amend the existing weight group	SKIPPED	0.001 s
12	Then user will navigate to Vehicle screen and add the vehicles that was previously deleted in expired year and validate the message "IRPVEH375 : [I] Please search the VIN first to process a vehicle." "IRPVEH004 : [I] Vehicle amended successfully."	SKIPPED	0.000 s
13	And user will navigate to vehicle list to update the added vehicle details and validate message "IRPVEH004 : [I] Vehicle amended successfully."	SKIPPED	0.000 s
14	Then User will navigate to billing to verify as well to waive fees and adjust the cost fees "IRPBILL09 : [E] Manual adj. reason is required."	SKIPPED	0.000 s
15	Then User will navigate to Payment Tab to input the fields and validate message "GEN24 : [I] Invoice report generated	SKIPPED	0.000 s

DETAILED SECTION -- 9 --

Step / Hook Details	Status	Duration
successfully." "IRPREP28 : [I] Billing completed successfully." "GEN1239 : [I] TVR generated successfully."		
Then User will navigate will collect all vehicle level documents from Vehicle Documents "Credentials generated successfully"	SKIPPED	0.002 s
Then user will navigate to Payment page for 2nd installment and validate message "Payment Receipt generated successfully"	SKIPPED	0.000 s
"Payment completed successfully."		
And User will navigate to all the inquiries and report with respect to the flow for validation.	SKIPPED	0.004 s
AFTER - com.celtic.automation.cmcs.apphooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.525 s
Renew_with_Reinstate		
III the second of the second o		
Moderation   Mod		
To make the state of the state		
with Todakid with April 2007 and Apr		
	successfully." "IRPREP28 : [I] Billing completed successfully." "GEN1239 : [I] TVR generated successfully."  Then User will navigate will collect all vehicle level documents from Vehicle Documents "Credentials generated successfully"  Then user will navigate to Payment page for 2nd installment and validate message "Payment Receipt generated successfully"  "Payment completed successfully."  And User will navigate to all the inquiries and report with respect to the flow for validation.  AFTER - com.celtic.automation.cmcs.apphooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)  Renew_with_Reinstate	successfully." "IRPREP28 : [I] Billing completed successfully." "GEN1239 : [I] TVR generated successfully."  Then User will navigate will collect all vehicle level documents from Vehicle Documents "Credentials generated successfully"  Then user will navigate to Payment page for 2nd installment and validate message "Payment Receipt generated successfully"  "Payment completed successfully."  And User will navigate to all the inquiries and report with respect to the flow for validation.  AFTER - com.celtic.automation.cmcs.apphooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)  Renew_with_Reinstate  PASSED