

Cucumber Report

07-Dec-2022, 1:21:27 pm

Start : Dec 07, 1:20:04.126 pm

End : Dec 07, 1:21:26.473 pm

Duration : 1 m 22.347 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 1

FAILED - 1


SKIPPED - 16



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Renewal after Reinstatement</u>	1 m 22.347 s	1	0	1	0	18	1	1	16





#	Feature Name	T	P	F	S	Duration
1	<u>Renewal after Reinstatement</u>	1	0	1	0	1 m 22.347 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Renewal after Reinstatement</u>	<u>Renew with Reinstate</u>	18	1	1	16	1 m 22.344 s

Renewal after Reinstatement

FAILED	DURATION - 1 m 22.347 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 18 Pass - 1 Fail - 1 Skip - 16	
/ 1:20:04.126 pm // 1:21:26.473 pm /					


Renew with Reinstat

FAILED	DURATION - 1 m 22.344 s		Steps Total - 18 Pass - 1 Fail - 1 Skip - 16	
/ 1:20:04.129 pm // 1:21:26.473 pm /				
Renewal after Reinstatement				

#	Step / Hook Details	Status	Duration
1	Given Login as Internal user	PASSED	20.842 s
	AFTER_STEP - com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(io.cucumber.java.Scenario) anyname	PASSED	0.529 s
			
2	When User will navigate to IRP & Reinstat Fleet	FAILED	57.577 s
	Expand the Services header on the left column of the screen and select IRP Click on Fleet Reinstatement from Fleet card menu. Enter valid search data and click to proceed		
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.xpath: //a[@id='lnkGridSelectCustomerGrid']' (tried for 30 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)		

#	Step / Hook Details	Status	Duration
	<p>at com.celtic.automation.cmcs.util.ElementUtil.clickElement(ElementUtil.java:329)</p> <p>at com.celtic.automation.cmcs.pages.FleetPage.clickFirstHandimg(FleetPage.java:88)</p> <p>at com.celtic.automation.cmcs.parallel.RWC002.navigateReinstateFleet(RWC002.java:138)</p> <p>at ?.User will navigate to IRP & Reinstate Fleet(file:///D:/WorkingDirectory/celtic_framework_enhance-main/.src/test/resources/parallel/RWC002.feature:5)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@id='lnkGridSelectCustomerGrid']"} (Session info: chrome=108.0.5359.94) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'SAIMADHURI', ip: '192.168.1.33', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [529783e747dafbecb1a10f5bb3817a9c, findElement {using=xpath, value=//a[@id='lnkGridSelectCustomerGrid']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.94, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\saima\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:54517}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54517/devtoo..., se:cdpVersion: 108.0.5359.94, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 529783e747dafbecb1a10f5bb3817a9c</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:387)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:379)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</p> <p>at jdk.proxy2/jdk.proxy2.\$Proxy47.isDisplayed(Unknown Source)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)</p> <p>at com.celtic.automation.cmcs.util.ElementUtil.clickElement(ElementUtil.java:329)</p> <p>at com.celtic.automation.cmcs.pages.FleetPage.clickFirstHandimg(FleetPage.java:88)</p>		

#	Step / Hook Details	Status	Duration
	at com.celtic.automation.cmcs.parallel.RWC002.navigateReinstateFleet(RWC002.java:138) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:577) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:577) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - com.celtic.automation.cmcs.apphooks.ApplicationHooks.as(io.cucumber.java.Scenario)</p> <p>anyname</p> 	PASSED	0.347 s
3	Then User will move to Distance page & validate the message "[I] MCE: IRP status successfully updated."	SKIPPED	0.001 s
4	Then User will navigate to billing Page & verify the information	SKIPPED	0.000 s
5	And User will validate the Success Information Message "IRPBILL01 : [I] Reinstatement process completed successfully."	SKIPPED	0.001 s
6	Then User will navigate to the Renewal Screen	SKIPPED	0.000 s
7	Then User will navigate to Account screen under IRP and provides all the required input to proceed	SKIPPED	0.001 s
8	Then user will navigate to Fleet to input the data and validate the message "IRPACC00 : [I] Renewal account has been generated."	SKIPPED	0.001 s
9	Then user will navigate to Distance to input the data and validate message "IRPFLT01 : [I] Renewal fleet has been generated." "[I] MCE: IRP status successfully updated."	SKIPPED	0.000 s
10	Then user will navigate to Weight Group to add weight group "IRPMLG13 : [I] Renewal Distance has been generated."	SKIPPED	0.000 s
11	And user will amend the existing weight group	SKIPPED	0.001 s
12	Then user will navigate to Vehicle screen and add the vehicles that was previously deleted in expired year and validate the message "IRPVEH375 : [I] Please search the VIN first to process a vehicle." "IRPVEH004 : [I] Vehicle amended successfully."	SKIPPED	0.000 s
13	And user will navigate to vehicle list to update the added vehicle details and validate message "IRPVEH004 : [I] Vehicle amended successfully."	SKIPPED	0.000 s
14	Then User will navigate to billing to verify as well to waive fees and adjust the cost fees "IRPBILL09 : [E] Manual adj. reason is required."	SKIPPED	0.001 s
15	Then User will navigate to Payment Tab to input the fields and validate message "GEN24 : [I] Invoice report generated successfully." "IRPREP28 : [I] Billing completed successfully." "GEN1239 : [I] TVR generated successfully."	SKIPPED	0.000 s
16	Then User will navigate will collect all vehicle level documents from Vehicle Documents "Credentials generated successfully"	SKIPPED	0.001 s
17	Then user will navigate to Payment page for 2nd installment and validate message "Payment Receipt generated successfully"	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	"Payment completed successfully."		
18	And User will navigate to all the inquiries and report with respect to the flow for validation.	SKIPPED	0.000 s
	AFTER - com.celtic.automation.cmcs.apphooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.687 s
	Renew_with_Reinstate		
	