

# Cucumber Report

22-Nov-2022, 1:02:35 pm

**Start : Nov 22, 12:59:34.901 pm**

**End : Nov 22, 1:02:34.019 pm**

**Duration : 2 m 59.118 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 0**


**FAILED - 1**

**SKIPPED - 0**

**PASSED - 3**

**FAILED - 1**


**SKIPPED - 17**



| Feature                            |              | Scenario |   |   |   | Step |   |   |    |
|------------------------------------|--------------|----------|---|---|---|------|---|---|----|
| Name                               | Duration     | T        | P | F | S | T    | P | F | S  |
| <u>Renewal after Reinstatement</u> | 2 m 59.118 s | 1        | 0 | 1 | 0 | 21   | 3 | 1 | 17 |





| # | Feature Name                       | T | P | F | S | Duration     |
|---|------------------------------------|---|---|---|---|--------------|
| 1 | <u>Renewal after Reinstatement</u> | 1 | 0 | 1 | 0 | 2 m 59.118 s |







| # | Feature Name                       | Scenario Name               | T  | P | F | S  | Duration     |
|---|------------------------------------|-----------------------------|----|---|---|----|--------------|
| 1 | <u>Renewal after Reinstatement</u> | <u>Renew with Reinstate</u> | 21 | 3 | 1 | 17 | 2 m 59.115 s |


## Renewal after Reinstatement

|                                       |                         |  |   |  |   |
|---------------------------------------|-------------------------|--|---|--|---|
| <b>FAILED</b>                         | DURATION - 2 m 59.118 s | Scenarios<br>Total - 1<br>Pass - 0<br>Fail - 1<br>Skip - 0 |  | Steps<br>Total - 21<br>Pass - 3<br>Fail - 1<br>Skip - 17 |  |
| / 12:59:34.901 pm // 1:02:34.019 pm / |                         |  |   |  |   |
|                                       |                         |  |   |  |   |

## Renew with Reinstatate

|  |  |   |   |  |
|--|--|---|---|--|
| <div><div>FAILED</div><div>DURATION - 2 m 59.115 s</div></div> |  | <div></div> | <div>Steps</div> <div>Total - 21</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 17</div> | <div></div> |
| / 12:59:34.904 pm // 1:02:34.019 pm /                          |  |   |   |  |
| Renewal after Reinstatement                                    |  |   |   |  |
|  |  |   |   |  |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given User login as Internal user   | PASSED | 38.310 s |
|   | AFTER_STEP - apphooks.Application_Hooks.as(io.cucumber.java.Scenario)               | PASSED | 0.335 s  |
|   | anyname   |        |          |
|   |  |        |          |
| 2 | When User will navigate to IRP  | PASSED | 14.268 s |
|   | AFTER_STEP - apphooks.Application_Hooks.as(io.cucumber.java.Scenario)               | PASSED | 0.207 s  |
|   | anyname   |        |          |
|   |  |        |          |

| # | Step / Hook Details   | Status | Duration    |
|---|---|--------|-------------|
| 3 | Then User will navigate to renew fleet and search for Reinstated Account Number   | PASSED | 2.592 s     |
|   | AFTER_STEP - apphooks.Application_Hooks.as(io.cucumber.java.Scenario)   | PASSED | 0.200 s     |
|   | anyname   |        |             |
|   |    |        |             |
| 4 | Then User should navigate to Account screen and provides all the required input to proceed  | FAILED | 2 m 0.825 s |
|   | <p>java.lang.NullPointerException: Cannot invoke "java.io.FileOutputStream.close()" because "out" is null</p> <p>at com.celtic.automation.cmcs.util.WriteExcelUtil.setCellData(WriteExcelUtil.java:92)</p> <p>at parallel.RWC_002.user_should_navigate_to_account_screen_and_provides_all_the_required_input_to_proceed(RWC_002.java:122)</p> <p>at ?.User should navigate to Account screen and provides all the required input to proceed(file:///C:/Users/HP/Downloads/gitbuild-MyLocalRepository(1)/gitbuild-MyLocalRepository/updated_celtic_project-main/src/test/resources/Parallel/RWC_002.feature:6)</p> <p>* Not displayable characters are replaced by '?'. </p>   |        |             |
|   | AFTER_STEP - apphooks.Application_Hooks.as(io.cucumber.java.Scenario)   | FAILED | 0.006 s     |
|   | <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=107.0.5304.107) Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'LAPTOP-8ANFSSC4', ip: '192.168.0.115', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.3' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75ec2da0b95023ab31c7b8c022499555, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.107, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\HP\AppData\Local\T...}, goog:chromeOptions: {debuggerAddress: localhost:53895}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53895/devtoo..., se:cdpVersion: 107.0.5304.107, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 75ec2da0b95023ab31c7b8c022499555</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)</p> |        |             |

| #  | Step / Hook Details  | Status  | Duration |
|----|--|---------|----------|
|    | at com.celtic.automation.cmcs.util.Generic_Functions.getBytescreenshot(Generic_Functions.java:33)<br>at apphooks.Application_Hooks.as(Application_Hooks.java:47)   |         |          |
| 5  | Then user should navigate to Account verification screen and proceed further   | SKIPPED | 0.000 s  |
| 6  | Then user should navigate to Fleet screen and update Fleet Expiration Date & Fleet Type & Commodity Class and proceed further  | SKIPPED | 0.001 s  |
| 7  | Then user should navigate to Fleet verification screen and proceed further   | SKIPPED | 0.001 s  |
| 8  | Then user should land on Distance screen and select Estimated Distance and proceed further   | SKIPPED | 0.001 s  |
| 9  | Then user should navigate to Distance verification screen and proceed further  | SKIPPED | 0.000 s  |
| 10 | Then user should land on the Weight Group screen and go for Add Weight group   | SKIPPED | 0.000 s  |
| 11 | Then user should land on the Add Weight Group screen and provide all the required input to proceed   | SKIPPED | 0.000 s  |
| 12 | Then user should land on the Add Weight Group Verification screen and go for Weight group  | SKIPPED | 0.000 s  |
| 13 | Then user should land on the Weight Group and edit the existing weight group to proceed to Vehicle screen  | SKIPPED | 0.000 s  |
| 14 | Then user should land on the Vehicle Screen and  | SKIPPED | 0.001 s  |
| 15 | Then user should land on the Billing screen with open status and Request for TVR & set Delivery Type as PDF with Comments  | SKIPPED | 0.000 s  |
| 16 | Then user should land on the Payment Init Verification screen & click on Pay Now   | SKIPPED | 0.000 s  |
| 17 | Then user should land on the Payment Collection page   | SKIPPED | 0.000 s  |
| 18 | Then user verifies details in Fleet Enquiry  | SKIPPED | 0.001 s  |
| 19 | And user verifies details in Supplement Enquiry  | SKIPPED | 0.000 s  |
| 20 | And user verifies details in Vehicle Enquiry   | SKIPPED | 0.000 s  |
| 21 | And user verifies details in Vehicle Supplement Enquiry  | SKIPPED | 0.000 s  |
|    | AFTER - apphooks.Application_Hooks.tearDown(io.cucumber.java.Scenario)   | FAILED  | 0.008 s  |
|    | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=107.0.5304.107) Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'LAPTOP-8ANFSSC4', ip: '192.168.0.115', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.3' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75ec2da0b95023ab31c7b8c022499555, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.107, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\HP\AppData\Local\T...}, goog:chromeOptions: {debuggerAddress: localhost:53895}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:53895/devtoo..., se.cdpVersion: 107.0.5304.107, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 75ec2da0b95023ab31c7b8c022499555<br>at java.lang.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source)<br>at java.base/java.lang.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) |         |          |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | <pre>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at apphooks.Application_Hooks.tearDown(Application_Hooks.java:66)</pre> |        |          |