End: Nov 22, 1:15:35.151 pm **Duration: 2 m 17.761 s** Start: Nov 22, 1:13:17.390 pm Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 3 SKIPPED - 0 SKIPPED - 0 SKIPPED - 17 21 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 14 % 100 100


| Feature | | Scenario | | | | Step | | | |
|-----------------------------|--------------|----------|---|---|---|------|---|---|----|
| Name | Duration | T | P | F | S | T | P | F | S |
| Renewal after Reinstatement | 2 m 17.761 s | 1 | 0 | 1 | 0 | 21 | 3 | 1 | 17 |

FEATURES SUMMARY -- 3 --



| # | Feature Name | T | P | F | S | Duration | |
|---|-----------------------------|---|---|---|---|--------------|--|
| 1 | Renewal after Reinstatement | 1 | 0 | 1 | 0 | 2 m 17.761 s | |


SCENARIOS SUMMARY




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|-----------------------------|----------------------|----|---|---|----|--------------|
| 1 | Renewal after Reinstatement | Renew with Reinstate | 21 | 3 | 1 | 17 | 2 m 17.757 s |

DETAILED SECTION -- 5 --

Renewal after Reinstatement



Renew with Reinstate



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User login as Internal user | PASSED | 10.580 s |
| | AFTER_STEP - apphooks.Application_Hooks.as(io.cucumber.java.Scenario) | PASSED | 0.269 s |
| | anyname | | |
| | The first state of the first sta | | |
| 2 | When User will navigate to IRP | PASSED | 8.742 s |
| | AFTER_STEP - apphooks.Application_Hooks.as(io.cucumber.java.Scenario) | PASSED | 0.210 s |
| | anyname | | |
| | Texas because of the control of the | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 3 | Then User will navigate to renew fleet and search for Reinstated Account Number | PASSED | 1.749 s |
| | AFTER_STEP - apphooks.Application_Hooks.as(io.cucumber.java.Scenario) | PASSED | 0.241 s |
| | anyname | | |
| | The state of the s | | |
| | Then User should navigate to Account screen and provides all the required input to proceed | FAILED | 49.045 s |
| | java.lang.NullPointerException: Cannot invoke "java.io.FileOutputStream.close()" because "out" is null at com.celtic.automation.cmcs.util.WriteExcelUtil.setCellData(WriteExcelUtil.java:92) at parallel.RWC_002.user_should_navigate_to_account_screen_and_provides_all_the_required_input_to_proceed(RWC_002.java:122) at ?.User should navigate to Account screen and provides all the required input to proceed(file:///C:/Users/HP/Downloads/gitbuild-MyLocalRepository(1)/gitbuild-MyLocalRepository/updated_celtic_project-main/src/test/resources/Parallel/RWC_002.feature:6) * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - apphooks.Application_Hooks.as(io.cucumber.java.Scenario) | FAILED | 32.391 s |
| | org.openqa.selenium.WebDriverException: disconnected: unable to connect to renderer (failed to check if window was closed: disconnected: unable to connect to renderer) (Session info: chrome=107.0.5304.107) Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'LAPTOP-8ANFSSC4', ip: '192.168.0.115', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.3' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [5fc30b3a7c1d756f034e663c47f9229a, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.107, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576, userDataDir: C:\Users\HP\AppData\Loca\\T\}, goog:chromeOptions: {debuggerAddress: localhost:54147}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54147/devtoo, se:cdpVersion: 107.0.5304.107, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 5fc30b3a7c1d756f034e663c47f9229a | | |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.w3cHttpResponseCodec.createException(w3cHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java.133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java.133) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.mvokeExecute(DriverCommandExecutor.java:107) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:142) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java.ses) | | |
| | | | 1 |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| | at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) | | |
| | at com.celtic.automation.cmcs.util.Generic_Functions.getByteScreenshot(Generic_Functions.java:33) at apphooks.Application Hooks.as(Application Hooks.java:47) | | |
| 5 | Then user should navigate to Account verification screen and proceed further | SKIPPED | 0.000 s |
| 6 | | | 0.000 s |
| 6 | Then user should navigate to Fleet screen and update Fleet Expiration Date & Fleet Type & Commodity Class and proceed further | SKIPPED | 0.000 \$ |
| 7 | Then user should navigate to Fleet verification screen and proceed further | SKIPPED | 0.000 s |
| 8 | Then user should land on Distance screen and select Estimated Distance and proceed further | SKIPPED | 0.001 s |
| 9 | Then user should navigate to Distance verification screen and proceed further | SKIPPED | 0.000 s |
| 10 | Then user should land on the Weight Group screen and go for Add Weight group | SKIPPED | 0.000 s |
| 11 | Then user should land on the Add Weight Group screen and provide all the required input to proceed | SKIPPED | 0.000 s |
| 12 | Then user should land on the Add Weight Group Verification screen and go for Weight group | SKIPPED | 0.001 s |
| 13 | Then user should land on the Weight Group and edit the existing weight group to proceed to Vehicle screen | SKIPPED | 0.000 s |
| 14 | Then user should land on the Vehicle Screen and | SKIPPED | 0.001 s |
| 15 | Then user should land on the Billing screen with open status and Request for TVR & set Delivery Type as PDF with Comments | SKIPPED | 0.000 s |
| 16 | Then user should land on the Payment Init Verification screen & click on Pay Now | SKIPPED | 0.000 s |
| 17 | Then user should land on the Payment Collection page | SKIPPED | 0.000 s |
| 18 | Then user verifies details in Fleet Enquiry | SKIPPED | 0.001 s |
| 19 | And user verifies details in Supplement Enquiry | SKIPPED | 0.000 s |
| 20 | And user verifies details in Vehicle Enquiry | SKIPPED | 0.000 s |
| 21 | And user verifies details in Vehicle Supplement Enquiry | SKIPPED | 0.000 s |
| | AFTER - apphooks.Application_Hooks.tearDown(io.cucumber.java.Scenario) | FAILED | 32.351 s |
| | org.openqa.selenium.WebDriverException: disconnected: unable to connect to renderer (failed to check if window was closed: disconnected: unable to connect to renderer) (Session info: chrome=107.0.5304.107) Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'LAPTOP-8ANFSSC4', ip: '192.168.0.115', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.3' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [5fc30b3a7c1d756f034e663c47f9229a, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.107, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576, userDataDir: C:\Users\HP\AppData\Local\T}, goog:chromeOptions: {debuggerAddress: localhost:54147}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54147/devtoo, se:cdpVersion: 107.0.5304.107, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 5fc30b3a7c1d756f034e663c47f9229a at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| # | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) | Status | Duration |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at apphooks.Application_Hooks.tearDown(Application_Hooks.java:66) | | |