


Feature	Scenario		Step						
Name	Duration	T	P	F	S	T	P	F	S
Renewal after Reinstatement	2 m 56.789 s	1	0	1	0	21	3	1	17

FEATURES SUMMARY -- 3 --



#	Feature Name	T	P	F	S	Duration
1	Renewal after Reinstatement	1	0	1	0	2 m 56.789 s


SCENARIOS SUMMARY




#		Scenario Name	T	P	F	S	Duration
1	Renewal after Reinstatement	Renew with Reinstate	21	3	1	17	2 m 56.781 s

DETAILED SECTION -- 5 --

Renewal after Reinstatement



Renew with Reinstate



#	Step / Hook Details	Status	Duration
1	Given User login as Internal user	PASSED	11.944 s
	AFTER_STEP - apphooks.Application_Hooks.as(io.cucumber.java.Scenario)	PASSED	0.291 s
	anyname		
	The state of the s		
2	When User will navigate to IRP	PASSED	9.207 s
	AFTER_STEP - apphooks.Application_Hooks.as(io.cucumber.java.Scenario)	PASSED	0.237 s
	anyname		
	Total Control		

en User will navigate to renew fleet and search for Reinstated Account Number TER STEP - apphooks.Application Hooks.as(io.cucumber.java.Scenario)	PASSED	2.121 s
TER STEP - annhooks Annlication, Hooks as(in cucumber java Scenario)		2.121 3
TEN_GTEN appropriation_normalisticonstanting	PASSED	0.228 s
rname	1	
See Address of the Control of the Co		
en User should navigate to Account screen and provides all the required input to proceed	FAILED	1 m 25.872 s
a.lang.NullPointerException: Cannot invoke "java.io.FileOutputStream.close()" because "out" is null at com.celtic.automation.cmcs.util.WriteExcelUtil.setCellData(WriteExcelUtil.java:92) at parallel.RWC_002.user_should_navigate_to_account_screen_and_provides_all_the_required_input_to_proceed(RWC_002.java:122) at ?.User should navigate to Account screen and provides all the required input to proceed(file:///C:/Users/HP/Downloads/gitbuild-ruccalRepository(1)/gitbuild-MyLocalRepository/updated_celtic_project-main/src/test/resources/Parallel/RWC_002.feature:6) lot displayable characters are replaced by '?'.		
TER_STEP - apphooks.Application_Hooks.as(io.cucumber.java.Scenario)	FAILED	32.349 s
popenqa.selenium.WebDriverException: disconnected: unable to connect to renderer (failed to check if window was closed: disconnected: able to connect to renderer) (Session info: chrome=107.0.5304.107) Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: APTOP-8ANFSSC4', ip: '192.168.0.115', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.3' Driver info: org. enqa.selenium.chrome.ChromeDriver Command: [250973d3cf3cea08c314b4c54b164280, screenshot {}] Capabilities {acceptInsecureCerts: se, browserName: chrome, browserVersion: 107.0.5304.107, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576, userDataDir: Users\HP\AppData\Local\T}, goog:chromeOptions: {debuggerAddress: localhost:54257}, networkConnectionEnabled: false, geLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54257/devtoo, se:cdpVersion: 107.0.5304.107, twindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss d notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0973d3cf3cea08c314b4c54b164280 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)		
a a a L lo J. a li e si l gil d O a a a a a a a a a a a	to muser should navigate to Account screen and provides all the required input to proceed Llang.NullPointerException: Cannot invoke "java.io.FileOutputStream.close()" because "out" is null to com.celtic.automation.cmcs.util.WriteExcelUtil.setCellData(WriteExcelUtil.java-92) t parallel.RWC_002.user_should_navigate_to_account_screen_and_provides_all_the_required_input_to_proceed(RWC_002.java:122) t? Juser should navigate to Account screen and provides all the required input to proceed(file.l/l/C:/Users/HP/Downloads/gitbuild- localRepository(1/gitbuild-MyL.ccalRepository/updated_celtic_project-main/src/test/resources/Parallel/RWC_002.feature:6) of displayable characters are replaced by "?. IER_STEP - apphooks.Application_Hooks.as(io.cucumber.java.Scenario) openga.selenium.WebDriverException: disconnected: unable to connect to renderer (failed to check if window was closed: disconnected: ble to connect to renderer) (Session info: chrome=107.0.5304.107) Build info: version: '4.3.0', revision: '44995e2c09* System info: host: PTOP-BANFSSC4', ip: '192.168.0.115', os.name: Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.3' Driver info: org. nga.selenium.chrome.ChromeDriver Command: [250973d3cf3cea08c314b4c54b164280, screenshot [3] Capabilities (acceptInsecureCerts: e. browserName: chrome, browserVersion: 107.0.5304.107, chrome: (chromedriverVersion: 107.0.5304.62 (lece40d3a576, userPataDir: Jsers\HP\AppData\Loca\NT), goog:chromeOptions: (debuggerAddress: localhost:54257), networkConnectionEnabled: false, el.oadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws:/flocalhost:54257fdvertoo, se:cdpVersion: 107.0.5304.107, windowRect: true, strict-lienteractability: false, timeouts: (implicit: 0, pagel.oad: 300000, script: 30000), unhandledPromptBehavior: dismiss notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virualAuthenticators: true) Session ID: 973d3cf3cea08c314b4c54b164280 1 java.base/jdk.internal.reflect. NativeConstructorAccess	In User should navigate to Account screen and provides all the required input to proceed Llang, NullPointerException: Cannot invoke "java.io.FileOutputStream.close()" because "out" is null t com.celtic.automation.cmcs.util.WriteExcelUtil.setCellData(WriteExcelUtil.java:92) t parallel.RWC_002.user_should_navigate_to_account_screen_and_provides_all_the_required_input_to_proceed(RWC_002.java:122) t 2.User should navigate to Account screen and provides all the required input to proceed(file://lfc/Users/HP/Downloads/gitbuild-cocalRepository(L)/gitbuild-MyLocalRepository/updated_celtic_project-main/src/test/resources/Parallel/RWC_002.feature:6) to displayable characters are replaced by "?". TER_STEP - apphooks.Application_Hooks.as(io.cucumber.java.Scenario) openga.selenium.WebDriverException: disconnected: unable to connect to renderer (failed to check if window was closed: disconnected: bie to connect to renderer) (Session info: chrome=107.0.5304.107) Build info: version: "4.3.0", revision: "449592c09" System info: host: 170-P-8AINESCA(-jp: 192.168.0.115', os.name: Windows 11', os.acriv'.amd64', os.version: 10.0", java.version: 17.0.3* Driver info: org. nga.selenium.chrome.chromeDriver Command: [250973d3c13cea08c314b4c54b164280, screenshot []] Capabilities (acceptinsecureCerts: e. prowserName: chrome, browserVersion: 107.0.5304.107, knome; (chromedriverVersion: 107.0.5304.62 (Jeace4d3a576, userplatab1b: JsersIHPAppDatalLocalTr), goog.chromeOptions: (debuggerAddress: localhost:54257f), networkConnectionEnabled: false, e. locadStrategy: normal, platformMane: WINDOWS, proy; Proyy), sec.og/b. ws://localmost-54257f/devro, sec.og/bvcision: 107.0.5304.107, WindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss notify, webauthn:extension:credBlob: true, webauthn:extension:dargeBlob: true, webauthn:wittalAuthenticators: true) Session ID: 973d3c3cca08c314b4c54b164280 1 java.base/java.lang.reflect.Onstructor.newinstanceWithCal

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at com.celtic.automation.cmcs.util.Generic_Functions.getByteScreenshot(Generic_Functions.java:33) at apphooks.Application_Hooks.as(Application_Hooks.java:47)		
5	Then user should navigate to Account verification screen and proceed further	SKIPPED	0.001 s
6	Then user should navigate to Fleet screen and update Fleet Expiration Date & Fleet Type & Commodity Class and proceed further	SKIPPED	0.000 s
7	Then user should navigate to Fleet verification screen and proceed further	SKIPPED	0.000 s
8	Then user should land on Distance screen and select Estimated Distance and proceed further	SKIPPED	0.000 s
9	Then user should navigate to Distance verification screen and proceed further	SKIPPED	0.000 s
10	Then user should land on the Weight Group screen and go for Add Weight group	SKIPPED	0.000 s
11	Then user should land on the Add Weight Group screen and provide all the required input to proceed	SKIPPED	0.000 s
12	Then user should land on the Add Weight Group Verification screen and go for Weight group	SKIPPED	0.001 s
13	Then user should land on the Weight Group and edit the existing weight group to proceed to Vehicle screen	SKIPPED	0.000 s
14	Then user should land on the Vehicle Screen and	SKIPPED	0.000 s
15	Then user should land on the Billing screen with open status and Request for TVR & set Delivery Type as PDF with Comments	SKIPPED	0.000 s
16	Then user should land on the Payment Init Verification screen & click on Pay Now	SKIPPED	0.000 s
17	Then user should land on the Payment Collection page	SKIPPED	0.000 s
18	Then user verifies details in Fleet Enquiry	SKIPPED	0.000 s
19	And user verifies details in Supplement Enquiry	SKIPPED	0.001 s
20	And user verifies details in Vehicle Enquiry	SKIPPED	0.000 s
21	And user verifies details in Vehicle Supplement Enquiry	SKIPPED	0.000 s
	AFTER - apphooks.Application_Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	32.340 s
	org.openqa.selenium.WebDriverException: disconnected: unable to connect to renderer (failed to check if window was closed: disconnected: unable to connect to renderer) (Session info: chrome=107.0.5304.107) Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'LAPTOP-8ANFSSC4', ip: '192.168.0.115', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.3' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [250973d3cf3cea08c314b4c54b164280, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.107, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576, userDataDir: C:\Users\HP\AppData\Local\T}, goog:chromeOptions: {debuggerAddress: localhost:54257}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54257/devtoo, se:cdpVersion: 107.0.5304.107, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 250973d3cf3cea08c314b4c54b164280 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance((NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480)		

#	Step / Hook Details	Status	Duration
#	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at apphooks.Application_Hooks.tearDown(Application_Hooks.java:66)		