Cucumber Report

| Start : Nov 22, 10:08:10.767 am	End : Nov 22, 10:11:22.146 am	Duration : 3 m 11.379 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 3 FAILED - 1 SKIPPED - 17

Features: 1

Scenarios: 1

Steps: 21

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 14 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Renewal after Reinstatement	3 m 11.379 s	1	0	1	0	21	3	1	17

#	Feature Name	T	P	F	S	Duration
1	Renewal after Reinstatement	1	0	1	0	3 m 11.379 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Renewal after Reinstatement	Renew with Reinstate	21	3	1	17	3 m 11.376 s

Renewal after Reinstatement

FAILED	DURATION - 3 m 11.379 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 21 Pass - 3 Fail - 1 Skip - 17	
/ 10:08:10.767 am // 10:11:22.146 am /					

Renew with Reinstate

FAILED	DURATION - 3 m 11.376 s		Steps Total - 21 Pass - 3 Fail - 1 Skip - 17	
/ 10:08:10.770 am // 10:11:22.146 am /				
Renewal after Reinstatement				

#	Step / Hook Details	Status	Duration
1	Given User login as Internal user	PASSED	20.823 s
	AFTER_STEP - apphooks.Application_Hooks.as(io.cucumber.java.Scenario) anyname 	PASSED	0.311 s
2	When User will navigate to IRP	PASSED	44.158 s
	AFTER_STEP - apphooks.Application_Hooks.as(io.cucumber.java.Scenario) anyname 	PASSED	0.259 s

#	Step / Hook Details	Status	Duration
3	Then User will navigate to renew fleet and search for Reinstated Account Number	PASSED	2.536 s
	AFTER_STEP - apphooks.Application_Hooks.as(io.cucumber.java.Scenario)	PASSED	0.229 s
	anyname		
4	Then User should navigate to Account screen and provides all the required input to proceed	FAILED	2 m 0.709 s

	java.lang.NullPointerException: Cannot invoke "java.io.FileOutputStream.close()" because "out" is null
	    at com.celtic.automation.cmcs.util.WriteExcelUtil.setCellData(WriteExcelUtil.java:92)
	    at parallel.RWC_002.user_should_navigate_to_account_screen_and_provides_all_the_required_input_to_proceed(RWC_002.java:121)
	    at ?.User should navigate to Account screen and provides all the required input to proceed(file:///C:/Users/HP/Downloads/gitbuild-MyLocalRepository(1)/gitbuild-MyLocalRepository/updated_celtic_project-main/src/test/resources/Parallel/RWC_002.feature:6)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - apphooks.Application_Hooks.as(io.cucumber.java.Scenario)	FAILED	0.010 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=107.0.5304.107) Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'LAPTOP-8ANFSSC4', ip: '192.168.0.115', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.3' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [b3563e804d7bbaa84038978be05bcd32, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.107, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\HP\AppData\Local\T...}, goog:chromeOptions: {debuggerAddress: localhost:50094}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50094/devtoo..., se:cdpVersion: 107.0.5304.107, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b3563e804d7bbaa84038978be05bcd32
	    at jdk.internal.reflect.GeneratedConstructorAccessor39.newInstance(Unknown Source)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)
	    at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)		

#	Step / Hook Details	Status	Duration
	at com.celtic.automation.cmcs.util.Generic_Functions.getByteScreenshot(Generic_Functions.java:33) at apphooks.Application_Hooks.as(Application_Hooks.java:47)		
5	Then user should navigate to Account verification screen and proceed further	SKIPPED	0.002 s
6	Then user should navigate to Fleet screen and update Fleet Expiration Date & Fleet Type & Commodity Class and proceed further	SKIPPED	0.000 s
7	Then user should navigate to Fleet verification screen and proceed further	SKIPPED	0.001 s
8	Then user should land on Distance screen and select Estimated Distance and proceed further	SKIPPED	0.006 s
9	Then user should navigate to Distance verification screen and proceed further	SKIPPED	0.000 s
10	Then user should land on the Weight Group screen and go for Add Weight group	SKIPPED	0.000 s
11	Then user should land on the Add Weight Group screen and provide all the required input to proceed	SKIPPED	0.000 s
12	Then user should land on the Add Weight Group Verification screen and go for Weight group	SKIPPED	0.005 s
13	Then user should land on the Weight Group and edit the existing weight group to proceed to Vehicle screen	SKIPPED	0.000 s
14	Then user should land on the Vehicle Screen and	SKIPPED	0.000 s
15	Then user should land on the Billing screen with open status and Request for TVR & set Delivery Type as PDF with Comments	SKIPPED	0.000 s
16	Then user should land on the Payment Init Verification screen & click on Pay Now	SKIPPED	0.000 s
17	Then user should land on the Payment Collection page	SKIPPED	0.000 s
18	Then user verifies details in Fleet Enquiry	SKIPPED	0.000 s
19	And user verifies details in Supplement Enquiry	SKIPPED	0.000 s
20	And user verifies details in Vehicle Enquiry	SKIPPED	0.000 s
21	And user verifies details in Vehicle Supplement Enquiry	SKIPPED	0.001 s
	AFTER - apphooks.Application_Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.000 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=107.0.5304.107) Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'LAPTOP-8ANFSSC4', ip: '192.168.0.115', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.3' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [b3563e804d7bbaa84038978be05bcd32, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.107, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\HP\AppData\Local\T...}, goog:chromeOptions: {debuggerAddress: localhost:50094}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50094/devtoo..., se:cdpVersion: 107.0.5304.107, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b3563e804d7bbaa84038978be05bcd32 at jdk.internal.reflect.GeneratedConstructorAccessor39.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628)		
	at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353)		
	at apphooks.Application_Hooks.tearDown(Application_Hooks.java:66)		