Duration: 2 m 32.591 s Start: Nov 21, 11:56:02.327 am End: Nov 21, 11:58:34.918 am Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 3 SKIPPED - 0 SKIPPED - 0 SKIPPED - 12 16 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 80 80 80 20 90 90 10 18 % 100 100


| Feature | | Scenario | | | | Step | | | |
|---------------------|--------------|----------|---|---|---|------|---|---|----|
| Name | Duration | T | P | F | S | T | P | F | S |
| Renew Fleet feature | 2 m 32.591 s | 1 | 0 | 1 | 0 | 16 | 3 | 1 | 12 |

FEATURES SUMMARY -- 3 --



| # | Feature Name | T | P | F | S | Duration |
|---|---------------------|---|---|---|---|--------------|
| 1 | Renew Fleet feature | 1 | 0 | 1 | 0 | 2 m 32.591 s |


SCENARIOS SUMMARY




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---------------------|-----------------|----|---|---|----|--------------|
| 1 | Renew Fleet feature | IRP Renew fleet | 16 | 3 | 1 | 12 | 2 m 32.588 s |

DETAILED SECTION -- 5 --

Renew Fleet feature



IRP Renew fleet



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User login as a Internal user | PASSED | 16.677 s |
| | Launch the application using URL and login with valid credentials | | |
| | AFTER_STEP - apphooks.Application_Hooks.as(io.cucumber.java.Scenario) | PASSED | 0.259 s |
| | anyname | | |
| | Service Servic | | |
| 2 | When User will navigate to the IRPLink | PASSED | 8.524 s |
| | Expand the Services header on the left column of the screen and select IRP | | |
| | Click on Renew fleet from Fleet card menu. | | |
| | AFTER_STEP - apphooks.Application_Hooks.as(io.cucumber.java.Scenario) | PASSED | 0.201 s |
| | anyname | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|-------------|
| | Section 1 Control of the control of | | |
| 3 | Then User will provide all the Account Number Details to start with IRP Transaction | PASSED | 3.491 s |
| | Enter valid search data and click to proceed | | |
| | AFTER_STEP - apphooks.Application_Hooks.as(io.cucumber.java.Scenario) | PASSED | 0.261 s |
| | anyname | | |
| | The state of the s | | |
| 4 | Then User will navigate to account section and fill the data | FAILED | 2 m 0.861 s |
| | Enter valid all detail in account page with comments and click on proceed button | 1 | |
| | java.lang.NullPointerException: Cannot invoke "java.io.FileOutputStream.close()" because "out" is null at com.celtic.automation.cmcs.util.WriteExcelUtil.setCellData(WriteExcelUtil.java:92) at parallel.RWC_001.user_will_navigate_to_account_section_and_fill_the_data_and_validate_message(RWC_001.java:134) at ?.User will navigate to account section and fill the data(file:///C:/Users/HP/Downloads/gitbuild-MyLocalRepository(1)/gitbuild-MyLocalRepository/updated_celtic_project-main/src/test/resources/Parallel/RWC_001.feature:6) * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - apphooks.Application_Hooks.as(io.cucumber.java.Scenario) | FAILED | 0.009 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=107.0.5304.107) Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'LAPTOP-8ANFSSC4', ip: '192.168.0.115', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.3' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [20e98810b4ba86da2d07855b90975f51, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.107, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576, userDataDir: C:\Users\HP\AppData\Local\T}, goog:chromeOptions: {debuggerAddress: localhost:59957}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59957/devtoo, se:cdpVersion: 107.0.5304.107, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 20e98810b4ba86da2d07855b90975f51 | | |
| | at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) | | |
| | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:353) at com.celtic.automation.cmcs.util.Generic Functions.getByteScreenshot(Generic Functions.java:33) | | |
| | at conficence.automation.cmcs.util.Generic_Functions.getbyte3creenshot(Generic_Functions.java.33) at apphooks.Application_Hooks.as(Application_Hooks.java:47) | | |
| 5 | Then User will navigate to Fleet section and fill the data and validate message "IRPACC00 : [I] Renewal account has been generated." | SKIPPED | 0.001 s |
| 6 | Then User will navigate to Distance section and fill the data and validate message "IRPFLT01 : [I] Renewal fleet has been generated." "[I] MCE: IRP status successfully updated." | SKIPPED | 0.000 s |
| 7 | Then User will navigate to Weight group section and fill the data ans validate message "IRPMLG13 : [I] Renewal Distance has been generated." | SKIPPED | 0.000 s |
| 8 | Then User will navigate to Add vehicle and validate the message "IRPVEH375 : [I] Please search the VIN first to process a vehicle." "IRPVEH491 : [W] New Plate Required flag set for this vehicle to Yes." "IRPVEH004 : [I] Vehicle amended successfully." | SKIPPED | 0.000 s |
| 9 | Then User will Delete vehicle as per the requiremnet and validate the message "IRPVEH246 : [I] Vehicle(s) deleted successfully." | SKIPPED | 0.001 s |
| 10 | And User will confirm cancel "GEN1062 : [I] Cancellation completed successfully" | SKIPPED | 0.000 s |
| 11 | Then User will navigate to vehicle list to update existing vehicle | SKIPPED | 0.000 s |
| 12 | Then User will navigate to billing to verify as well to adjust the cost & Waive Fees "IRPBILL09 : [E] Manual adj. reason is required." | SKIPPED | 0.000 s |
| 13 | And User will navigate to Payment Tab to input the data and validate message "GEN24 : [I] Invoice report generated successfully." "IRPREP28 : [I] Billing completed successfully." "GEN1239 : [I] TVR generated successfully." | SKIPPED | 0.001 s |
| 14 | Then User will navigate to supplement continuance and validate the meesage "GENPAY01 : [E] This transaction already exists in the cart." | SKIPPED | 0.001 s |
| 15 | Then User will navigate to payment tab and fill the requirement | SKIPPED | 0.000 s |
| 16 | And user will validate message "Payment Receipt generated successfully" "Credentials generated successfully." | SKIPPED | 0.000 s |
| | AFTER - apphooks.Application_Hooks.tearDown(io.cucumber.java.Scenario) | FAILED | 0.006 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=107.0.5304.107) Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'LAPTOP-8ANFSSC4', ip: '192.168.0.115', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.3' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [20e98810b4ba86da2d07855b90975f51, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.107, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576, userDataDir: C:\Users\HP\AppData\Local\T}, goog:chromeOptions: {debuggerAddress: localhost:59957}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59957/devtoo, se:cdpVersion: 107.0.5304.107, | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: | | |
| | 20e98810b4ba86da2d07855b90975f51 | | |
| | at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) | | |
| | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) | | |
| | at apphooks.Application_Hooks.tearDown(Application_Hooks.java:66) | | |