

Cucumber Report

21-Nov-2022, 11:48:46 am

Start : Nov 21, 11:46:09.180 am

End : Nov 21, 11:48:45.505 am

Duration : 2 m 36.325 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 3

FAILED - 1

SKIPPED - 12



| Feature | | Scenario | | | | Step | | | |
|----------------------------|--------------|----------|---|---|---|------|---|---|----|
| Name | Duration | T | P | F | S | T | P | F | S |
| <u>Renew Fleet feature</u> | 2 m 36.325 s | 1 | 0 | 1 | 0 | 16 | 3 | 1 | 12 |





| # | Feature Name | T | P | F | S | Duration |
|---|----------------------------|---|---|---|---|--------------|
| 1 | <u>Renew Fleet feature</u> | 1 | 0 | 1 | 0 | 2 m 36.325 s |






| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|----------------------------|------------------------|----|---|---|----|--------------|
| 1 | <u>Renew Fleet feature</u> | <u>IRP Renew fleet</u> | 16 | 3 | 1 | 12 | 2 m 36.322 s |



Renew Fleet feature

| | | | | | |
|--|-------------------------|--|---|--|---|
| FAILED | DURATION - 2 m 36.325 s | Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0 |  | Steps Total - 16 Pass - 3 Fail - 1 Skip - 12 |  |
| / 11:46:09.180 am // 11:48:45.505 am / | | | | | |
| | | | | | |

IRP Renew fleet

| | | | | |
|--|-------------------------|--|--|---|
| FAILED | DURATION - 2 m 36.322 s |  | Steps Total - 16 Pass - 3 Fail - 1 Skip - 12 |  |
| / 11:46:09.183 am // 11:48:45.505 am / | | | | |
| Renew Fleet feature | | | | |
| | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User login as a Internal user | PASSED | 10.505 s |
| | Launch the application using URL and login with valid credentials | | |
| | AFTER_STEP - apphooks.Application_Hooks.as(io.cucumber.java.Scenario) | PASSED | 0.255 s |
| | anyname | | |
| |  | | |
| 2 | When User will navigate to the IRPLink | PASSED | 16.632 s |
| | Expand the Services header on the left column of the screen and select IRP | | |
| | Click on Renew fleet from Fleet card menu. | | |
| | AFTER_STEP - apphooks.Application_Hooks.as(io.cucumber.java.Scenario) | PASSED | 0.203 s |
| | anyname | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|-------------|
| |  | | |
| 3 | Then User will provide all the Account Number Details to start with IRP Transaction Enter valid search data and click to proceed | PASSED | 3.939 s |
| | AFTER_STEP - apphooks.Application_Hooks.as(io.cucumber.java.Scenario) anyname | PASSED | 0.246 s |
| |  | | |
| 4 | Then User will navigate to account section and fill the data Enter valid all detail in account page with comments and click on proceed button java.lang.NullPointerException: Cannot invoke "java.io.FileOutputStream.close()" because "out" is null at com.celtic.automation.cms.util.WriteExcelUtil.setCellData(WriteExcelUtil.java:92) at parallel.RWC_001.user_will_navigate_to_account_section_and_fill_the_data_and_validate_message(RWC_001.java:134) at ?.User will navigate to account section and fill the data(file:///C:/Users/HP/Downloads/gitbuild-MyLocalRepository(1)/gitbuild-MyLocalRepository/updated_celtic_project-main/src/test/resources/Parallel/RWC_001.feature:6) * Not displayable characters are replaced by '?'. | FAILED | 2 m 0.585 s |
| | AFTER_STEP - apphooks.Application_Hooks.as(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=107.0.5304.107) Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'LAPTOP-8ANFSSC4', ip: '192.168.0.115', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.3' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [cc833fdd235d8fc0a2ee84d7854a3f0a, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.107, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\HP\AppData\Local\T...}, goog:chromeOptions: {debuggerAddress: localhost:59827}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59827/devtoo..., se:cdpVersion: 107.0.5304.107, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: cc833fdd235d8fc0a2ee84d7854a3f0a at jdk.internal.reflect.GeneratedConstructorAccessor44.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | FAILED | 0.016 s |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| | <pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at com.celtic.automation.cmcs.util.Generic_Functions.getBytesScreenshot(Generic_Functions.java:33) at apphooks.Application_Hooks.as(Application_Hooks.java:47) </pre> | | |
| 5 | Then User will navigate to Fleet section and fill the data and validate message "IRPACC00 : [I] Renewal account has been generated." | SKIPPED | 0.000 s |
| 6 | Then User will navigate to Distance section and fill the data and validate message "IRPFLT01 : [I] Renewal fleet has been generated." "[I] MCE: IRP status successfully updated." | SKIPPED | 0.000 s |
| 7 | Then User will navigate to Weight group section and fill the data and validate message "IRPMLG13 : [I] Renewal Distance has been generated." | SKIPPED | 0.000 s |
| 8 | Then User will navigate to Add vehicle and validate the message "IRPVEH375 : [I] Please search the VIN first to process a vehicle." "IRPVEH491 : [W] New Plate Required flag set for this vehicle to Yes." "IRPVEH004 : [I] Vehicle amended successfully." | SKIPPED | 0.000 s |
| 9 | Then User will Delete vehicle as per the requirement and validate the message "IRPVEH246 : [I] Vehicle(s) deleted successfully." | SKIPPED | 0.000 s |
| 10 | And User will confirm cancel "GEN1062 : [I] Cancellation completed successfully" | SKIPPED | 0.000 s |
| 11 | Then User will navigate to vehicle list to update existing vehicle | SKIPPED | 0.000 s |
| 12 | Then User will navigate to billing to verify as well to adjust the cost & Waive Fees "IRPBILL09 : [E] Manual adj. reason is required." | SKIPPED | 0.000 s |
| 13 | And User will navigate to Payment Tab to input the data and validate message "GEN24 : [I] Invoice report generated successfully." "IRPREP28 : [I] Billing completed successfully." "GEN1239 : [I] TVR generated successfully." | SKIPPED | 0.000 s |
| 14 | Then User will navigate to supplement continuance and validate the message "GENPAY01 : [E] This transaction already exists in the cart." | SKIPPED | 0.000 s |
| 15 | Then User will navigate to payment tab and fill the requirement | SKIPPED | 0.000 s |
| 16 | And user will validate message "Payment Receipt generated successfully" "Credentials generated successfully." | SKIPPED | 0.000 s |
| | AFTER - apphooks.Application_Hooks.tearDown(io.cucumber.java.Scenario) | FAILED | 0.000 s |
| | <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=107.0.5304.107) Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'LAPTOP-8ANFSSC4', ip: '192.168.0.115', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.3' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [cc833fdd235d8fc0a2ee84d7854a3f0a, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.107, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\HP\AppData\Local\T...}, goog:chromeOptions: {debuggerAddress: localhost:59827}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59827/devtoo..., se:cdpVersion: 107.0.5304.107, </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <p>setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: cc833fdd235d8fc0a2ee84d7854a3f0a</p> <p>atjdk.internal.reflect.GeneratedConstructorAccessor44.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at apphooks.Application_Hooks.tearDown(Application_Hooks.java:66)</p> | | |