

Cucumber Report

22-Nov-2022, 10:54:16 am

Start : Nov 22, 10:53:34.857 am

End : Nov 22, 10:54:14.770 am

Duration : 39.913 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 1

FAILED - 1


SKIPPED - 19



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Renewal after Reinstatement</u>	39.913 s	1	0	1	0	21	1	1	19





#	Feature Name	T	P	F	S	Duration
1	<u>Renewal after Reinstatement</u>	1	0	1	0	39.913 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Renewal after Reinstatement</u>	<u>Renew with Reinstate</u>	21	1	1	19	39.909 s

Renewal after Reinstatement

FAILED	DURATION - 39.913 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 21 Pass - 1 Fail - 1 Skip - 19	
/ 10:53:34.857 am // 10:54:14.770 am /					

Renew with Reinstat

FAILED	DURATION - 39.909 s		Steps Total - 21 Pass - 1 Fail - 1 Skip - 19	
/ 10:53:34.861 am // 10:54:14.770 am /				
Renewal after Reinstatement				

#	Step / Hook Details	Status	Duration
1	Given User login as Internal user	PASSED	33.151 s
	AFTER_STEP - apphooks.Application_Hooks.as(io.cucumber.java.Scenario)	PASSED	0.363 s
	anyname		
			
2	When User will navigate to IRP	FAILED	3.048 s
	<p>org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'LAPTOP-8ANFSSC4', ip: '192.168.0.115', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.3' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7cde7b57cb60285c54694d62d9e25227, actions {actions=[org.openqa.selenium.interactions.Sequence@186f7434]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.107, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\HP\AppData\Local\T...}, goog:chromeOptions: {debuggerAddress: localhost:51991}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51991/devtoo..., se:cdpVersion: 107.0.5304.107, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID:</p>		


#	Step / Hook Details	Status	Duration
	<p>7cde7b57cb60285c54694d62d9e25227</p> <pre> at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:362) at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:154) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:169) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:183) at java.base/java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:179) at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133) at java.base/java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1845) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:150) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:173) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596) at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:169) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:182) at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68) at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:177) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:278) at org.openqa.selenium.json.Json.toJson(Json.java:42) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:259) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:172) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:637) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:567) at org.openqa.selenium.interactions.Actions.perform(Actions.java:536) at com.celtic.automation.cmcs.util.ElementUtil.clickElementUsingActions(ElementUtil.java:387) at com.celtic.automation.cmcs.pages.DashBoardPage.clickRenewFleetLink(DashBoardPage.java:75) at RWC_002.RWC_002.user_will_navigate_to_irp(RWC_002.java:102) at ?.User will navigate to IRP(file:///C:/Users/HP/Downloads/gitbuild-MyLocalRepository(1)/gitbuild-MyLocalRepository/ updated_celtic_project-main/src/test/resources/Parallel/RWC_002.feature:4) Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'LAPTOP-8ANFSSC4', ip: '192.168.0.115', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java. version: '17.0.3' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:303) at org.openqa.selenium.json.Json.toJson(Json.java:40) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec. </pre>		

#	Step / Hook Details	Status	Duration
	<p> encode(AbstractHttpCommandCodec.java:259) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec. encode(AbstractHttpCommandCodec.java:127) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor. java:172) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org. openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote. RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver. java:637) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:567) at org.openqa.selenium.interactions. Actions.perform(Actions.java:536) at com.celtic.automation.cmcs.util.ElementUtil.clickElementUsingActions(ElementUtil.java:387) at com.celtic.automation.cmcs.pages.DashBoardPage.clickRenewFleetLink(DashBoardPage.java:75) at RWC_002.RWC_002.user_will_navigate_to_irp(RWC_002.java:102) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl. invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang. reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker. invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber. java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition. java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core. runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io. cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io. cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime. CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime. RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime. CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner. runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests. runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect. DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method. java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal. TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org. testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent. invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal. TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker. java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng. SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng. SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng. SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng. TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG. java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG. initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) Caused by: java.lang.reflect. InvocationTargetException at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:358) </p>		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:154) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:169) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:183) at java.base/java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:179) at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133) at java.base/java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1845) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:150) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:173) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596) at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:169) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:182) at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68) at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:177) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:278) at org.openqa.selenium.json.Json.toJson(Json.java:42) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:259) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:172) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:637) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:567) at org.openqa.selenium.interactions.Actions.perform(Actions.java:536) at com.celtic.automation.cmcs.util.ElementUtil.clickElementUsingActions(ElementUtil.java:387) at com.celtic.automation.cmcs.pages.DashBoardPage.clickRenewFleetLink(DashBoardPage.java:75) at RWC_002.RWC_002.user_will_navigate_to_irp(RWC_002.java:102) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		

#	Step / Hook Details	Status	Duration
	<p>at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@title='Renew Fleet']"} (Session info: chrome=107.0.5304.107) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'LAPTOP-8ANFSSC4', ip: '192.168.0.115', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.3' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7cde7b57cb60285c54694d62d9e25227, findElement {using=xpath, value=//a[@title='Renew Fleet']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.107, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\HP\AppData\Local\T...}, goog:chromeOptions: {debuggerAddress: localhost:51991}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:51991/devtoo..., se.cdpVersion: 107.0.5304.107, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 7cde7b57cb60285c54694d62d9e25227</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:387)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:379)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</p> <p>at jdk.proxy2/jdk.proxy2.\$Proxy45.getWrappedElement(Unknown Source)</p> <p>at org.openqa.selenium.interactions.PointerInput\$Origin.asArg(PointerInput.java:260)</p> <p>at org.openqa.selenium.interactions.PointerInput\$Move.encode(PointerInput.java:209)</p> <p>at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:73)</p> <p>at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:82)</p> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - apphooks.Application_Hooks.as(io.cucumber.java.Scenario)	PASSED	0.202 s
	anyname		

#	Step / Hook Details	Status	Duration
			
3	Then User will navigate to renew fleet and search for Reinstated Account Number	SKIPPED	0.000 s
4	Then User should navigate to Account screen and provides all the required input to proceed	SKIPPED	0.000 s
5	Then user should navigate to Account verification screen and proceed further	SKIPPED	0.000 s
6	Then user should navigate to Fleet screen and update Fleet Expiration Date & Fleet Type & Commodity Class and proceed further	SKIPPED	0.000 s
7	Then user should navigate to Fleet verification screen and proceed further	SKIPPED	0.000 s
8	Then user should land on Distance screen and select Estimated Distance and proceed further	SKIPPED	0.000 s
9	Then user should navigate to Distance verification screen and proceed further	SKIPPED	0.000 s
10	Then user should land on the Weight Group screen and go for Add Weight group	SKIPPED	0.000 s
11	Then user should land on the Add Weight Group screen and provide all the required input to proceed	SKIPPED	0.000 s
12	Then user should land on the Add Weight Group Verification screen and go for Weight group	SKIPPED	0.001 s
13	Then user should land on the Weight Group and edit the existing weight group to proceed to Vehicle screen	SKIPPED	0.000 s
14	Then user should land on the Vehicle Screen and	SKIPPED	0.000 s
15	Then user should land on the Billing screen with open status and Request for TVR & set Delivery Type as PDF with Comments	SKIPPED	0.000 s
16	Then user should land on the Payment Init Verification screen & click on Pay Now	SKIPPED	0.000 s
17	Then user should land on the Payment Collection page	SKIPPED	0.000 s
18	Then user verifies details in Fleet Enquiry	SKIPPED	0.000 s
19	And user verifies details in Supplement Enquiry	SKIPPED	0.000 s
20	And user verifies details in Vehicle Enquiry	SKIPPED	0.000 s
21	And user verifies details in Vehicle Supplement Enquiry	SKIPPED	0.000 s
	AFTER - apphooks.Application_Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.452 s
	Renew_with_Reinstate		
	