

Certification FAQ

What is the format of the certification exam?

The Camunda Certification Program is based on our online certification platform. So the test can be performed independently of a specific location and time.

The exam consists of 80 multiple-choice questions where each question may have one or more correct answers. Navigating through all (also unanswered) questions is possible.

You have to do the exam without any help from others. You are not allowed to use any document, training material or other aids during the exam.

How much time do I get?

You have 90 minutes to answer all questions. The timer starts when clicking on the “Start”-button. After the time has elapsed the exam will be finished automatically. Pausing the test is not possible.

What is the minimum score to pass the Camunda Certification exam?

Every question has a score of one point. To pass the exam from 80 questions a minimum score of 56 (70%) is required.

What happens when I finished the exam?

After the exam is finished or all answers were submitted, you will receive your result. If you passed the test: Congratulations – you can then download the certificate as Camunda Certified Engineer.

If you did not pass the test in the first attempt you can repeat the test two more times. Please note that you must allow for 12 hours to elapse before taking the test again. If the test is not passed after 3 attempts you will be locked for certification.

How long is the certificate valid for?

The certificate is valid for two years. After that recertification is possible.

How much does it cost to take the exam?

The Camunda Certification Program is free of charge

What are the technical requirements to access the Camunda Certification platform?

The platform requires

- a PC or notebook with internet access
- a modern web browser that supports cookies and JavaScript:
 - Internet Explorer 9 or above
 - Mozilla Firefox
 - Google Chrome
 - Safari 4 or above
- a screen with a minimal resolution of 1024 x 768

Questions /minimum score

(a) This is a multiple-choice test. The test has 77 questions.

(b) Each question is rated with one point. The minimum score required to pass the test is 54 points (70%).

(c) Please read the questions carefully. Each question can have one or multiple correct answers!

Exam procedure

(d) You will have 90 minutes to complete the exam.

(e) The timer will start as soon as you click the "play"-button on the next page.

(f) When the test is started you have to take the complete test - there is no option to pause the test.

(g) During the test it is possible to jump to the next or previous question.

(h) Once time has expired, the assessment will be submitted automatically.

(i) To complete the test click the Submit button-button. You are not required to answer all questions to complete the test.

After the test is completed, it is not possible to edit the given answers.

(j) The final score will be shown after completing the test.

(k) You have 3 attempts to pass the test. If the test is not passed you will be suspended for 12 hours before you can start the next attempt.

Dont's

(l) Any type of cheating is prohibited.

(l) The exam may only be taken by the registered user.

(m) Any material or aids are not permitted during exams.

Good luck

Multiple Choice

1)

Which taskQuery must be used to build a list of tasks assigned to John?

- taskService.createTaskQuery().taskCandidateUser("john").list();
- taskService.createTaskQuery().taskCandidateGroup("john").list();
- taskService.createTaskQuery().taskAssignee("john").list(); ✓
- taskService.createTaskQuery().taskCandidateAssignee("john").list();

Multiple Choice

2)

If implemented by a BPMN business rules task, what statements are true of a given DMN table?

- Variables must be manually mapped from BPMN to DMN. ✓
- The DMN model has access to BPMN process variables by default.
- Only variables specified as input variables are accessible.
- Non-primitive variables are not passed to a DMN table.
- Complex objects are accessible through script languages or FEEL.

Multiple Choice

3)

What happens if you deploy the process application with Java delegates and process definitions to the application server?

- The Java classes are saved in the database.
- The process models are added to the classpath. ?
- The process models are saved in the database.
- The Java classes are versioned.

Multiple Choice

4)

Please select one or more answers that would complete the following sentence to a correct statement:

Using the Camunda BPM process engine improves agility of your software project, because...

- the process diagram makes it easier to verify that the requirements are met. ✓
- complex business logic can be implemented without any code.
- you can operate the process based on the process diagram. ✓
- you can monitor the progress of a process instance in the diagram.
- it replaces all legacy systems.

Multiple Choice

5)





Which statements about script tasks are correct?

- You have to add a script format. ✓
- The script can not access process variables.
- There are no special keywords for script tasks.
- The script can be an external file. ✓

Multiple Choice

6)

How can a service call (which might be asynchronous) be modeled in a process diagram?



Multiple Choice

7)

Given you have Camunda BPM running in a shared engine setup, which application server requires the Enterprise Edition for out-of-the-box integration?

There is no additional container support when using the EE.

Tomcat

Glassfish

IBM WAS

Wildfly ✓

Multiple Choice

8)

What is involved in human task management?

Ensure the right users get tasks they should be assigned to ✓

Make it easy for users to find their assigned tasks ✓

Ensure that service tasks perform calls to the correct service





Ensuring tasks are completed on time

Multiple Choice

9)

Which model represents the following scenario?

A project proposal has to be written and the project manager is in charge of that. If he receives a notice about changed requirements while he is working on the proposal, he stops writing and schedules a meeting with the requirements engineer. Otherwise, he presents the proposal to the executive manager to get his approval.



Multiple Choice
10)

In Tasklist, what are filters used for?

- To create tasks for a user
- To show the tasks for a user based on specific criteria ✓
- To help create authorizations for a given task
- To help assign multiple tasks to a given user

Multiple Choice
11)

How does a deployed process application WAR connect to the shared process engine?

A class has to call `runtimeService.startProcessApplication()`. ?

A class has to start the process application manually.

A class with the annotation `@ProcessApplication` registers at the process engine.

No special class is needed.

Multiple Choice

12)

Which statement about the process definition ID is correct?

The ID attribute from the process definition XML becomes the process definition ID in the database.

The ID attribute from the process element of the process definition XML becomes the process definition name in the database.

The ID attribute from the process element of the process definition XML becomes the process definition key in the database. ?

The ID attribute from the process element of the process definition XML is used for documentation purposes only.

Multiple Choice

13)

According to the BPMN 2.0 standard, what are differences between the message and signal event?

The signal can have zero recipients, a message must have exactly one. ✓

Both are interchangeable

The signal can be picked up by the process instance that sent it, messages cannot.

The message can be received by more than one process instance, the signal cannot.

Multiple Choice

14)

Which applications are part of the Camunda Web Application?

Masterconsole

Tasklist ✓

Cockpit ✓

CMMN modeler

Admin ✓

Multiple Choice

15)

Which of these are not methods of mapping a DMN-table result to a variable from a BPMN-Business Rule Task?

Result List

Single Entry

Single Result

Collect Entries

Results Entries ✓

Multiple Choice

16)

When do you have to deal with message correlation at the activity level rather than at the process level? ?

If you have a multi instance receive task

If you have two receive tasks in a sequence

If you have more than one receive task after a parallel gateway

If you use a message event after an event based gateway

Multiple Choice

17)

Which artifacts are stored in the database with a Camunda deployment?

Java delegates

All BPMN, DMN and CMMN diagrams ✓

Only task forms

No artifacts are deployed to the Camunda database

Multiple Choice

18)

What can be accomplished by using the Spin API for complex objects?

Increase in engine performance ✓

Better error handling

Give a simple UI to viewing and editing Java Objects

Store payloads from SOAP calls as Java Objects

Multiple Choice

19)

Which task types can be implemented and used within Camunda for semi- or fully automated steps?

Business Rule Task

Undefined Task

User Task

Manual Task ✓

Receive Task

Multiple Choice

20)

Select the correct answers. In a collaboration... ?

each pool represents an individual process.

processes can be started by incoming messages.


messages are exchanged by participants within pools.


collapsed pools can be used to model communication with third parties.

Multiple Choice

21)

Which of the following task types are handled as a pass-through activity by the Camunda process engine?





Multiple Choice
22)

How can an execution listener be implemented?

- With a class implementing the ExecutionListener interface
- With a class implementing the JavaDelegate interface
- With a class implementing the TaskListener interface ✓
- With an inline script in groovy

Multiple Choice
23)

Which of the following statements about pools and lanes are correct? ?

- A pool contains lanes which represent sub-units of that particular pool.
- All flow elements, including tasks, gateways and events, are executed by the participant of the lane where the element resides. ?
- Tasks can spread across lanes to describe that multiple participants perform an activity together.
- Pools and lanes can describe responsibilities of single persons, groups, roles or technical systems.

Multiple Choice
24)

Which of these is not a valid FEEL data-type?

- String
- Date
- Number
- Boolean
- Char ✓

Multiple Choice
25)

Which are valid history levels in Camunda BPM?

- none ✓
- all
- full ✓
- trail
- variables

Multiple Choice
26)

Which of these statements about DMN are true?

Decision tables are based on a formal meta model which is defined by the DMN standard.

DMN tables cannot be embedded in a BPMN model.

DMN tables can be orchestrated using BPMN. ✓

A DMN table can be implemented as a Business Rules task or a User task.

In BPMN a Business Rules Task always requires a DMN table.

Multiple Choice

27)

Which information must be provided in order to inform a process instance of an incoming message?

The process instance id

The message name

The business key ✓

Process variables of the process instance

Multiple Choice

28)

Business-IT Alignment is particularly easy to maintain with Camunda BPM for what fundamental reason? ?

There is no need for IT people to get involved in process creation.

Camunda BPM operates as a zero-code platform and so there is no need for developers.

Developers can easily re-create Business Models in XML for execution. ?

BPEL can be used to make models easy to understand by both Business and IT. ?

The same BPMN 2.0 models created by the Business can be made executable by the IT. ?

Multiple Choice

29)

How can you integrate existing Spring components into your process application? ?

Deploy the process diagram with Spring

Call named beans in expressions

Use the @Transaction annotation

Inject the process engine and services into your components

Multiple Choice

30)

Where can an execution listener be invoked?

While a service task is being invoked ✓

Before entering a service task

When a user task gets assigned

When a process instance is ended

Multiple Choice

31)

What are the main reasons for using embedded sub processes in a process model?

To build reusable components ✓

To make the process diagram more complicated

To use attached boundary events

To use multi instance markers ✓

Multiple Choice

32)

How does Camunda handle multiple clustered nodes trying to execute the same job? ?

Each node's data is isolated.

The node in which the job was created will always perform that job.

Optimistic locking is implemented for job acquisition.

Pessimistic locking is implemented for job acquisition.

Any of the above (depending on the engine configuration).

Multiple Choice

33)

Which of the following shows an end event?



Multiple Choice

34)

Which statements about Cockpit plugins are true? ?

Cockpit plugins always consist of a Java back end part and a HTML/JavaScript front end part.

Cockpit plugins might need to be migrated when updating Camunda BPM to a higher version.

Cockpit plugins are deployed like a standard web app by adding the plugin's war file to the container. ?

Cockpit plugins are available for both the Community and the Enterprise Edition of Camunda BPM.

Multiple Choice

35)

When would you recommend a Standalone Remote Engine? ?

If I have only Java Delegates

If I have to care about transactional service invocation

If I use a programming language not running on a JVM ?

If I have no control over the containers hosting the delegate code

Multiple Choice

36)

The Camunda BPM platform's container distribution has a number of deployments. How does the REST API fit into the deployment structure? ?

The Rest API is deployed as part of Cockpit but not Tasklist

The Rest API is embedded within the engine ?

The Rest API is not deployed by default

The Rest API is deployed as its own webapp

Multiple Choice

37)

What file is used as a deployment descriptor for process applications?

- bpm-platform.xml
- persistence.xml
- beans.xml
- processes.xml ✓

Multiple Choice

38)

What does BPMN stand for in BPMN 2.0?

- Business process modeling notation
- Business process management notation
- Business process model and notation ✓
- Business process management and notation

Multiple Choice

39)

Which are not operators for the Collect Hit Policy?

- Count
- Min
- Max
- Avg ✓

Multiple Choice

40)

Which of the following statements about attached boundary events is correct?

- Attached timer events can only be interrupting, i.e. there is no non-interrupting timer event in the BPMN 2.0 standard
- Events can be attached to all types of activities including tasks, sub-processes and call activities. ✓
- Attached message throw events can be used to send a message from a call activity to the parent process.
- Attached error and escalation events always interrupt the ongoing activity that they are attached to.

Multiple Choice

41)

What are the characteristics of generated task forms?

- They can be built with the Camunda modeler. ✓
- They are a feature complete task builder.
- Writing HTML is not required.
- They can show only primitive process variables.

Multiple Choice

42)

Which of these Hit Policies could return multiple rules?

- Rule Order
- Unique
- Collect ✓

First

Any

Multiple Choice

43)

Which of the following symbols shows a parallel gateway?



Multiple Choice

44)

Where do you have to hook into to write the history asynchronously? ?

Into the history service

Into the history event stream

Into the database layer ?

Into the execution event listener

Multiple Choice

45)

What are valid setups to achieve multi-tenancy with Camunda? ?

Shared engine with tenant identifiers on a shared database ?

One engine per tenant with a separate database schema for each tenant ?

Shared engine with tenant identifiers and a separate database schema for each tenant

One engine per tenant with a separate database for each tenant ?

Multiple Choice

46)

What are the core modules of the process engine?

BPMN 2.0 Core Engine, Relational Database

Command Pattern, BPMN 2.0 Core Engine, Job Executor





BPMN 2.0 Core Engine, Public API, Multi Threading Module, Persistence Layer ✓


Public API, BPMN 2.0 Core Engine, Job Executor, Persistence Layer

Multiple Choice

47)

Select the option that is equivalent to the following process:





Multiple Choice
48)

Which of these features are only available in the EE version of Camunda?

- Incident Overview Page
- Process Definition Heatmap ✓
- Process Instance Modification
- Process Model Previews
- Bulk Retry and Bulk Cancel

Multiple Choice
49)

What is the best way to link existing data with process variables? ?

- Copy the data into process variables
- Store a reference of the existing data as a process variable ?
- Copy the complete data as one complex process variable
- There is no method of accessing external variables

Multiple Choice
50)

Which of the statements below are true regarding Camunda BPM clusters? ?

- Camunda can only cluster in homogeneous clusters (process applications deployed on all nodes).
- Camunda can only cluster in heterogeneous clusters (process applications deployed only to a part of the nodes).
- Camunda can cluster in homogeneous and heterogeneous clusters.
- Camunda clusters can share the same Job Executor.
- Camunda clustering can be set up by changing the Process Engine configuration.

Multiple Choice
51)

How are process definitions versioned by the process engine?

- They get a unique process definition ID and no further information.
- They get an increasing version number. ✓
- There is only one active process definition in the engine.
- They must be re-named in order to be versioned by the engine.

Multiple Choice
52)

When does the process engine store the history values if the most detailed history level is set?

- Only after the process instance is ended
- After a task is completed
- Runtime data is copied to the history in intervals
- During the same database transaction as the runtime values

Multiple Choice

53)

Which forms can be used in the Camunda Tasklist?

- Only Embedded Task Forms and Generic Task Forms
- Automatic Task Forms, External Task Forms, Generated Task Forms, Generic Task Forms
- Embedded Task forms, External Task Forms, Generated Task Forms, Generic Task Forms ✓
- External Task Forms, Generated Task Forms, Generic Task Forms, Specialized Task Forms

Multiple Choice

54)

What must you be aware of if you have two parallel receive tasks?

- Correlate the message with a process variable.
- Correlate the message with a local variable.
- Correlate the message with a business key. ✓
- Correlation is not possible due to the global scope of variables.

Multiple Choice

55)

What parts of Camunda's Core Process Engine are only available in the Enterprise Edition?

- There are no restrictions in using the CE engine over the EE version. ✓
- The CE only supports models with 50 or fewer elements, EE is not limited.
- CMMN models are only executed on the EE engine.
- A small number of Java API calls.
- Some of the more complex REST API calls.

Multiple Choice

56)

What happens when you call `taskService.claim()`?

- The tasks is put into the group task list.
- The task is put into the personal task list. ✓
- The task is visible for all users.
- The task is finished.

Multiple Choice

57)

As a called process is evaluated at the moment when the token arrives at the call activity and this can be months away from the deployment, how can you influence the selected version of the called process? ?

- Deploy the called process just before the token arrives in the call activity. ?
- Specify the version as 'deployment' in the called process.
- Specify the binding as 'deployment' in the call activity.
- It is not possible to influence the version of the called process.

Multiple Choice

58)

How does the engine know when to create a new version of a given process?

The "DeployNewVersion" method is invoked.

When the engine is restarted, it looks for new deployments and will create new versions for any deployments found. ✓

If the BPMN XML has changed for a process key already deployed by default a new version is created. ✓

The old version must be marked as "deprecated", after that any new deployments will be versioned.

All of the above.

Multiple Choice

59)

After an analyst has designed a BPMN process in the Camunda modeler, what activity is required before it can be executed?

The model needs to be transformed manually to executable XML.

The model needs to be exported to BPMN 2.0 and imported into the Eclipse Modeler.

A developer needs to re-create the model using the "executable symbol set".

A developer needs to add execution properties to the same XML. ✓

Nothing is required - any model created in the Camunda modeler contains all the required executable properties.

Multiple Choice

60)

What can happen to running instances of a process when a new version of that process is deployed? ?

They may not be affected and continue running on the version they were started on.

They could be migrated to the new version using Cockpit or the engine API.

They could all be cancelled and the original process definition removed.

By default, they will automatically continue on the new version as soon as it gets deployed. ?

All of the above.

Multiple Choice

61)

Where can you use forms in a BPMN diagram?

User tasks only

User tasks and start events ✓


Start events, user tasks and end events

User tasks and receive tasks

Multiple Choice

62)

How many errors regarding naming conventions can you find in the following model?



3 ✓
4
5
6

Multiple Choice
63)

What are the main characteristics of an embedded process engine? ?

- It is 100 MB in size.
- It has to be started by the process application.
- It is delivered with the process application. ?
- It has 25 dependent Java libraries.


Multiple Choice
64)

What are the advantages of using the camunda-bpm-assert library? ?

- You can write BPMN-specific assertions.
- You can generate tests. ?
- You can use a fluent API for assertions.
- You can get information about the model via an assertion.

Multiple Choice
65)

Which statements regarding the following process are correct?



In order to communicate between different processes, signals can be used to broadcast the outcome of a process instance. It is not necessary to specify a certain recipient for that purpose.

Because errors are critical, the none end event should be replaced by an error end event to show that the outcome of the process instance is not the desired process goal.

If an unexpected error occurs anywhere in the process, it is processed by the "Handle warnings and errors" call activity, because all errors are caught by the attached error catch event. ✓

If the execution of Task 2 produces a warning, Task 2 is interrupted and the warning is processed by the "Handle warnings and errors" call activity. Task 3 is not executed.

Multiple Choice
66)

What are the required parameters for a process model to call another process via a Call Activity? ?


- The process instance ID of the called process
- Only the process definition key of the called process
- The process definition key and the engine name of the called process

The process definition key and the version of the called process

Multiple Choice

67)

How many transactions are used to complete a process instance of this process definition, if no async is set?



1

3 ✓

4


5

6

Multiple Choice

68)

Which of the following combinations of activity markers are not allowed according to the BPMN 2.0 standard?



Multiple Choice

69)

Camunda is often deployed to supported containers as a standalone Web Application. What deployment type does usually not follow that pattern? ?

Embedded Engine

Remote Engine

Shared Engine

Standalone Engine


All of the above

Multiple Choice

70)


Given that an error occurred in task three after five seconds, the process instance will be finished after 25 seconds.

Choose the correct end event which represents this scenario.



Multiple Choice
71)

How long does the following process instance take to finish?



20 minutes

40 minutes ✓

60 minutes

Either 20 or 40 minutes, depending on which task is executed.

Multiple Choice
72)

Which of these is required in order to cluster two or more Camunda Process Engines? ?

All engines must point to the same database.

All engines must share the same session information.

Cockpit and Tasklist must be put into "Cluster Mode".

The process engine must have been told about the existence of every other process engine.

All engines must be deployed to the same application server.

Multiple Choice
73)

Which of the following statements about gateways are correct?

Inclusive gateways cannot be used to merge incoming sequence flows.

Exclusive gateways invoke a decision to determine the outgoing sequence flow. ✓


Parallel gateways produce additional tokens to split the incoming sequence flow into multiple outgoing sequence flows. ✓

Inclusive gateways can be replaced by a combination of exclusive and parallel gateways. ?

Multiple Choice
74)

Which of the following symbols is not part of BPMN?





Multiple Choice
75)

Where can scripting be used in Camunda BPM?

- To complete a user task
- At a point where you want to define a payload with a template
- To evaluate the conditions of sequence flows ✓
- To start a process instance
- To perform a script task ✓

Multiple Choice
76)

Please select one or more answers that would complete the following sentence:

Business-IT-Alignment...

- can never be achieved.
- needs readable process diagrams. ✓
- needs executable process diagrams. ✓
- is only possible when business analysts work with Eclipse.

Multiple Choice
77)

In which situations is the REST API best suited to use?

- For Java Server Pages deployed on the same container
- For JavaScript applications that communicate over a network ✓
- For accessing processes from mobile applications
- For Java delegates that are implemented as service tasks