

GPL

Multiple Choice

4)

How is a process participant most likely to interact with a deployed process?

Using Camunda Tasklist

Using Camunda Web Modeler

Using Camunda Admin

Using Camunda's REST API

Multiple Choice

5)

Business-IT Alignment is particularly easy to maintain with Camunda BPM for what fundamental reason?

There is no need for IT people to get involved in process creation.

Camunda BPM operates as a zero-code platform and so there is no need for developers.

Developers can easily re-create Business Models in XML for execution. BPEL can be used to make models easy to understand by both Business and IT.

The same BPMN 2.0 models created by the Business can be made executable by the IT.

Multiple Choice

6)

What must you be aware of if you have two parallel receive tasks?

Correlate the message with a process variable.

Correlate the message with a local variable.

Correlate the message with a business key.

Correlation is not possible due to the global scope of variables.

Multiple Choice

7)

Which of the statements below are true regarding Camunda BPM clusters? Camunda can only cluster in homogeneous clusters (process applications deployed on all nodes). Camunda can only cluster in heterogeneous clusters (process applications deployed only to a part of the nodes). Camunda can cluster in homogeneous and heterogeneous clusters. Camunda clusters can share the same Job Executor. Camunda clustering can be set up by changing the Process Engine configuration.

Multiple Choice

8)

Which of these statements about DMN are true?

Decision tables are based on a formal meta model which is defined by the DMN standard.

DMN tables cannot be embedded in a BPMN model. DMN tables can be orchestrated using BPMN.

A DMN table can be implemented as a Business Rules task or a User task. In BPMN a

Business Rules Task always requires a DMN table.

Multiple Choice

9)

How does the engine know when to create a new version of a given process?

The "DeployNewVersion" method is invoked. When the engine is restarted, it looks for new deployments and will create new versions for any deployments found.

If the BPMN XML has changed for a process key already deployed by default a new version is created.

The old version must be marked as "deprecated", after that any new deployments will be versioned.

All of the above.

Multiple Choice

10)

Which statements about Service Tasks are correct?

A Service Task calls a class implementing the task listener interface.

A Service Task can invoke a bean method. A Service Task calls a class implementing the service task listener interface.

A Service Task calls a class implementing the JavaDelegate interface.

A Service Task can be handled by an external system.

Multiple Choice

11)

Select the correct answers. In a collaboration...

each pool represents an individual process.

processes can be started by incoming messages.

messages are exchanged by participants within pools.

collapsed pools can be used to model communication with third parties.

Multiple Choice

12)

In which situations is the REST API best suited to use?

For accessing processes from mobile applications

For Java Server Pages deployed on the same container

For JavaScript applications that communicate over a network

For Java delegates that are implemented as service tasks

Multiple Choice

13)

What can field injection be used for?

To make the execution faster

To specialize a java delegate implementation

To provide information from the developer to the process analyst

To use expression evaluation before listener invocation

Multiple Choice

14)

Which of the following task types are handled as a pass-through activity by the Camunda process engine?

Multiple Choice

15)

Which of the following combinations of activity markers are not allowed according to the BPMN 2.0 standard?

Multiple Choice

16)

If you want to change how Camunda's Spin API handles specific data formats, what is the best way of accomplishing it?

Updating the project and sending a pull request to Camunda

Upgrade to the enterprise version where Spin has many additional data formats

Create a custom implementation of the DataFormatConfiguratorUse a 3rd party conversion API

Multiple Choice

17)

Which statements about the "Unique" Hit Policy are true?

Exactly one rule or no rules should match for a given input.

If no rules match the input an error is returned.If more than one rule matches an error is returned.

The order of the rules has no bearing on the execution.

Exactly one rule must always match.

Multiple Choice

18)

Which task query must be used to get all tasks available to the marketing team?

`taskService.createTaskQuery().taskCandidateUser("marketing").list();`

`taskService.createTaskQuery().taskCandidateGroup("marketing").list();`

`taskService.createTaskQuery().taskAssignee("marketing").list();`

`taskService.createTaskQuery().taskCandidateAssignee("marketing").list();`

Multiple Choice

19)

When would you recommend a Standalone Remote Engine?

If I have only Java Delegates

If I have to care about transactional service invocation

If I use a programming language not running on a JVM

If I have no control over the containers hosting the delegate code

Multiple Choice

20)

What are the main reasons for using embedded sub processes in a process model?

To build reusable components

To make the process diagram more complicated

To use attached boundary events

To use multi instance markers

Multiple Choice

21)

In Camunda BPM, how would the process engineer convert the process diagram from the process analyst into an executable format?

No conversion is required

By using the Camunda BPEL-Converter Web Application

By manually converting it to BPEL

By using the Camunda Modeler's integrated converter

Multiple Choice

22)

What are the benefits of using Java Objects as process variables?

You can serialize business objects into a single variable.

There is no difference between a Java Object and primitive object from the engine's point of view.

It is easier than handling a lot of single variables.

It speeds up the performance to have Java Objects instead of process variables.

Multiple Choice

23)

Given that an error occurred in task three after five seconds, the process instance will be finished after 25 seconds.

Choose the correct end event which represents this scenario.

Multiple Choice

24)

When will a reply be received from a REST call to start a process instance? Immediately

When the process has reached its first wait state

Never, because the method is void

When the process has reached its first service task

Multiple Choice

25)

How are process variables set via the process engine API?

Only as a string

As a map of objects

As a single object

Only as a primitive types

Multiple Choice

26)

Select the option that is equivalent to the following process:

Multiple Choice

27)

Which of these is not a correct FEEL expression?

$\geq 10 < 10 == 10 > 10$

Multiple Choice

28)

What are the advantages of using the camunda-bpm-assert library?

You can write BPMN-specific assertions.

You can generate tests.

You can use a fluent API for assertions.

You can get information about the model via an assertion.

Multiple Choice

29)

Which events can be used for a task listener?

start, execute, end

create, execute, delete

create, assign, complete, delete

start, assign, complete, delete

Multiple Choice

30)

Please select one or more answers that would complete the following sentence to a correct statement:

Using the Camunda BPM process engine improves agility of your software project, because...
the process diagram makes it easier to verify that the requirements are met.

complex business logic can be implemented without any code.
you can operate the process based on the process diagram.
you can monitor the progress of a process instance in the diagram.it replaces all legacy systems.

Multiple Choice

31)

In the following BPMN 2.0 diagram, which message flows are incorrect?

ABCD

Multiple Choice

32)

Which statements about multi tenancy are true?

Camunda doesn't support multi-tenancy at all.

Users who are a member of the group camunda-admin can access the data of all tenants, even if they don't belong to the tenants.

Tenant-specific dedicated engines should be preferred over tenant identifiers in scenarios with a high number of tenants that produce only a small amount of data.

The LDAP Identity Service doesn't support tenants.

Multiple Choice

33)

Mark the correct answers:

Event sub-processes ...

cannot be triggered by none start events.

can be interrupting and non-interrupting to the parent process.

can be added at the process level or any sub-process level.

can be used to model semi-structured process flows.

Multiple Choice

34)

What does BPMN stand for in BPMN 2.0?

Business process modeling notation

Business process management notation

Business process model and notation

Business process management and notation

Multiple Choice

35)

After an analyst has designed a BPMN process in the Camunda modeler, what activity is required before it can be executed?

The model needs to be transformed manually to executable XML.

The model needs to be exported to BPMN 2.0 and imported into the Eclipse Modeler.

A developer needs to re-create the model using the "executable symbol set".

A developer needs to add execution properties to the same XML.

Nothing is required - any model created in the Camunda modeler contains all the required executable properties.

Multiple Choice

36)

How long does the following process instance take to finish?

20 minutes40 minutes60 minutesEither 20 or 40 minutes, depending on which task is executed.

Multiple Choice

37)

Which of the following statements about gateways are correct?

Inclusive gateways cannot be used to merge incoming sequence flows.

Exclusive gateways invoke a decision to determine the outgoing sequence flow.

Parallel gateways produce additional tokens to split the incoming sequence flow into multiple outgoing sequence flows.

Inclusive gateways can be replaced by a combination of exclusive and parallel gateways.

Multiple Choice

38)

What can happen to running instances of a process when a new version of that process is deployed?

They may not be affected and continue running on the version they were started on.

They could be migrated to the new version using Cockpit or the engine API.

They could all be cancelled and the original process definition removed.

By default, they will automatically continue on the new version as soon as it gets deployed.

All of the above.

Multiple Choice

39)

The Camunda BPM platform's container distribution has a number of deployments. How does the REST API fit into the deployment structure?

The Rest API is not deployed by default

The Rest API is embedded within the engine

The Rest API is deployed as its own webapp

The Rest API is deployed as part of Cockpit but not Tasklist

Multiple Choice

40)

Which of the statements below are true of a "Strategic Process Model"?

A strategic model represents the lowest level of abstraction for a given process.

A strategic model represents the highest level of abstraction for a given process.

A strategic model should never be created with the intention of executing it.

A strategic model should only contain human tasks.

A strategic model is intended to be understood by anyone - even if they don't know BPMN 2.0.

Multiple Choice

41)

In which situation may this process model run into a problem?

The Main Task completes after the timer.

The Escalation Task completes before the timer.

The Main Task doesn't complete because the timer interrupts it.

The Main Task completes before the timer.

Multiple Choice

42)

What method is suggested to be used to test a decision table?

`dmnEngine.evaluate (decision, variables)`

`dmnEngine.evaluateTable(decision, variables,version)`

`dmnEngine.evaluateDecisionTable(decision, variables, version)`

`dmnEngine.evaluateDecisionTable(decision, variables)`

`dmnEngine.evaluate(decision, variables, version)`

Multiple Choice

43)

Which are valid history levels in Camunda BPM?

noneallfulltrailvariables

Multiple Choice

44)

Which artifacts are stored in the database with a Camunda deployment?

Java delegates

All BPMN, DMN and CMMN diagrams

Only task forms

No artifacts are deployed to the Camunda database

Multiple Choice

45)

Which forms can be used in the Camunda Tasklist?

Only Embedded Task Forms and Generic Task Forms

Automatic Task Forms, External Task Forms, Generated Task Forms, Generic Task Forms

Embedded Task forms, External Task

Forms, Generated Task Forms, Generic Task Forms

External Task Forms, Generated Task Forms, Generic Task Forms, Specialized Task Forms

Multiple Choice

46)

Camunda Spin is used to help when working on complex objects. How does it help?

It offers an API to serialize objects into JSON.

It offers an API to serialize objects into XML.

It offers a method of sending SOAP calls with non-primitive payloads.

It offers a method of sending REST calls with non-primitive payloads.

None of the above.

Multiple Choice

47)

What are the core concepts of the Camunda BPM Platform?

It is written in Java.

It consists of a black box installation.

It is extensible with its own components.

It is based on BPEL.

Multiple Choice

48)

How does Camunda handle multiple clustered nodes trying to execute the same job?

Each node's data is isolated.

The node in which the job was created will always perform that job.

Optimistic locking is implemented for job acquisition.

Pessimistic locking is implemented for job acquisition.

Any of the above (depending on the engine configuration).

Multiple Choice

49)

How does a deployed process application WAR connect to the shared process engine?

A class has to call `runtimeService.startProcessApplication()`.

A class has to start the process application manually.

A class with the annotation `@ProcessApplication` registers at the process engine.

No special class is needed.

Multiple Choice

50)

How can you integrate existing Spring components into your process application?

Deploy the process diagram with Spring

Call named beans in expressions

Use the @Transaction annotation

Inject the process engine and services into your components

Multiple Choice

51)

Select all the combinations below, where at least one of the listed event types is not specified by the BPMN 2.0 standard.

Message Start Event, Conditional Start Event, Timer Intermediate Throw Event, None End Event

None Start Event, Message Intermediate Throw Event, Message Intermediate Catch Event, Message End Event

Timer Start Event, Conditional Intermediate Catch Event, None Intermediate Throw Event, Error End Event

Signal Start Event, None Intermediate Catch Event, Message Intermediate Catch Event, None End Event

Multiple Choice

52)

Where can an execution listener be invoked?

While a service task is being invoked

Before entering a service task

When a user task gets assigned

When a process instance is ended

Multiple Choice

53)

What parts of Camunda's Core Process Engine are only available in the Enterprise Edition?

There are no restrictions in using the CE engine over the EE version.

CMMN models are only executed on the EE engine.

A small number of Java API calls. Some of the more complex REST API calls.

The CE only supports models with 50 or fewer elements, EE is not limited. Multiple Choice

54)

What are the main characteristics of an embedded process engine?

It is 100 MB in size.

It has to be started by the process application.

It is delivered with the process application.

It has 25 dependent Java libraries.

Multiple Choice

55)

Which of the following models are wrong?

Multiple Choice

56)

If you evaluate a decision and do not pass all required input variables to a decision table (using the REST API) what will happen?

The missing input is considered true for all rules.

The missing input is considered false for all rules.

A warning will be returned but the table will be evaluated.

An exception is raised.

Multiple Choice

57)

According to the task lifecycle how can you give delegated tasks back to the owner?

Assign it to the user

Delegate the task to the owner

Resolve the task

Unclaim the task Multiple Choice

58)

Which statements regarding the following process are correct?

In order to communicate between different processes, signals can be used to broadcast the outcome of a process instance. It is not necessary to specify a certain recipient for that purpose.

Because errors are critical, the none end event should be replaced by an error end event to show that the outcome of the process instance is not the desired process goal.

If an unexpected error occurs anywhere in the process, it is processed by the "Handle warnings and errors" call activity, because all errors are caught by the attached error catch event.

If the execution of Task 2 produces a warning, Task 2 is interrupted and the warning is processed by the "Handle warnings and errors" call activity. Task 3 is not executed.

Multiple Choice

59)

Which of these versions are exclusively available to enterprise customers?

7.97.117.12-alpha2-ee7.10.27.12-alpha1

Multiple Choice

60)

Why should you use a process engine in your software project?

Because different versions of a modeled process can be handled.
Because a process engine is intended to hide complexity inside a "black box".
Because the process is hidden in the code otherwise.
Because a process engine has features that are hard to implement independently. Multiple Choice

61)

Which of the following statements about pools and lanes are correct?
A pool contains lanes which represent sub-units of that particular pool.
All flow elements, including tasks, gateways and events, are executed by the participant of the lane where the element resides.
Tasks can spread across lanes to describe that multiple participants perform an activity together.
Pools and lanes can describe responsibilities of single persons, groups, roles or technical systems.

Multiple Choice

62)

Which of these FEEL ranges are the correct syntax?

[1.. 10][1.. 10]{1.. 10}(1.. 10)[1..10)

Multiple Choice

63)

Which statements about start events are correct according to the BPMN 2.0 standard?

A process can have more than one none start events.
A process can have one or more message start events.
A process can have one or more signal start events.
A process must have at least one start event.

Multiple Choice

64)

What are valid setups to achieve multi-tenancy with Camunda?

One engine per tenant with a separate database for each tenant
Shared engine with tenant identifiers and a separate database schema for each tenant
One engine per tenant with a separate database schema for each tenant
Shared engine with tenant identifiers on a shared database

Multiple Choice

65)

What happens if you deploy the process application with Java delegates and process definitions to the application server?

The Java classes are saved in the database.
The process models are added to the classpath.

The process models are saved in the database.

The Java classes are versioned.

Multiple Choice

66)

Which statements about script tasks are correct?

You have to add a script format.

The script can not access process variables.

There are no special keywords for script tasks.

The script can be an external file.

Multiple Choice

67)

What are the required parameters for a process model to call another process via a Call Activity?

Only the process definition key of the called process

The process definition key and the version of the called process

The process instance ID of the called process

The process definition key and the engine name of the called process

Multiple Choice

68)

What are the characteristics of generated task forms?

They can be built with the Camunda modeler.

They are a feature complete task builder.

Writing HTML is not required.

They can show only primitive process variables.

Multiple Choice

69)

What can be accomplished by using the Spin API for complex objects?

Increase in engine performance

Better error handling

Give a simple UI to viewing and editing Java Objects

Store payloads from SOAP calls as Java Objects

Multiple Choice

70)

Camunda is often deployed to supported containers as a standalone Web Application. What deployment type does usually not follow that pattern?

Embedded Engine

Remote Engine

Shared Engine

Standalone Engine

All of the above

Multiple Choice

71)

When does the process engine store the history values if the most detailed history level is set?

Only after the process instance is ended

After a task is completed

Runtime data is copied to the history in intervals

During the same database transaction as the runtime values

Multiple Choice

72)

What are the core modules of the process engine?

BPMN 2.0 Core Engine, Relational Database

Command Pattern, BPMN 2.0 Core Engine, Job Executor

BPMN 2.0 Core Engine, Public API, Multi Threading Module, Persistence LayerPublic API,

BPMN 2.0 Core Engine, Job Executor, Persistence Layer

Multiple Choice

73)

How are process definitions versioned by the process engine?

They get a unique process definition ID and no further information.

They get an increasing version number.

There is only one active process definition in the engine.

They must be re-named in order to be versioned by the engine.

Multiple Choice

74)

Which task types can be implemented and used within Camunda for semi- or fully automated steps?

Business Rule Task

Undefined Task

User Task

Manual Task

Receive Task

Multiple Choice

75)

Where can you use forms in a BPMN diagram?

User tasks only

User tasks and start events

Start events, user tasks and end events

User tasks and receive tasks

Multiple Choice

76)

Where can scripting be used in Camunda BPM?

To complete a user task

At a point where you want to define a payload with a template

To evaluate the conditions of sequence flows

To start a process instance

To perform a script task

Multiple Choice

77)

Please select one or more answers that would complete the following sentence:

Business-IT-Alignment...

can never be achieved.

needs readable process diagrams.

needs executable process diagrams.

is only possible when business analysts work with Eclipse.