AEP FROM ZERO • PART 3 • PROVE WHAT WORKED (CJA)

EPISODE 30

Fallout, Flow and Cohort Analysis in CJA

CJA fallout, flow and cohort analysis explained from zero: how a Customer Journey Analytics fallout visualization counts people through a funnel, and how Eventual path, Next event and the Person or Session container change the answer. Bloom builds a five-step funnel from journey entry to purchase, breaks the add-to-cart step down by device and loyalty band, and finds the leak at checkout, on mobile, among non-Gold customers, then uses segment comparison and names a confounder before claiming

Previously: from credit to people

- Last time: the same money, three different stories
- Anjali got ranges, a named model and a window
- Today: fallout, flow and cohort tables
- Segment comparison and confounders
- A holdout result, reported honestly

KEY IDEA

Last time, Rohan refereed the revenue fight with ranges. Today the questions are about people: where they drop out, and who comes back.


Anjali's three questions about people

- Where do people drop between journey and purchase?
- Did Cart Rescue v1 really recover anyone?
- Do New This Month customers come back?
- Attribution argues about credit
- Fallout, flow and cohorts follow people

KEY IDEA

Two weeks into the relaunch, Anjali asks where customers drop out, whether Cart Rescue recovered anyone, and whether new customers come back.

What is a fallout report in CJA?



KEY IDEA

A fallout counts people through a sequence of steps you define, and shows how many continued and how many dropped at each one.

Reading Bloom's five steps

Step	People	Continued
Entry to email click	2,000 to 620	31%
Click to site visit	620 to 540	87%
Site visit to add to cart	540 to 300	56%
Add to cart to purchase	300 to 132	44%

Bloom fallout, relaunch fortnight, people

KEY IDEA

The biggest drop, entry to click, is normal for email. The interesting one is add to cart to purchase: more than half the carts never became orders.


Fallout settings that change the answer

Setting	Option	What it means
Path per touchpoint	Eventual path (default)	Any time later
Path per touchpoint	Next event	The very next event
Container	Person (default)	Across visits and days
Container	Session	Inside one visit

KEY IDEA

Eventual path lets a step happen any time later; Next event demands the very next one. Person follows people across visits; Session stays inside one.

Invalid container within segment



KEY IDEA

A segment used as a touchpoint must use a lower container than the fallout. Kavya's Person segment failed; the dimension item worked.

Breaking down the leak

- Right-click the add to cart touchpoint
- Breakdown fallout at this touchpoint
- By device: far wider drop on mobile
- By loyalty band: wider for Silver and Bronze
- The leak: checkout, on mobile, non-Gold

KEY IDEA

Broken down by device and loyalty band, the add-to-cart step showed where the leak concentrates: checkout, on mobile, among non-Gold customers.

Segment comparison: the engine behind why

Hold constant	Bloom's comparison
Same date range	The relaunch fortnight
Same steps and settings	Five touchpoints, Eventual path, Person
Group A	Mobile, non-Gold shoppers
Group B	Everyone else

KEY IDEA

Most why questions are answered by comparing two groups side by side, with everything else held constant: same window, same steps, same settings.

Confounders and the honest sentence

- Seen: mobile non-Gold shoppers leak at checkout
- Possible confounder: newer customers, smaller carts
- Association is not causation
- Honest sentence: X is associated with Y
- To test whether it causes it, we would do Z

KEY IDEA

A confounder is a third factor that explains an apparent link. Mobile shoppers may simply be newer customers with smaller carts.

Does a CJA flow count people?

- Flow: the paths before and after a point
- Anchors: Starts with, Contains, Ends with
- Each node counts path views, not people
- Include repeat instances: off by default
- Flow container: Person or Session

KEY IDEA

No. A flow node counts path views, not people. One shopper who walks the same path in two visits can be counted twice.

Fallout vs Flow in CJA

	Fallout	Flow
Question	Who continues, who drops?	Where do people go next?
Path	Steps you define	Paths people actually took
Counts	People	Path views
Best for	A predefined sequence	Exploring around one point

KEY IDEA

Fallout checks a sequence you define and counts people. Flow shows the paths people actually took and counts path views.

What is a cohort table?

Read along	What it tells you
A row	How one cohort behaves as it ages
A column	Cohorts compared at the same age
The first column	Each cohort's day-seven repeat rate
A diagonal	One calendar week across every cohort

KEY IDEA

A cohort table groups people by a start week and tracks one behaviour over the weeks that follow. Rows, columns and diagonals tell different stories.

Bloom's day-seven repeat, read honestly

First order in	First 7 days	Second week	Third week
Week 2 (before)	6%	9%	4%
Week 3 (relaunch)	10%	4%	
Week 4 (relaunch)	7%		

Illustrative numbers for practice, not Bloom results

KEY IDEA

Down the first column, day-seven repeat looks better since the relaunch. The diagonal shows relaunch week lifted every cohort, so Welcome v1 cannot take all the credit.

Did Cart Rescue recover anyone?

Cart Rescue v1, relaunch fortnight	Recovery
Got the journey	11.8%
Holdout: sent nothing	7.9%
Difference	About 4 points
Rohan's verdict	Soft: only two weeks of data

KEY IDEA

The Cart Rescue journey group recovered 11.8 percent against 7.9 percent for the holdout. Rohan calls it soft, because it is only two weeks of data.

Interview corner

- A drop-off is a question, not a conclusion
- Fallout counts people; flow counts path views
- Break down the step, then compare segments
- Name the confounder and the test

KEY IDEA

A drop-off is a question, not a conclusion.

Recap, your question, and the next step

- Fallout counts people: name path and container
- Break down the leaky step; compare segments
- Name the confounder before the cause
- Flow counts path views; cohorts: read the diagonal
- Next: turn the leakers into an audience

KEY IDEA

Fallout counts people; break down, compare and name confounders; flow counts path views; read the diagonal. Next: closing the loop.