


CYBER SECURITY ASSESSMENT REPORT



EdgeDX CO.,LTD.

Assessment Date: August 10, 2023
Assessed by: EdgeDX.,LTD. using Greenborn Security Manager

✓	Summary of Cyber Security Assessment.....	3
●	Assessment Product	4
	1. Identification and authentication	4
	2. Data security	4
	3. Password	4
	4. Software security	5
	5. Update and technical support	5
	6. Operating system and network security	5
✓	Notice.....	7
	Appendix.....	8
	Greenborn Scan Report	8

✓ Summary of Cyber Security Assessment

Utilizing the Greenborn Cybersecurity Manager scanning program, EdgeDx evaluated the overall cybersecurity posture of the AI Bridge Pro product. This assessment was conducted based on the criteria outlined in the IoT cybersecurity testing standards set by the Korea Internet & Security Agency (KISA).

This report aims to offer a comprehensive summary of the risks impacting the confidentiality, integrity, and availability of both the AI Bridge Pro product and the data generated, received, processed, maintained, or transmitted by the EdgeDX information system.

During the assessment, EdgeDX demonstrated strong security measures in place to safeguard their AI video analytics products. The use of robust encryption protocols was observed, ensuring the confidentiality of data during transmission and storage. Furthermore, effective access controls and authentication mechanisms were found to be well-implemented, minimizing the risk of unauthorized access.

Overall, the cyber security assessment indicates that EdgeDX places a high priority on protecting their AI video analytics products against potential cyber threats.

EdgeDX's dedication to implementing the KISA-recommended security criteria and continuous efforts to enhance their security posture make EdgeDX products a reliable choice for customers seeking strong cyber defense capabilities.

※ Please refer to the Scan Report in the Appendix for the evaluation details of Greenborn cybersecurity.

● Assessment Product

1. Product name: AI Bridge Pro(AIB-TS2-08)
2. Firmware version: 60310.1.102200.101 or later version
3. Evaluation criteria and assessment details based on KISA's evaluation items.

1. Identification and authentication

Certification Area			Description	Result
	●	Using safe authentication information	Initial authentication information must be changed or created, and the safety of authentication information must be verified.	○
	●	User authentication and privilege management	When accessing management functions or critical information, user authentication should be performed, and only the minimum privilege required for service use should be granted.	○
	●	Limiting unauthorized cross authentication	When connecting to other devices or transmitting critical information, authentication to confirm that the device's identification information is reliable must be done first.	○
	●	Limiting repeated authentication attempts	If user authentication fails consecutively, repeated authentication attempts should be limited.	○
	●	Preventing information exposure	Authentication information should not be exposed on the output device, and feedback information about the reason for authentication failure should not be provided.	○
	●	Safe session management	If the session is not used for a certain period of time after connection, the session should be locked or terminated, and session information should be prevented from being reused upon reconnection.	○

2. Data security

Certification Area			Description	Result
	●	Protection of transmitted data	Information must be encrypted to ensure confidentiality and integrity when it is transmitted.	○
	●	Protection of stored data	Critical information must not be hard-coded in the source code, and must be encrypted when stored.	○
	●	Personal information legal compliance	When personal information is collected and processed, legal requirements related to personal information must be complied with.	○
	●	Deleting critical information completely	It must be possible to completely delete critical information so that recovery is impossible.	○

3. Password

Certification Area			Description	Result
	●	Use of secure encryption algorithms	When critical information is transmitted or stored, the secure encryption algorithm should be used.	○
	●	Creation of secure encryption keys	A unique encryption key must be created for each device.	○

4. Software security

Certification Area			Description	Result
	●	Secure coding	Secure coding should be applied so that there is no security weakness in the source codes.	○
	●	Source code obfuscation	The obfuscation technique should be applied to minimize exposure of the source codes.	○
	●	Software security function test	Software security weaknesses and security functions must be tested to confirm that they work normally.	○
	●	Measures against known vulnerabilities	Whether there is a public security vulnerability should be analyzed and measures must be taken against it.	○
	●	Removing unnecessary functions and codes	Unnecessary functions and codes for operation such as codes/comments for debugging and testing should be removed.	○
	●	Applying secure software	A secure version of public/commercial software to which the latest security patch is applied must be installed.	○
	●	Audit record	Audit records of security events that occur in the process of device operation should be created and protected safely.	○

5. Update and technical support

Certification Area			Description	Result
	●	Checking model name and product information	A means to verify the identification information of the device model name and product information (software and firmware) must be provided.	○
	●	Performing safe update	Before update, the update server must be verified and whether the user is authorized must be checked.	○
	●	Ensuring the safety of update files	Unauthorized persons should not be allowed to access the update file, and it must be possible to detect forgery and alteration.	○
	●	Recovery in case of update failure	In case of update failure, it must be possible to restore it to the secure existing version.	○
	●	Providing update information	Information such as update notification should be provided to the user.	○

6. Operating system and network security

Certification Area			Description	Result
	●	Applying secure OS	The latest security patch must be applied to the OS, and it must be possible to continuously provide technical support.	○
	●	Unnecessary account control	Unnecessary accounts must be removed or disabled.	○
	●	Unnecessary service and port control	Unnecessary services and ports must be removed or disabled.	○
	●	Disabling unnecessary network interfaces	Unnecessary network interfaces must be disabled.	○

●	Verifying the integrity of exec codes and configuration files	Response functions should be provided, such as verifying the integrity of the exec codes and configuration files, and restoring them to a safe state when verification fails.	○
●	Restoring the system in case of failure	After recovery from unexpected external factors such as power supply interruption and communication failure, system service should be restored to a normal state.	○
●	Minimizing the access privilege	Only the minimum access privilege necessary for functions and service operation must be set.	○
●	Blocking the installation and execution of unauthorized software	Unauthorized software must be blocked so that it is not installed or executed.	○
●	Remote access control	Remote access is required in an environment where access control, authentication, and security channels are applied.	○
●	Network traffic control	Unauthorized network traffic must be blocked.	○

✓ Notice

It is essential to acknowledge that the results of this assessment do not imply a flawlessly secure product without vulnerabilities. The purpose of this assessment is to collaboratively work towards creating products with enhanced security, involving trusted third parties.

Please be aware that attempting to exploit the vulnerability information mentioned in this report or engaging in illegal access to the operating system can result in legal consequences. It is vital to approach the information with utmost responsibility and adhere to ethical practices in handling and addressing any security issues.

Unauthorized use, reproduction, and distribution of this report without the publisher's permission are prohibited.

Signature: _____

EdgeDX CO.,LTD.

306, Kolon Digital Tower Aston Bldg., 212 Gasandigital1-ro, Geumcheon-gu, SEOUL, 08502 KOREA

Date: August 18, 2023

Appendix

Greenborn Scan Report

Scanning software: Greenborn Security Manager
Product name: AI Bridge Pro(AIB-TS2-08)
Tested firmware version: 60310.1.102200.101 or later version

- What is the Greenbone Enterprise test report
- Continuous development of tests for newly discovered vulnerabilities based on CVEs, vendor advisories and other sources
- Over 150,000 vulnerability tests
- Highest and measurable quality of remote and authenticated detection
- Fast availability of tests for new vulnerabilities
- Multi-stage quality assurance process for each vulnerability test we provide
- Vulnerability coverage with over 10 years of experience
- Compliance policies for CIS Benchmarks and IT-Grundschutz

August 10, 2023

Summary

This document reports on the results of an automatic security scan. All dates are displayed using the timezone Coordinated Universal Time , which is abbreviated UTC . The task was AIBridge Scan . The scan started at Thu Aug 10 06:38:00 2023 UTC and ended at Thu Aug 10 06:55:13 2023 UTC. The report rst summarises the results found. Then, for each host, the report describes every issue found. Please consider the advice given in each description, in order to rectify the issue.

Contents

1 Result Overview2

2 Results per Host2

2.1 192.168.77.111. 2

2.1.1 Log 8443/tcp.....2

2.1.2 Log general/tcp.....17

2.1.3 Log general/CPE-T20

2.1.4 Log 5554/tcp.....21

2.1.5 Log 80/tcp.....22

1Result Overview

Host	High	Medium	Low	Log	False Positive
192.168.77.111	0	0	0	28	0
Total: 1	0	0	0	28	0

Vendor security updates are not trusted.

Overrides are 0. Even when a result has an override, this report uses the actual threat of the result.

Information on overrides is included in the report.

Notes are included in the report.

This report might not show details of all issues that were found.

Issues with the threat level High are not shown.

Issues with the threat level Medium are not shown.

Issues with the threat level Low are not shown.

Issues with the threat level Log are not shown.

Issues with the threat level Debug are not shown.

Issues with the threat level False Positive are not shown.

Only results with a minimum QoD of 70 are shown.

This report contains all 28 results selected by the filtering described above. Before filtering there were 29 results.

2Results per Host

2.1192.168.77.111

Host scan start Thu Aug 10 06:39:17 2023 UTC

Host scan end Thu Aug 10 06:55:05 2023 UTC

Service (Port)	Threat Level
8443/tcp	Log
general/tcp	Log
general/CPE-T	Log
5554/tcp	Log
80/tcp	Log

2.1.1 Log 8443/tcp

Log (CVSS: 0.0)

NVT: Services

Summary

. . . continues on next page . . .

...continued from previous page ...
This plugin performs service detection.
Vulnerability Detection Result A TLScustom server answered on this port
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2023-06-14T05:05:19Z

Log (CVSS: 0.0) NVT: Services
Summary This plugin performs service detection.
Vulnerability Detection Result A web server is running on this port through SSL
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2023-06-14T05:05:19Z

Log (CVSS: 0.0) NVT: SSL/TLS: Version Detection
Summary Enumeration and reporting of SSL/TLS protocol versions supported by a remote service.
... continues on next page ...

...continued from previous page ...

Vulnerability Detection Result

The remote SSL/TLS service supports the following SSL/TLS protocol version(s): TLSv1.2
 TLSv1.3

Solution:**Log Method**

Sends multiple connection requests to the remote service and attempts to determine the SSL/TLS protocol versions supported by the service from the replies.

Note: The supported SSL/TLS protocol versions included in the report of this VT are reported independently from the allowed / supported SSL/TLS ciphers.

Details: SSL/TLS: Version Detection

OID:1.3.6.1.4.1.25623.1.0.105782

Version used: 2021-12-06T15:42:24Z

Log (CVSS: 0.0)

NVT: SSL/TLS: Collect and Report Certificate Details

Summary

This script collects and reports the details of all SSL/TLS certificates.

This data will be used by other tests to verify server certificates.

Vulnerability Detection Result

The following certificate details of the remote service were collected. Certificate details:

```

fingerprint (SHA-1) | 5061C1B87073C2F060AC490F7B81FA8677BBEE31
fingerprint (SHA-256) | 5AEE08BB714503C5BAE330B884DE9EC8C4F58EE6521330
↳D1E5BC246422786DCA
issued by | 1.2.840.113549.1.9.1=#61646D696E406D792D61692D
↳6465766963652E636F6D,OU=AI Device,CN=my-ai-device.com,L=Portland,O=AI Company,
↳ST=OR,C=US
public key algorithm | RSA
public key size (bits) | 2048
serial | 15C6CF3EF4C2F2C2A1B77989D1AAE8080882662C
signature algorithm | sha256WithRSAEncryption
subject | 1.2.840.113549.1.9.1=#61646D696E406D792D61692D
↳6465766963652E636F6D,OU=AI Device,CN=my-ai-device.com,L=Portland,O=AI Company,
↳ST=OR,C=US
subject alternative names (SAN) | None
valid from | 2021-10-13 10:33:32 UTC
valid until | 2029-10-31 10:33:32 UTC

```

Solution:

... continues on next page ...

...continued from previous page ...

Log Method

Details: SSL/TLS: Collect and Report Certificate Details OID:1.3.6.1.4.1.25623.1.0.103692

Version used: 2023-02-17T10:19:33Z

Log (CVSS: 0.0)**NVT: SSL/TLS: Certificate - Self-Signed Certificate Detection****Summary**

The SSL/TLS certificate on this port is self-signed.

Vulnerability Detection Result

The certificate of the remote service is self signed. Certificate

details:

fingerprint (SHA-1)	5061C1B87073C2F060AC490F7B81FA8677BBEE31
fingerprint (SHA-256)	5AEE08BB714503C5BAE330B884DE9EC8C4F58EE6521330
↔D1E5BC246422786DCA	
issued by	1.2.840.113549.1.9.1=#61646D696E406D792D61692D
↔6465766963652E636F6D,OU=AI Device,CN=my-ai-device.com,L=Portland,O=AI Company,	
↔ST=OR,C=US	
public key algorithm	RSA
public key size (bits)	2048
serial	15C6CF3EF4C2F2C2A1B77989D1AAE8080882662C
signature algorithm	sha256WithRSAEncryption
subject	1.2.840.113549.1.9.1=#61646D696E406D792D61692D
↔6465766963652E636F6D,OU=AI Device,CN=my-ai-device.com,L=Portland,O=AI Company,	
↔ST=OR,C=US	
subject alternative names (SAN) None	
valid from	2021-10-13 10:33:32 UTC
valid until	2089-10-31 10:33:32 UTC

Solution:**Log Method**

Details: SSL/TLS: Certificate - Self-Signed Certificate Detection OID:1.3.6.1.4.1.25623.1.0.103140

Version used: 2021-11-22T15:32:39Z

Referencesurl: http://en.wikipedia.org/wiki/Self-signed_certificate

Log (CVSS: 0.0) NVT: SSL/TLS: Certificate Too Long Valid																												
Summary The remote server's SSL/TLS certificate expiration date is too far in the future.																												
Vulnerability Detection Result The certificate of the remote service is valid for more than 15 years from now and will expire on 2089-10-31 10:33:32. Certificate details: <table><tr><td>fingerprint (SHA-1)</td><td> 5061C1B87073C2F060AC490F7B81FA8677BBEE31</td></tr><tr><td>fingerprint (SHA-256)</td><td> 5AEE08BB714503C5BAE330B884DE9EC8C4F58EE6521330</td></tr><tr><td colspan="2">↔D1E5BC246422786DCA</td></tr><tr><td>issued by</td><td> 1.2.840.113549.1.9.1=#61646D696E406D792D61692D</td></tr><tr><td colspan="2">↔6465766963652E636F6D,OU=AI Device,CN=my-ai-device.com,L=Portland,O=AI Company,↔ST=OR,C=US</td></tr><tr><td>public key algorithm</td><td> RSA</td></tr><tr><td>public key size (bits)</td><td> 2048</td></tr><tr><td>serial</td><td> 15C6CF3EF4C2F2C2A1B77989D1AAE8080882662C</td></tr><tr><td>signature algorithm</td><td> sha256WithRSAEncryption</td></tr><tr><td>subject</td><td> 1.2.840.113549.1.9.1=#61646D696E406D792D61692D</td></tr><tr><td colspan="2">↔6465766963652E636F6D,OU=AI Device,CN=my-ai-device.com,L=Portland,O=AI Company,↔ST=OR,C=US</td></tr><tr><td colspan="2">subject alternative names (SAN) None</td></tr><tr><td>valid from</td><td> 2021-10-13 10:33:32 UTC</td></tr><tr><td>valid until</td><td> 2089-10-31 10:33:32 UTC</td></tr></table>	fingerprint (SHA-1)	5061C1B87073C2F060AC490F7B81FA8677BBEE31	fingerprint (SHA-256)	5AEE08BB714503C5BAE330B884DE9EC8C4F58EE6521330	↔D1E5BC246422786DCA		issued by	1.2.840.113549.1.9.1=#61646D696E406D792D61692D	↔6465766963652E636F6D,OU=AI Device,CN=my-ai-device.com,L=Portland,O=AI Company,↔ST=OR,C=US		public key algorithm	RSA	public key size (bits)	2048	serial	15C6CF3EF4C2F2C2A1B77989D1AAE8080882662C	signature algorithm	sha256WithRSAEncryption	subject	1.2.840.113549.1.9.1=#61646D696E406D792D61692D	↔6465766963652E636F6D,OU=AI Device,CN=my-ai-device.com,L=Portland,O=AI Company,↔ST=OR,C=US		subject alternative names (SAN) None		valid from	2021-10-13 10:33:32 UTC	valid until	2089-10-31 10:33:32 UTC
fingerprint (SHA-1)	5061C1B87073C2F060AC490F7B81FA8677BBEE31																											
fingerprint (SHA-256)	5AEE08BB714503C5BAE330B884DE9EC8C4F58EE6521330																											
↔D1E5BC246422786DCA																												
issued by	1.2.840.113549.1.9.1=#61646D696E406D792D61692D																											
↔6465766963652E636F6D,OU=AI Device,CN=my-ai-device.com,L=Portland,O=AI Company,↔ST=OR,C=US																												
public key algorithm	RSA																											
public key size (bits)	2048																											
serial	15C6CF3EF4C2F2C2A1B77989D1AAE8080882662C																											
signature algorithm	sha256WithRSAEncryption																											
subject	1.2.840.113549.1.9.1=#61646D696E406D792D61692D																											
↔6465766963652E636F6D,OU=AI Device,CN=my-ai-device.com,L=Portland,O=AI Company,↔ST=OR,C=US																												
subject alternative names (SAN) None																												
valid from	2021-10-13 10:33:32 UTC																											
valid until	2089-10-31 10:33:32 UTC																											
Solution: Solution type: Mitigation Replace the SSL/TLS certificate by a new one.																												
Vulnerability Insight This script checks expiry dates of certificates associated with SSL/TLS-enabled services on the target and reports whether any do not have a reasonable expiration date.																												
Log Method Details: SSL/TLS: Certificate Too Long Valid OID:1.3.6.1.4.1.25623.1.0.103958 Version used: 2021-11-22T15:32:39Z																												

Log (CVSS: 0.0) NVT: SSL/TLS: HTTP Public Key Pinning (HPKP) Missing
Summary The remote web server is not enforcing HPKP. Note: Most major browsers have dropped / deprecated support for this header in 2020.
. . . continues on next page . . .

...continued from previous page ...

Vulnerability Detection Result

The remote web server is not enforcing HPKP. HTTP-

Banner:

HTTP/1.1 200 OK

Date: ***replaced***

Content-Type: text/html; charset=utf-8 Content-

Length: ***replaced*** Connection: close

Vary: Accept-Encoding

Content-Disposition: inline; filename=index.html Last-

Modified: ***replaced***

Cache-Control: no-cache

Cache-Control: no-store, no-cache, must-revalidate, max-age=0

Solution:

Solution type: Workaround

Enable HPKP or add / configure the required directives correctly following the guides linked in the references.

Note: Some web servers are not sending headers on specific status codes by default. Please review your web server or application configuration to always send these headers on every response independently from the status code.

- Apache: Use 'Header always set' instead of 'Header set'.

- nginx: Append the 'always' keyword to each 'add_header' directive.

For different applications or web servers please refer to the related documentation for a similar configuration possibility.

Log Method

Details: SSL/TLS: HTTP Public Key Pinning (HPKP) Missing OID:1.3.6.1.4.1.25623.1.0.108247

Version used: 2023-07-25T05:05:58Z

References

url: <https://owasp.org/www-project-secure-headers/>

url: <https://owasp.org/www-project-secure-headers/#public-key-pinning-extension-for-http-hpkp>

url: <https://tools.ietf.org/html/rfc7469> url:

<https://securityheaders.io/>

url: https://httpd.apache.org/docs/current/mod/mod_headers.html#header

url: https://nginx.org/en/docs/http/nginx_http_headers_module.html#add_header

Log (CVSS: 0.0)

NVT: SSL/TLS: HTTP Strict Transport Security (HSTS) Missing

Summary

... continues on next page ...

...continued from previous page ...

The remote web server is not enforcing HSTS.

Vulnerability Detection Result

The remote web server is not enforcing HSTS. HTTP-

Banner:

HTTP/1.1 200 OK

Date: ***replaced***

Content-Type: text/html; charset=utf-8 Content-

Length: ***replaced*** Connection: close

Vary: Accept-Encoding

Content-Disposition: inline; filename=index.html Last-

Modified: ***replaced***

Cache-Control: no-cache

Cache-Control: no-store, no-cache, must-revalidate, max-age=0

Solution:

Solution type: Workaround

Enable HSTS or add / configure the required directives correctly following the guides linked in the references.

Note: Some web servers are not sending headers on specific status codes by default. Please review your web server or application configuration to always send these headers on every response independently from the status code.

- Apache: Use 'Header always set' instead of 'Header set'.

- nginx: Append the 'always' keyword to each 'add_header' directive.

For different applications or web servers please refer to the related documentation for a similar configuration possibility.

Log Method

Details: SSL/TLS: HTTP Strict Transport Security (HSTS) Missing OID:1.3.6.1.4.1.25623.1.0.105879

Version used: 2023-07-20T05:05:17Z

References

url: <https://owasp.org/www-project-secure-headers/>

url: https://owasp.org/www-project-secure-headers/cheatsheets/HTTP_Strict_Transport_Security_Cheat_Sheet.html

url: <https://owasp.org/www-project-secure-headers/#http-strict-transport-security-hsts>

url: <https://tools.ietf.org/html/rfc6797> url:

<https://securityheaders.io/>

url: https://httpd.apache.org/docs/current/mod/mod_headers.html#header

url: https://nginx.org/en/docs/http/ngx_http_headers_module.html#add_header

Log (CVSS: 0.0) NVT: SSL/TLS: Report Perfect Forward Secrecy (PFS) Cipher Suites
Summary This routine reports all SSL/TLS cipher suites accepted by a service which are supporting Perfect Forward Secrecy (PFS).
Vulnerability Detection Result Cipher suites supporting Perfect Forward Secrecy (PFS) are accepted by this service via the TLSv1.2 protocol: TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256 TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 TLS_ECDHE_RSA_WITH_ARIA_128_GCM_SHA256 TLS_ECDHE_RSA_WITH_ARIA_256_GCM_SHA384 TLS_ECDHE_RSA_WITH_CAMELLIA_128_CBC_SHA256 TLS_ECDHE_RSA_WITH_CAMELLIA_256_CBC_SHA384 TLS_ECDHE_RSA_WITH_CHACHA20_POLY1305_SHA256 Cipher suites supporting Perfect Forward Secrecy (PFS) are accepted by this service via the TLSv1.3 protocol: TLS_AES_128_GCM_SHA256 TLS_AES_256_GCM_SHA384 TLS_CHACHA20_POLY1305_SHA256
Solution:
Log Method Details: SSL/TLS: Report Perfect Forward Secrecy (PFS) Cipher Suites OID:1.3.6.1.4.1.25623.1.0.105018 Version used: 2021-12-09T13:40:52Z

Log (CVSS: 0.0) NVT: SSL/TLS: Report Medium Cipher Suites
Summary This routine reports all Medium SSL/TLS cipher suites accepted by a service.
Vulnerability Detection Result 'Medium' cipher suites accepted by this service via the TLSv1.2 protocol: TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256 TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA ... continues on next page ...

...continued from previous page ...
TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 TLS_ECDHE_RSA_WITH_ARIA_128_GCM_SHA256 TLS_ECDHE_RSA_WITH_ARIA_256_GCM_SHA384 TLS_ECDHE_RSA_WITH_CAMELLIA_128_CBC_SHA256 TLS_ECDHE_RSA_WITH_CAMELLIA_256_CBC_SHA384 TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA256 TLS_RSA_WITH_AES_128_CCM TLS_RSA_WITH_AES_128_CCM_8 TLS_RSA_WITH_AES_128_GCM_SHA256 TLS_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA256 TLS_RSA_WITH_AES_256_CCM TLS_RSA_WITH_AES_256_CCM_8 TLS_RSA_WITH_AES_256_GCM_SHA384 TLS_RSA_WITH_ARIA_128_GCM_SHA256 TLS_RSA_WITH_ARIA_256_GCM_SHA384 TLS_RSA_WITH_CAMELLIA_128_CBC_SHA TLS_RSA_WITH_CAMELLIA_128_CBC_SHA256 TLS_RSA_WITH_CAMELLIA_256_CBC_SHA TLS_RSA_WITH_CAMELLIA_256_CBC_SHA256 'Medium' cipher suites accepted by this service via the TLSv1.3 protocol: TLS_AES_128_GCM_SHA256
Solution:
Vulnerability Insight Any cipher suite considered to be secure for only the next 10 years is considered as medium.
Log Method Details: SSL/TLS: Report Medium Cipher Suites OID:1.3.6.1.4.1.25623.1.0.902816 Version used: 2021-12-01T13:10:37Z

Log (CVSS: 0.0) NVT: SSL/TLS: Report Non Weak Cipher Suites
Summary This routine reports all Non Weak SSL/TLS cipher suites accepted by a service.
Vulnerability Detection Result 'Non Weak' cipher suites accepted by this service via the TLSv1.2 protocol: TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256 TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 . . . continues on next page . . .

...continued from previous page ...

TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA
 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384
 TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384
 TLS_ECDHE_RSA_WITH_ARIA_128_GCM_SHA256
 TLS_ECDHE_RSA_WITH_ARIA_256_GCM_SHA384
 TLS_ECDHE_RSA_WITH_CAMELLIA_128_CBC_SHA256
 TLS_ECDHE_RSA_WITH_CAMELLIA_256_CBC_SHA384
 TLS_ECDHE_RSA_WITH_CHACHA20_POLY1305_SHA256
 TLS_RSA_WITH_AES_128_CBC_SHA
 TLS_RSA_WITH_AES_128_CBC_SHA256
 TLS_RSA_WITH_AES_128_CCM
 TLS_RSA_WITH_AES_128_CCM_8
 TLS_RSA_WITH_AES_128_GCM_SHA256
 TLS_RSA_WITH_AES_256_CBC_SHA
 TLS_RSA_WITH_AES_256_CBC_SHA256
 TLS_RSA_WITH_AES_256_CCM
 TLS_RSA_WITH_AES_256_CCM_8
 TLS_RSA_WITH_AES_256_GCM_SHA384
 TLS_RSA_WITH_ARIA_128_GCM_SHA256
 TLS_RSA_WITH_ARIA_256_GCM_SHA384
 TLS_RSA_WITH_CAMELLIA_128_CBC_SHA
 TLS_RSA_WITH_CAMELLIA_128_CBC_SHA256
 TLS_RSA_WITH_CAMELLIA_256_CBC_SHA
 TLS_RSA_WITH_CAMELLIA_256_CBC_SHA256
 'Non Weak' cipher suites accepted by this service via the TLSv1.3 protocol: TLS_AES_128_GCM_SHA256
 TLS_AES_256_GCM_SHA384
 TLS_CHACHA20_POLY1305_SHA256

Solution:

Log Method

Details: SSL/TLS: Report Non Weak Cipher Suites

OID:1.3.6.1.4.1.25623.1.0.103441

Version used: 2021-12-01T09:24:41Z

Log (CVSS: 0.0)

NVT: SSL/TLS: Report Supported Cipher Suites

Summary

This routine reports all SSL/TLS cipher suites accepted by a service.

Vulnerability Detection Result

'Strong' cipher suites accepted by this service via the TLSv1.2 protocol:

TLS_ECDHE_RSA_WITH_CHACHA20_POLY1305_SHA256

'Medium' cipher suites accepted by this service via the TLSv1.2 protocol:

... continues on next page ...

...continued from previous page ...

TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA
 TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256
 TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256
 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA
 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384
 TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384
 TLS_ECDHE_RSA_WITH_ARIA_128_GCM_SHA256
 TLS_ECDHE_RSA_WITH_ARIA_256_GCM_SHA384
 TLS_ECDHE_RSA_WITH_CAMELLIA_128_CBC_SHA256
 TLS_ECDHE_RSA_WITH_CAMELLIA_256_CBC_SHA384
 TLS_RSA_WITH_AES_128_CBC_SHA
 TLS_RSA_WITH_AES_128_CBC_SHA256
 TLS_RSA_WITH_AES_128_CCM
 TLS_RSA_WITH_AES_128_CCM_8
 TLS_RSA_WITH_AES_128_GCM_SHA256
 TLS_RSA_WITH_AES_256_CBC_SHA
 TLS_RSA_WITH_AES_256_CBC_SHA256
 TLS_RSA_WITH_AES_256_CCM
 TLS_RSA_WITH_AES_256_CCM_8
 TLS_RSA_WITH_AES_256_GCM_SHA384
 TLS_RSA_WITH_ARIA_128_GCM_SHA256
 TLS_RSA_WITH_ARIA_256_GCM_SHA384
 TLS_RSA_WITH_CAMELLIA_128_CBC_SHA
 TLS_RSA_WITH_CAMELLIA_128_CBC_SHA256
 TLS_RSA_WITH_CAMELLIA_256_CBC_SHA
 TLS_RSA_WITH_CAMELLIA_256_CBC_SHA256

No 'Weak' cipher suites accepted by this service via the TLSv1.2 protocol. No
 'Null' cipher suites accepted by this service via the TLSv1.2 protocol.

No 'Anonymous' cipher suites accepted by this service via the TLSv1.2 protocol. 'Strong' cipher
 suites accepted by this service via the TLSv1.3 protocol: TLS_AES_256_GCM_SHA384
 TLS_CHACHA20_POLY1305_SHA256

'Medium' cipher suites accepted by this service via the TLSv1.3 protocol: TLS_AES_128_GCM_SHA256

No 'Weak' cipher suites accepted by this service via the TLSv1.3 protocol. No
 'Null' cipher suites accepted by this service via the TLSv1.3 protocol.

No 'Anonymous' cipher suites accepted by this service via the TLSv1.3 protocol.

Solution:

Vulnerability Insight

Notes:

- As the VT 'SSL/TLS: Check Supported Cipher Suites' (OID: 1.3.6.1.4.1.25623.1.0.900234)
 might run into a timeout the actual reporting of all accepted cipher suites takes place in this VT
 instead.

... continues on next page ...

...continued from previous page ...

- SSLv2 ciphers are not getting reported as the protocol itself is deprecated, needs to be considered as weak and is reported separately as deprecated.

Log Method

Details: SSL/TLS: Report Supported Cipher Suites

OID:1.3.6.1.4.1.25623.1.0.802067

Version used: 2022-08-25T10:12:37Z

Log (CVSS: 0.0)

NVT: SSL/TLS: Safe/Secure Renegotiation Support Status

Summary

Checks and reports if a remote SSL/TLS service supports safe/secure renegotiation.

Vulnerability Detection Result

Protocol Version | Safe/Secure Renegotiation Support Status

```

-----
<-->-----
<-->-----
SSLv3          | Unknown, Reason: Scanner failed to negotiate an SSL/TLS
conne
<-->ction (Either the scanner or the remote host is probably not supporting /
acce
<-->pting this SSL/TLS protocol version).
TLSv1.0        | Unknown, Reason: Scanner failed to negotiate an SSL/TLS
conne
<-->ction (Either the scanner or the remote host is probably not supporting /
acce
<-->pting this SSL/TLS protocol version).
TLSv1.1        | Unknown, Reason: Scanner failed to negotiate an SSL/TLS
conne
<-->ction (Either the scanner or the remote host is probably not supporting /
acce
<-->pting this SSL/TLS protocol version).
TLSv1.2        | Enabled, Note: While the remote service announces the
support
<--> of safe/secure renegotiation it still might not support / accept renegotiatio
<-->n at all.
TLSv1.3        | Disabled (The TLSv1.3 protocol generally doesn't support rene
<-->gotiation so this is always reported as 'Disabled')
```

Solution:

Log Method

Details: SSL/TLS: Safe/Secure Renegotiation Support Status OID:1.3.6.1.4.1.25623.1.0.117757

Version used: 2021-11-12T09:42:39Z

References

url: https://www.gnutls.org/manual/html_node/Safe-renegotiation.html url:

<https://wiki.openssl.org/index.php/TLS1.3#Renegotiation>

url: <https://datatracker.ietf.org/doc/html/rfc5746>

Log (CVSS: 0.0) NVT: SSL/TLS: Untrusted Certificate Detection
Summary Checks and reports if a remote SSL/TLS service is using a certificate which is untrusted / the verification against the system wide trust store has failed.
Vulnerability Detection Result The remote SSL/TLS server is using the following certificate(s) which failed the ↔ verification against the system wide trust store (serial:issuer): 15C6CF3EF4C2F2C2A1B77989D1AAE8080882662C:1.2.840.113549.1.9.1=#61646D696E406D792 ↔ D61692D6465766963652E636F6D,OU=AI Device,CN=my-ai-device.com,L=Portland,O=AI C ↔ ompany,ST=OR,C=US (Server certificate)
Solution:
Log Method Details: SSL/TLS: Untrusted Certificate Detection OID:1.3.6.1.4.1.25623.1.0.117764 Version used: 2021-11-12T09:42:39Z

Log (CVSS: 0.0) NVT: CGI Scanning Consolidation
Summary The script consolidates various information for CGI scanning. This information is based on the following scripts / settings: - HTTP-Version Detection (OID: 1.3.6.1.4.1.25623.1.0.100034) - No 404 check (OID: 1.3.6.1.4.1.25623.1.0.10386) - Web mirroring / webmirror.nasl (OID: 1.3.6.1.4.1.25623.1.0.10662) - Directory Scanner / DDI_Directory_Scanner.nasl (OID: 1.3.6.1.4.1.25623.1.0.11032) - The configured 'cgi_path' within the 'Scanner Preferences' of the scan config in use - The configured 'Enable CGI scanning', 'Enable generic web application scanning' and 'Add historic /scripts and /cgi-bin to directories for CGI scanning' within the 'Global variable settings' of the scan config in use If you think any of this information is wrong please report it to the referenced community forum.
Vulnerability Detection Result The Hostname/IP "192.168.77.111" was used to access the remote host. Generic web application scanning is disabled for this host via the "Enable generic ↔ web application scanning" option within the "Global variable settings" of the ↔ scan config in use. Requests to this service are done via HTTP/1.1. This service seems to be able to host PHP scripts. This service seems to be able to host ASP scripts. The User-Agent "Mozilla/5.0 [en] (X11, U; Greenbone OS 22.04.13)" was used to ac ... continues on next page ...

...continued from previous page ...
Access the remote host. Historic /scripts and /cgi-bin are not added to the directories used for CGI scanning. You can enable this again with the "Add historic /scripts and /cgi-bin to directories for CGI scanning" option within the "Global variable settings" of the scan config in use. The following directories were used for CGI scanning: https://192.168.77.111:8443/ https://192.168.77.111:8443/# https://192.168.77.111:8443/docs While this is not, in and of itself, a bug, you should manually inspect these directories to ensure that they are in compliance with company security standards The following directories were excluded from CGI scanning because the "Regex pattern to exclude directories from CGI scanning" setting of the VT "Global variable settings" (OID: 1.3.6.1.4.1.25623.1.0.12288) for this scan was: "/(index .php image img css js js/ javascript style theme icon jquery graphic grafik picture bilder thumbnail media/ skins?/)" https://192.168.77.111:8443/css https://192.168.77.111:8443/img https://192.168.77.111:8443/js The "Number of pages to mirror" setting (Current: 200) of the VT "Web mirroring" (OID: 1.3.6.1.4.1.25623.1.0.10662) was reached. Raising this limit allows to mirror this host more thoroughly but might increase the scanning time.
Solution:
Log Method Details: CGI Scanning Consolidation OID:1.3.6.1.4.1.25623.1.0.111038 Version used: 2023-06-22T10:34:15Z
References url: https://forum.greenbone.net/c/vulnerability-tests/7

Log (CVSS: 0.0) NVT: HTTP Security Headers Detection
Summary All known security headers are being checked on the remote web server. On completion a report will hand back whether a specific security header has been implemented (including its value and if it is deprecated) or is missing on the target.
Vulnerability Detection Result Missing Headers More Information ----- ----- ... continues on next page ...

...continued from previous page ...

Content-Security-Policy		https://owasp.org/www-project-secure-headers
Cross-Origin-Embedder-Policy		https://scotthelme.co.uk/coop-and-coep/ , Not
Cross-Origin-Opener-Policy		https://scotthelme.co.uk/coop-and-coep/ , Not
Cross-Origin-Resource-Policy		https://scotthelme.co.uk/coop-and-coep/ , Not
Document-Policy		https://w3c.github.io/webappsec-feature-poli
Expect-CT		https://owasp.org/www-project-secure-headers
Feature-Policy		https://owasp.org/www-project-secure-headers
Permissions-Policy		https://w3c.github.io/webappsec-feature-poli
Public-Key-Pins		Please check the output of the VTs
Referrer-Policy		https://owasp.org/www-project-secure-headers
Sec-Fetch-Dest		https://developer.mozilla.org/en-US/docs/Web
Sec-Fetch-Mode		https://developer.mozilla.org/en-US/docs/Web
Sec-Fetch-Site		https://developer.mozilla.org/en-US/docs/Web
Sec-Fetch-User		https://developer.mozilla.org/en-US/docs/Web
Strict-Transport-Security		Please check the output of the VTs
X-Content-Type-Options		https://owasp.org/www-project-secure-headers
X-Frame-Options		https://owasp.org/www-project-secure-headers
X-Permitted-Cross-Domain-Policies		https://owasp.org/www-project-secure-headers
X-XSS-Protection		https://owasp.org/www-project-secure-headers

... continues on next page ...

...continued from previous page ...
↵→/#x-xss-protection, Note: Most major browsers have dropped / deprecated support ↵→t for this header in 2020.
Solution:
Log Method Details: HTTP Security Headers Detection OID:1.3.6.1.4.1.25623.1.0.112081 Version used: 2021-07-14T06:19:43Z
References url: https://owasp.org/www-project-secure-headers/ url: https://owasp.org/www-project-secure-headers/#div-headers url: https://securityheaders.com/

[\[return to 192.168.77.111 \]](#)

2.1.2 Log general/tcp

Log (CVSS: 0.0) NVT: SSL/TLS: Hostname discovery from server certificate
Summary It was possible to discover an additional hostname of this server from its certificate Common or Subject Alt Name.
Vulnerability Detection Result The following additional but not resolvable hostnames were detected: my-ai-device.com
Solution:
Log Method Details: SSL/TLS: Hostname discovery from server certificate OID:1.3.6.1.4.1.25623.1.0.111010 Version used: 2021-11-22T15:32:39Z

Log (CVSS: 0.0) NVT: nginx Detection Consolidation
Summary Consolidation of nginx detections.
... continues on next page ...

...continued from previous page ...

Vulnerability Detection Result

Detected nginx

Version: unknown

Location: 80/tcp

CPE: cpe:/a:nginx:nginx

Concluded from version/product identification result:

<hr><center>nginx</center>

Concluded from version/product identification location: <http://192.168.77.111/>**Solution:****Log Method**

Details: nginx Detection Consolidation

OID:1.3.6.1.4.1.25623.1.0.113787

Version used: 2022-02-03T09:26:44Z

Referencesurl: <https://www.nginx.com/>

Log (CVSS: 0.0)

NVT: OS Detection Consolidation and Reporting

Summary

This script consolidates the OS information detected by several VTs and tries to find the best matching OS.

Furthermore it reports all previously collected information leading to this best matching OS. It also reports possible additional information which might help to improve the OS detection. If any of this information is wrong or could be improved please consider to report these to the referenced community forum.

Vulnerability Detection Result

Best matching OS:

OS: Linux Kernel

CPE: cpe:/o:linux:kernel

Found by VT: 1.3.6.1.4.1.25623.1.0.102002 (Operating System (OS) Detection (ICMP ↔P))

Concluded from ICMP based OS fingerprint

Setting key "Host/runs_unixoid" based on this information

Solution:**Log Method**

Details: OS Detection Consolidation and Reporting

... continues on next page ...

...continued from previous page ...
OID:1.3.6.1.4.1.25623.1.0.105937 Version used: 2023-08-09T05:05:14Z
References url: https://forum.greenbone.net/c/vulnerability-tests/7

Log (CVSS: 0.0) NVT: Traceroute
Summary Collect information about the network route and network distance between the scanner host and the target host.
Vulnerability Detection Result Network route from scanner (192.168.77.60) to target (192.168.77.111): 192.168.77.60 192.168.77.111 Network distance between scanner and target: 2
Solution:
Vulnerability Insight For internal networks, the distances are usually small, often less than 4 hosts between scanner and target. For public targets the distance is greater and might be 10 hosts or more.
Log Method A combination of the protocols ICMP and TCP is used to determine the route. This method is applicable for IPv4 only and it is also known as 'traceroute'. Details: Traceroute OID:1.3.6.1.4.1.25623.1.0.51662 Version used: 2022-10-17T11:13:19Z

Log (CVSS: 0.0) NVT: Unknown OS and Service Banner Reporting
Summary This VT consolidates and reports the information collected by the following VTs: - Collect banner of unknown services (OID: 1.3.6.1.4.1.25623.1.0.11154) - Service Detection (unknown) with nmap (OID: 1.3.6.1.4.1.25623.1.0.66286) - Service Detection (wrapped) with nmap (OID: 1.3.6.1.4.1.25623.1.0.108525) - OS Detection Consolidation and Reporting (OID: 1.3.6.1.4.1.25623.1.0.105937) If you know any of the information reported here, please send the full output to the referenced community forum.
... continues on next page ...

...continued from previous page ...

Vulnerability Detection Result

Unknown banners have been collected which might help to identify the OS running
 ↳ on this host. If these banners containing information about the host OS
 please
 ↳ report the following information to <https://forum.greenbone.net/c/vulnerability-tests/7>:

Banner: Server: RTSP Streaming Server 1.0

Identified from: RTSP Server banner on port 5554/tcp

Solution:

Log Method

Details: Unknown OS and Service Banner Reporting

OID:1.3.6.1.4.1.25623.1.0.108441

Version used: 2023-06-22T10:34:15Z

References

url: <https://forum.greenbone.net/c/vulnerability-tests/7>

Log (CVSS: 0.0)

NVT: Hostname Determination Reporting

Summary

The script reports information on how the hostname of the target was determined.

Vulnerability Detection Result

Hostname determination for IP 192.168.77.111:

Hostname|Source

192.168.77.111|IP-address

Solution:

Log Method

Details: Hostname Determination Reporting

OID:1.3.6.1.4.1.25623.1.0.108449

Version used: 2022-07-27T10:11:28Z

[\[return to 192.168.77.111 \]](#)

2.1.3 Log general/CPE-T

Log (CVSS: 0.0) NVT: CPE Inventory
Summary This routine uses information collected by other routines about CPE identities of operating systems, services and applications detected during the scan. Note: Some CPEs for specific products might show up twice or more in the output. Background: After a product got renamed or a specific vendor was acquired by another one it might happen that a product gets a new CPE within the NVD CPE Dictionary but older entries are kept with the older CPE.
Vulnerability Detection Result 192.168.77.111 cpe:/a:f5:nginx 192.168.77.111 cpe:/a:nginx:nginx 192.168.77.111 cpe:/o:linux:kernel
Solution:
Log Method Details: CPE Inventory OID:1.3.6.1.4.1.25623.1.0.810002 Version used: 2022-07-27T10:11:28Z
References url: https://nvd.nist.gov/products/cpe

[\[return to 192.168.77.111 \]](#)

2.1.4 Log 5554/tcp

Log (CVSS: 0.0) NVT: Service Detection with 'SIP' Request
Summary This plugin performs service detection.
Vulnerability Detection Result A streaming server seems to be running on this port.
Solution:
Vulnerability Insight This plugin is a complement of the plugin 'Services' (OID: 1.3.6.1.4.1.25623.1.0.10330). It sends a 'SIP OPTIONS' request to the remaining unknown services and tries to identify them. ... continues on next page ...

...continued from previous page ...

Log Method

Details: Service Detection with 'SIP' Request

OID:1.3.6.1.4.1.25623.1.0.108203

Version used: 2023-06-14T05:05:19Z

Log (CVSS: 0.0)

NVT: RTSP Server type and version

Summary

This detects the RTSP Server's type and version.

Vulnerability Detection Result

The remote RTSP server is :

Server: RTSP Streaming Server 1.0

All RTSP Header for 'OPTIONS *' method:

RTSP/1.0 404 Not Found

CSeq: 63104

Server: RTSP Streaming Server 1.0 Connection:

Close

Solution:**Log Method**

Details: RTSP Server type and version

OID:1.3.6.1.4.1.25623.1.0.10762

Version used: 2023-08-01T13:29:10Z

[\[return to 192.168.77.111 \]](#)

2.1.5 Log 80/tcp

Log (CVSS: 0.0)

NVT: Services

Summary

This plugin performs service detection.

Vulnerability Detection Result

A web server is running on this port

Solution:

... continues on next page ...

...continued from previous page ...

Vulnerability Insight

This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.

Log Method

Details: Services

OID:1.3.6.1.4.1.25623.1.0.10330

Version used: 2023-06-14T05:05:19Z

Log (CVSS: 0.0)

NVT: Response Time / No 404 Error Code Check

Summary

This VT tests if the remote web server does not reply with a 404 error code and checks if it is replying to the scanners requests in a reasonable amount of time.

Vulnerability Detection Result

The host returns a 30x (e.g. 301) error code when a non-existent file is request
←→ed. Some HTTP-related checks have been disabled.

Solution:**Vulnerability Insight**

This web server might show the following issues:

- it is [mis]configured in that it does not return '404 Not Found' error codes when a non-existent file is requested, perhaps returning a site map, search page, authentication page or redirect instead.

The Scanner might enabled some counter measures for that, however they might be insufficient. If a great number of security issues are reported for this port, they might not all be accurate.

- it doesn't response in a reasonable amount of time to various HTTP requests sent by this VT.

In order to keep the scan total time to a reasonable amount, the remote web server might not be tested. If the remote server should be tested it has to be forced to have it reply to the scanners requests in a reasonable amount of time.

Alternatively the 'Maximum response time (in seconds)' preference could be raised to a higher value if longer scan times are accepted.

Log Method

Details: Response Time / No 404 Error Code Check

OID:1.3.6.1.4.1.25623.1.0.10386

Version used: 2023-07-07T05:05:26Z

Log (CVSS: 0.0)

NVT: CGI Scanning Consolidation

Summary

The script consolidates various information for CGI scanning.

This information is based on the following scripts / settings:

- HTTP-Version Detection (OID: 1.3.6.1.4.1.25623.1.0.100034)
- No 404 check (OID: 1.3.6.1.4.1.25623.1.0.10386)
- Web mirroring / webmirror.nasl (OID: 1.3.6.1.4.1.25623.1.0.10662)
- Directory Scanner / DDI_Directory_Scanner.nasl (OID: 1.3.6.1.4.1.25623.1.0.11032)
- The configured 'cgi_path' within the 'Scanner Preferences' of the scan config in use
- The configured 'Enable CGI scanning', 'Enable generic web application scanning' and 'Add historic /scripts and /cgi-bin to directories for CGI scanning' within the 'Global variable settings' of the scan config in use

If you think any of this information is wrong please report it to the referenced community forum.

Vulnerability Detection Result

The Hostname/IP "192.168.77.111" was used to access the remote host.

Generic web application scanning is disabled for this host via the "Enable generic

web application scanning" option within the "Global variable settings" of the scan config in use.

Requests to this service are done via HTTP/1.1. This

service seems to be able to host PHP scripts. This service

seems to be able to host ASP scripts.

The User-Agent "Mozilla/5.0 [en] (X11; U; Greenbone OS 22.04.13)" was used to ac

cess the remote host.

Historic /scripts and /cgi-bin are not added to the directories used for CGI sca

anning. You can enable this again with the "Add historic /scripts and /cgi-bin

to directories for CGI scanning" option within the "Global variable settings"

of the scan config in use.

The following directories were used for CGI scanning: http://192.168.77.111/

While this is not, in and of itself, a bug, you should manually inspect these di

rectories to ensure that they are in compliance with company security standard

s

Solution:

Log Method

Details: CGI Scanning Consolidation

OID:1.3.6.1.4.1.25623.1.0.111038

Version used: 2023-06-22T10:34:15Z

References

url: <https://forum.greenbone.net/c/vulnerability-tests/7>

[\[return to 192.168.77.111 \]](#)

This file was automatically generated.