

Static Route

```
*Oct 10 18:10:50.000: unix_ll_sock_notify: Invalid L1 socket file descriptor fd = 6
*Oct 10 18:10:50.000: unix_ll_sock_notify: Invalid L1 socket file descriptor fd = 6
*Oct 10 18:08:13.035: %LINK-3-UPDOWN: Interface Ethernet0/2, changed state to do
*Oct 10 18:08:13.036: %LINK-3-UPDOWN: Interface Ethernet0/3, changed state to do
*Oct 10 18:08:14.038: %LINEPROTO-5-UPDOWN: Line protocol on Interface Ethernet0/
*Oct 10 18:08:14.039: %LINEPROTO-5-UPDOWN: Line protocol on Interface Ethernet0/
R1#
R1#
R1#enable
R1#config t
Enter configuration commands, one per line. End with CNTL/Z.
R1(config)#int e0/0
R1(config-if)#ip add 10.0.0.1 255.0.0.0
R1(config-if)#no shutdown
R1(config-if)#exit
R1(config)#int e0/1
R1(config-if)#ip add 20.0.0.1 255.0.0.0
R1(config-if)#no shutdown
R1(config-if)#exit
R1(config)#exit
R1#
```

Win-2
40.0.0.10

Physical 01:00:00 START

36°C Partly cloudy

Search

ENG IN 9:11 PM 10/10/2026

Document1 - Word (Product Activation Failed)

File Home WPS PDF Insert Design Layout References Mailings Review View Tell me what you want to do...

Clipboard Copy Paste Format Painter

Font Paragraph Styles

Find Replace Create PDF Sign

Page 1 of 1 0 words English (United States)

36°C Partly cloudy

Search

ENG IN 9:11 PM 10/10/2026

```
R1#
R1(config-if)#no shutdown
R1(config-if)#exit
R1(config)#int e0/1
R1(config-if)#ip add 20.0.0.1 255.0.0.0
R1(config-if)#no shutdown
R1(config-if)#exit
R1(config)#exit
R1#
*Oct 10 18:10:14.633: %SYS-5-CONFIG_I: Configured from console by console
R1#wr
Building configuration...
[OK]
R1#show ip int brief
Interface IP-Address OK? Method Status Prot
ocol
Ethernet0/0 10.0.0.1 YES manual up up
Ethernet0/1 20.0.0.1 YES manual up up
Ethernet0/2 unassigned YES TFTP down down
Ethernet0/3 unassigned YES TFTP down down
R1#
```

Page 2 of 2 0 words English (United States)

36°C Partly cloudy

Search

ENG IN 916 PM 10/10/2026

lab.surennetwork.com/legacy/topology

```
Router>
Router>
Router>enable
Router#co
*Oct 10 18:17:48.618: %PMP-6-PMP_DISCOVERY_STOPPED: PnP Discovery stopped (Config Wizard)
Router#config t
Enter configuration commands, one per line. End with CNTL/Z.
Router(config)#int e 0/0
Router(config-if)#ip add 40.0.0.1 255.0.0.0
Router(config-if)#no shutdown
Router(config-if)#
*Oct 10 18:18:36.888: %LINK-3-UPDOWN: Interface Ethernet0/0, changed state to up
*Oct 10 18:18:37.888: %LINEPROTO-5-UPDOWN: Line protocol on Interface Ethernet0/0, changed state to up
Router(config-if)#exit
Router(config)#int e0/1
Router(config-if)#ip add 30.0.0.2 255.0.0.0
```

Win-1 10.0.0.10

Win-2 40.0.0.10

Static Route

Physical

36°C Partly cloudy

Search

ENG IN

9:20 PM 10/10/2026

Document1 - Word (Product Activation Failed)

Surya Prakash - IT System Admin

Router>
Router(config-if)#no shutdown
Router(config-if)#exit
Router(config)#
*Oct 10 18:19:34.006: %LINK-3-UPDOWN: Interface Ethernet0/1, changed state to up
*Oct 10 18:19:35.006: %LINEPROTO-5-UPDOWN: Line protocol on Interface Ethernet0/1, changed state to up
Router(config)#exit
Router#
*Oct 10 18:19:39.346: %SYS-5-CONFIG_I: Configured from console by console
Router#show ip int brief
Interface IP-Address OK? Method Status Protocol
Loopback0 40.0.0.1 YES manual up up
Ethernet0/0 40.0.0.1 YES manual up up
Ethernet0/1 30.0.0.2 YES manual up up
Ethernet0/2 unassigned YES unset administratively down down
Ethernet0/3 unassigned YES unset administratively down down
Router#wr
Building configuration...
[OK]
Router#

Page 3 of 3 0 words English (United States)

36°C Partly cloudy

Search

ENG IN

9:20 PM 10/10/2026

PNETLab | Topology

labs.surennetwork.com/legacy/topology

Notifications

- Win-2: started
- Win-1: started

```
R1#
ocol
Ethernet0/0      10.0.0.1      YES manual up
Ethernet0/1      20.0.0.1      YES manual up
Ethernet0/2      unassigned    YES TFTP down
Ethernet0/3      unassigned    YES TFTP down
R1#
*Oct 10 18:13:02.655: %PNP-6-PNP_DISCOVERY_STOPPED: PnP Discovery stopped (Config Wizard)
R1#en
R1#config t
Enter configuration commands, one per line. End with CNTL/Z.
R1(config)#ip route 30.0.0.0 255.0.0.0 20.0.0.2
R1(config)#ip route 40.0.0.0 255.0.0.0 20.0.0.2
R1(config)#exit
R1#
*Oct 10 18:23:45.229: %SYS-5-CONFIG_I: Configured from console by console
R1#wr
building configuration...
[OK]
R1#
```

10.0.0.10

Static Route

Physical

01:00:00 START

Hot days ahead 35°C

Search

ENG IN 9:28 PM 10/10/2026

Document1 - Word (Product Activation Failed)

Surga Prakash - IT System Admin

Find, Replace, Select, Create PDF, Sign

Font, Paragraph, Styles, Editing

```
R2#
Interface      IP-Address OK? Method Status
ocol
Ethernet0/0    20.0.0.2   YES manual up
Ethernet0/1    30.0.0.1   YES manual up
Ethernet0/2    unassigned YES TFTP down
Ethernet0/3    unassigned YES TFTP down
R2#wr
Building configuration...
[OK]
R2#config t
Enter configuration commands, one per line. End with CNTL/Z.
R2(config)#ip route 10.0.0.0 255.0.0.0 20.0.0.1
R2(config)#ip route 40.0.0.0 255.0.0.0 30.0.0.2
R2(config)#exit
R2#
*Oct 10 18:26:30.227: %SYS-5-CONFIG_I: Configured from console by console
R2#wr
Building configuration...
[OK]
R2#
```

Page 4 of 4 0 words English (United States)

Hot days ahead 35°C

Search

ENG IN 9:28 PM 10/10/2026





